Sql server, .net and c# video tutorial

Free C#, .Net and Sql server video tutorial for beginners and intermediate programmers.

LeadForm for Precise Analytics
Ad Qverifier

ASP.NET Web API Tutorial for Beginners
blogspot.com

Master FullStack JavaScript
Ad Eduonix Learning Solution

Angular content projection
blogspot.com

One Course For Placement
Ad GeeksforGeeks

ASP.NET Web API google authentication
blogspot.com

Angular 2 http service tutorial
blogspot.com

Creating formar formgroup obje Angular
blogspot.com

Web api bearer token example

Suggested Videos
Part 22 - Using asp.net identity with Web API
Part 23 - Using fiddler to test ASP.NET Web API token based authentication
Part 24 - ASP.NET Web API login page

In this video we will discuss how to use bearer token for authentication and retrieving data from the server. This is continuation to Part 24. Please watch Part 24 from ASP.NET Web API tutorial before proceeding.

We want to implement a page that retrieves employee data from the server. If the user is not authenticated, he should be automatically redirected to the login page. The user should be able to get to the data page, only if he is logged in.

Load Employees

ID	First Name	Last Name	Gender	Salary
1	Mark	Hastings	Male	60000
2	Steve	Pound	Male	45000
3	Ben	Hoskins	Male	70000
4	Philip	Hastings	Male	45000
5	Mary	Lambeth	Female	30000
6	Valarie	Vikings	Female	35000
7	John	Stanmore	Male	80000

Ads by Google
Bootstrap 4
C# Tutorial
HTML Coding
C# Lessons

Pragim Technologies - Best software training and placements in marathahalli, bangalore. For further details please call 09945699393.

ReactJS Tutorial
Part 1 - Video | Text | Slides
Part 2 - Video | Text | Slides

Complete Tutorials
JavaScript tutorial
Bootstrap tutorial
Angular tutorial for beginners
Angular 5 Tutorial for beginners

Important Videos
The Gift of Education
Web application for your business

Add a new HTML page to the **EmployeeService** project. Name it **Data.html** page. Copy and paste the following HTML and jQuery code.

```
<!DOCTYPE html>
<html>
<head>
   <title></title>
   <meta charset="utf-8" />
   <link href="Content/bootstrap.min.css" rel="stylesheet" />
</head>
<body style="padding-top:20px">
   <div class="col-md-10 col-md-offset-1">
      <div class="well">
         <input id="btnLoadEmployees" class="btn btn-success"
               type="button" value="Load Employees" />
      </div>
      <div id="divData" class="well hidden">
         <table class="table table-bordered" id="tblData">
            <thead>
               <tr class="success">
                  <td>ID</td>
                  <td>First Name</td>
                  <td>Last Name</td>
                  <td>Gender</td>
                  <td>Salary</td>
               </tr>
            </thead>
            <tbody id="tblBody"></tbody>
         </table>
      </div>
      <div class="modal fade" tabindex="-1" id="errorModal"
          data-keyboard="false" data-backdrop="static">
         <div class="modal-dialog modal-sm">
            <div class="modal-content">
               <div class="modal-header">
                  <button type="button" class="close" data-dismiss="modal">
                     &times;
                  </button>
                  <h4 class="modal-title">Session Expired</h4>
               </div>
               <div class="modal-body">
                  <form>
                     <h2 class="modal-title">Close this message to login again</h2>
                  </form>
               </div>
               <div class="modal-footer">
                  <button type="button" class="btn btn-danger"
                        data-dismiss="modal">
                     Close
                  </button>
               </div>
            </div>
         </div>
      </div>
      <div id="divError" class="alert alert-danger collapse">
         <a id="linkClose" href="#" class="close">&times;</a>
```


How to become .NET developer

Resources available to help you

Dot Net Video Tutorials

ASP.NET Core Tutorial

ASP.NET Core Razor Pages Tutorial

Angular 6 Tutorial

Angular CRUD Tutorial

Angular CLI Tutorial

Angular 2 Tutorial

Design Patterns

SOLID Principles

ASP.NET Web API

Bootstrap

AngularJS Tutorial

jQuery Tutorial

JavaScript with ASP.NET Tutorial

JavaScript Tutorial

Charts Tutorial

LINQ

LINQ to SQL

LINQ to XML

Entity Framework

WCF

ASP.NET Web Services

Dot Net Basics

C#

SQL Server

ADO.NET

ASP.NET

GridView

ASP.NET MVC

Visual Studio Tips and Tricks

Dot Net Interview Questions

Slides

Entity Framework

WCF

ASP.NET Web Services

Dot Net Basics

C#

SQL Server

ADO.NET

ASP.NET

GridView

```
        <div id="divErrorText"></div>
    </div>
</div>

<script src="Scripts/jquery-1.10.2.min.js"></script>
<script src="Scripts/bootstrap.min.js"></script>

<script type="text/javascript">
    $(document).ready(function () {
        if (sessionStorage.getItem('accessToken') == null) {
            window.location.href = "Login.html";
        }

        $('#linkClose').click(function () {
            $('#divError').hide('fade');
        });

        $('#errorModal').on('hidden.bs.modal', function () {
            window.location.href = "Login.html";
        });

        $('#btnLoadEmployees').click(function () {
            $.ajax({
                url: '/api/employees',
                method: 'GET',
                headers: {
                    'Authorization': 'Bearer '
                        + sessionStorage.getItem("accessToken")
                },
                success: function (data) {
                    $('#divData').removeClass('hidden');
                    $('#tblBody').empty();
                    $.each(data, function (index, value) {
                        var row = $('<tr><td>' + value.ID + '</td><td>'
                            + value.FirstName + '</td><td>'
                            + value.LastName + '</td><td>'
                            + value.Gender + '</td><td>'
                            + value.Salary + '</td></tr>');
                        $('#tblData').append(row);
                    });
                },
                error: function (jQXHR) {
                    // If status code is 401, access token expired, so
                    // redirect the user to the login page
                    if (jQXHR.status == "401") {
                        $('#errorModal').modal('show');
                    }
                    else {
                        $('#divErrorText').text(jqXHR.responseText);
                        $('#divError').show('fade');
                    }
                }
            });
        });
    });
</script>
</body>
</html>
```

At the moment, the only way to log off the user is by closing the browser window. As we are storing the bearer token in browser session storage, when we close the browser we loose it from the session. In our next video we will discuss, how to explicitly log out the user without closing the browser window.

8 comments:

Unknown March 2, 2017 at 4:18 AM

You forgot to add this line of code in error function $('#errorModal').click(function () { window.location.href = "Login.html"

correct me if I am wrong.

ASP.NET MVC

Visual Studio Tips and Tricks

Java Video Tutorials

Part 1 : Video | Text | Slides

Part 2 : Video | Text | Slides

Part 3 : Video | Text | Slides

Interview Questions

C#

SQL Server

Written Test

Reply

Replies

Unknown July 24, 2017 at 12:59 AM

```
$('#errorModal').on('hidden.bs.modal', function () {
window.location.href = "Login.html";
});
```

Reply

Unknown December 26, 2017 at 9:42 PM

Very Special Thanks from Egypt

Reply

GO CSharp September 27, 2018 at 12:35 AM

How can I secure a JWT access token by tying it to one machine?

I can take token value and cookie identity from a browser which is signed in to my site and has a valid token, to another browser and access authorized actions?

Reply

Anonymous November 22, 2018 at 4:18 AM

I tried to exactly same but my token is not expiring. I have made changed in Startup class too.. Please help someone!!! Urgently

Reply

Dinesh Kudale August 27, 2019 at 12:46 AM

In App_Start folder -> Startup.Auth.cs -->

Given line:
AccessTokenExpireTimeSpan = TimeSpan.FromDays(14),

Replace it as:
AccessTokenExpireTimeSpan = TimeSpan.FromSeconds(10), //Check for 10 Seconds

After clicking 'Load Employees' button on Data.html page, wait for 10 seconds and then click on 'Load Employees' button, then it will show Session expired popup window.

This step has already explained in video by Kudvenkat sir.
Nice tutorial. Working well.

Reply

Anonymous September 8, 2019 at 4:23 AM

even then it is not expirirng

Reply

Replies

Unknown November 25, 2019 at 10:12 AM

Have you added [Authorize] keyword before your EmployeeController?

Reply

Enter your comment...

Comment as: Google Accou ▼

Publish Preview

If you like this website, please share with your friends on facebook and Google+ and recommend us on google using the g+1 button on the top right hand corner.

Links to this post

Create a Link

Subscribe to: Post Comments (Atom)

Powered by Blogger.