Sql server, .net and c# video tutorial

Free C#, .Net and Sql server video tutorial for beginners and intermediate programmers.

Track Right Leads in Analytics
Ad Qverifier

ASP.NET Web API Tutorial for Beginners
blogspot.com

Look of the Day
Ad Second Life

Web API versioning using querystring parameter
blogspot.com

Female Genital Model
Ad Alibaba.com

ASP.NET Web API user registration
blogspot.com

Angular password and confirm password validation
blogspot.com

ASP.NET Web A authentication
blogspot.com

ASP.NET Web API login page

Suggested Videos
Part 21 - ASP.NET Web API user registration
Part 22 - Using asp.net identity with Web API
Part 23 - Using fiddler to test ASP.NET Web API token based authentication

In this video we will discuss **implementing login page for ASP.NET Web API**. This is continuation to Part 23. Please watch Part 23 from ASP.NET Web API tutorial before proceeding.

We want to design a login page that looks as shown below



If we provide invalid username and password the error should be displayed as shown below

Ads by Google
C# Tutorial
Curso C# Web
Ads by Google
Curso C# Web
Hello ASP

Pragim Technologies - Best software training and placements in marathahalli, bangalore. For further details please call 09945699393.

ReactJS Tutorial
Part 1 - Video | Text | Slides
Part 2 - Video | Text | Slides

Complete Tutorials
JavaScript tutorial
Bootstrap tutorial
Angular tutorial for beginners
Angular 5 Tutorial for beginners

Important Videos
The Gift of Education
Web application for your business
How to become .NET developer
Resources available to help you

Dot Net Video Tutorials
ASP.NET Core Tutorial
ASP.NET Core Razor Pages Tutorial
Angular 6 Tutorial
Angular CRUD Tutorial



Add a new HTML page to the **EmployeeService** project. Name it Login.html. Copy and paste the following HTML & jQuery code.

```
<!DOCTYPE html>
<html>
<head>
    <title></title>
    <meta charset="utf-8" />
    <link href="Content/bootstrap.min.css" rel="stylesheet" />
</head>
<body style="padding-top:20px">
    <div class="col-md-10 col-md-offset-1">
        <div class="well">
            <!--Table to capture username and password-->
            <table class="table table-bordered">
                <thead>
                    <tr class="success">
                        <th colspan="2">
                            Existing User Login
                            <a href="Register.html" class="btn btn-success pull-right">
                                Register
                            </a>
                        </th>
                    </tr>
                </thead>
                <tbody>
                    <tr>
                        <td>Usename</td>
                        <td>
                            <input type="text" id="txtUsername" placeholder="Username" />
                        </td>
                    </tr>
                    <tr>
                        <td>Password</td>
                        <td>
                            <input type="password" id="txtPassword"
                                   placeholder="Password" />
                        </td>
                    </tr>
                    <tr class="success">
                        <td colspan="2">
                            <input id="btnLogin" class="btn btn-success" type="button"
                                   value="Login" />
                        </td>
                    </tr>
                </tbody>
            </table>
            <!--Bootstrap alert to display error message if the login fails-->
            <div id="divError" class="alert alert-danger collapse">

                <a id="linkClose" href="#" class="close">&times;</a>
                <div id="divErrorText"></div>
            </div>
        </div>
    </div>

    <script src="Scripts/jquery-1.10.2.min.js"></script>

    <script type="text/javascript">
        $(document).ready(function () {

            $('#linkClose').click(function () {
                $('#divError').hide('fade');
            });

            $('#btnLogin').click(function () {
                $.ajax({
                    // Post username, password & the grant type to /token
                    url: '/token',
                    method: 'POST',
```


Angular CLI Tutorial
Angular 2 Tutorial
Design Patterns
SOLID Principles
ASP.NET Web API
Bootstrap
AngularJS Tutorial
jQuery Tutorial
JavaScript with ASP.NET Tutorial
JavaScript Tutorial
Charts Tutorial
LINQ
LINQ to SQL
LINQ to XML
Entity Framework
WCF
ASP.NET Web Services
Dot Net Basics
C#
SQL Server
ADO.NET
ASP.NET
GridView
ASP.NET MVC
Visual Studio Tips and Tricks
Dot Net Interview Questions

Slides
Entity Framework
WCF
ASP.NET Web Services
Dot Net Basics
C#
SQL Server
ADO.NET
ASP.NET
GridView
ASP.NET MVC
Visual Studio Tips and Tricks

Java Video Tutorials
Part 1 : Video | Text | Slides
Part 2 : Video | Text | Slides
Part 3 : Video | Text | Slides

Interview Questions

```
                contentType: 'application/json',
                data: {
                    username: $('#txtUsername').val(),
                    password: $('#txtPassword').val(),
                    grant_type: 'password'
                },
                // When the request completes successfully, save the
                // access token in the browser session storage and
                // redirect the user to Data.html page. We do not have
                // this page yet. So please add it to the
                // EmployeeService project before running it
                success: function (response) {
                    sessionStorage.setItem("accessToken", response.access_token);
                    window.location.href = "Data.html";
                },
                // Display errors if any in the Bootstrap alert <div>
                error: function (jqXHR) {
                    $('#divErrorText').text(jqXHR.responseText);
                    $('#divError').show('fade');
                }
            });
        });
    });
  </script>
</body>
</html>
```

Please note :

1. sessionStorage data is lost when the browser window is closed.
2. To store an item in the browser session storage use setItem() method

   Example : sessionStorage.setItem("accessToken", response.access_token)
3. To retrieve an item from the browser session storage use getItem() method

   Example : sessionStorage.getItem("accessToken")
4. To remove an item from the browser session storage use removeItem() method

   Example : sessionStorage.removeItem('accessToken')

On the **Register.html** page, we do not have Login button, which takes us to the Login page if the user is already registered. So please include Login button just below **"New User Registration"** text in the <th> element on Register.html page as shown below.

```
<thead>
  <tr class="success">
    <th colspan="2">
      New User Registration
      <a href="Login.html" class="btn btn-success pull-right">Login</a>
    </th>
  </tr>
</thead>
```

In our next video we will discuss implementing the Data.html page which retrieves data by calling the EmployeesController using the bearer token.

7 comments:

Unknown March 3, 2017 at 12:45 AM

How to apply it on cross domain .Please reply me

Reply

Replies

.Net Rajgopal November 15, 2018 at 2:11 AM

We need to select core then we will able to apply in cross platform

Reply

C#

SQL Server

Written Test

SANJAY August 1, 2017 at 6:11 AM

using cors process we can achive cross domain
in cors prosses first install Microsoft.AspNet.Web.api cors package with new get package manager
then
add EnableCorsAttribute cors = new EnableCorsAttribute("*","*","*");
config.EnableCors(cors);
above 2 lines in config.cs calss

Reply

Replies

Dinesh Kudale August 26, 2019 at 4:36 AM

Typo:
above 2 lines in config.cs calss

Correct:
above 2 lines in App_Start folder -> WebApiConfig.cs class.

Reply

Anonymous August 12, 2017 at 1:18 PM

I am getting Error while trying to access the token method from the other project. Please help on this.

Reply

Unknown March 11, 2018 at 11:01 PM

What if i have to do perform some operation before the login occurs.
How to redirect to action method?

Reply

Unknown December 16, 2018 at 6:55 AM

i need loginpage using curl if curl http responnce is your balance is xxx fs0 then login sucess session start if curl http responce is invalid credential login fail login again

Reply

Enter your comment...

Comment as: Google Accou ▼

Publish Preview

If you like this website, please share with your friends on facebook and Google+ and recommend us on google using the g+1 button on the top right hand corner.

Links to this post

Create a Link

Powered by Blogger.