
## **Learning Goals**

By the end of this activity, you will be able to:

- Interact with Hadoop using the command-line application.
- Copy files into and out of the Hadoop Distributed File System (HDFS).


## Instructions

1. Open a browser. Open the browser by click on the browser icon on the top left of the screen.



2. Download the Shakespeare. We are going to download a text file to copy into HDFS. Enter the following link in the

browser: http://ocw.mit.edu/ans7870/6/6.006/s08/lecturenotes/files/t8.shakespeare.txt





Click on Save Page



Change the output to words.txt and click Save.



**2. Open a terminal shell.** Open a terminal shell by clicking on the square black box on the top left of the screen.



Run cd Downloads to change to the Downloads directory.

[cloudera@quickstart ~]\$ cd Downloads/ [cloudera@quickstart Downloads]\$

Run Is to see that words.txt was saved.

[cloudera@quickstart Downloads]\$ ls
words.txt

3. Copy file to HDFS. Run hadoop fs -copyFromLocal words.txt to copy the text file to HDFS.

[cloudera@quickstart Downloads]\$ hadoop fs -copyFromLocal words.txt
[cloudera@quickstart Downloads]\$

4. **Verify file was copied to HDFS.** Run *hadoop fs -ls* to verify the file was copied to HDFS.

[cloudera@quickstart Downloads]\$ hadoop fs -ls
Found 1 items

-rw-r--r-- 1 cloudera cloudera 5458199 2016-02-12 15:14 words.txt [cloudera@quickstart Downloads]\$

5. **Copy a file within HDFS**. You can make a copy of a file in HDFS. Run *hadoop fs -cp words.txt words2.txt* to make a copy of words.txt called words2.txt

[cloudera@quickstart Downloads]\$ hadoop fs -cp words.txt words2.txt
[cloudera@quickstart Downloads]\$

We can see the new file by running hadoop fs -ls

[cloudera@quickstart Downloads]\$ hadoop fs -ls
Found 2 items

```
-rw-r--r-- 1 cloudera cloudera

-rw-r--r-- 1 cloudera cloudera

[cloudera@quickstart Downloads]$ 5458199 2016-02-12 15:14 words.txt
```

6. **Copy a file from HDFS.** We can also copy a file from HDFS to the local file system. Run *hadoop fs -copyToLocal words2.txt* . to copy words2.txt to the local directory.

```
[cloudera@quickstart Downloads]$ hadoop fs -copyToLocal words2.txt
[cloudera@quickstart Downloads]$
```

Let's run *Is* to see that the file was copied to see that words2.txt is there.

[cloudera@quickstart Downloads]\$ ls
words2.txt words.txt
[cloudera@quickstart Downloads]\$

7. Delete a file in HDFS. Let's the delete words2.txt in HDFS. Run hadoop fs -rm words2.txt

[cloudera@quickstart Downloads]\$ hadoop fs -rm words2.txt

16/02/12 15:17:01 INFO fs.TrashPolicyDefault: Namenode trash configuration: Dele
tion interval = 0 minutes, Emptier interval = 0 minutes.

Deleted words2.txt
[cloudera@quickstart Downloads]\$

Run hadoop fs -ls to see that the file is gone.

[cloudera@quickstart Downloads]\$ hadoop fs -ls
Found 1 items

-rw-r--r-- 1 cloudera cloudera [cloudera@quickstart Downloads]\$

-rw-r--r-- 1 cloudera cloudera 5458199 2016-02-12 15:14 words.txt