

Level 2 Includes & Requires Moving Into Position

## It Is Starting to Get Crowded!

#### index.php

```
<?php
if($ SERVER['REQUEST METHOD'] === 'POST')) {
 $date = $ POST['date'];
 $email = $ POST['email'];
 $description = $ POST['desc'];
 echo "Date: $date";
 echo "Email: $email";
 echo "$description";
<!DOCTYPE html>
<html>
<head>
 <title>PHP Demo</title>
 <meta content="width=device-width, initial-scale=1" name="viewport" />
 <link rel="stylesheet" href="css/application.css" />
```

# How Can We Tidy Up the Index Page?

Let's clean and organize our code.


- Most pages will have a header, content, and footer
- We can add HTML blocks or partials into index.php
- We can include compartmentalized code
- We will add a new folder structure for our project

### Steps:

- 1. Create an /app folder and a /public folder
- 2. Move your index.php file to the /public folder



# Creating a Folder for Partial HTML Files





## Creating a Folder for Partial HTML Files

Create three new files in the views folder for each of our sections.




## Cutting & Pasting Into Your HTML Partials

### public/index.php

```
<head>
 <title>PHP Demo</title>
 <meta content="width=device-
 width, initial-scale=1"
 name="viewport" />
 k rel="stylesheet"
 href="css/application.css" />
</head>
         Cut & Paste Into header.php
<body>
 <header class="row row--a">
   <div class="cell well--1"
   tci">
     <h1 class="mbf">Form to
    Log</h1>
   </div>
 </header>
```

#### app/views/header.php

```
<header class="row row--a">
 <div class="cell well--1 tci">
   <h1 class="mbf">Form to Log</h1>
 </div>
</header>
```



Next, we must include this file in index.php

# Including the header.php File

### public/index.php

```
?>
<!DOCTYPE html>
<html>
<head>
 <title>PHP Demo</title>
 <meta content="width=device-width, initial</pre>
 <link rel="stylesheet" href="css/applicat.</pre>
</head>
<body>
<?php
 include('../app/views/header.php');
  <main class="row">
    <div class="states">
   </div>
```

<div class="cell cell--s well--1">

<div class="mbl">

#### app/views/header.php

This means look back one directory!

# Repeating the Process for content.php

### public/index.php

```
<!DOCTYPE html>
<html>
<head>
 <title>PHP Demo</title>
 <meta content="width=device-width, initial</pre>
 k rel="stylesheet" href="css/applicati
</head>
<body>
<?php
 include('../app/views/header.php');
 include('../app/views/content.php');
 <footer class="row">
   <div class="cell well">
     </div>
```

#### app/views/content.php

```
<main class="row">
 <div class="cell cell--s well--1">
   <div class="mbl">
     <form class="" action="" method:</pre>
       <label for="date">Date of Sigh
       <input type="text" name="date'</pre>
       <hr>>
       <label for="email">Your Email
       <input type="text" name="email</pre>
       <hr>>
       <label for="desc">Describe the
       <textarea name="desc" rows="8'</pre>
       <br/>br>
       <br/>br>
```

## Repeating the Process for footer.php

### public/index.php

```
?>
<!DOCTYPE html>
<html>
<head>
 <title>PHP Demo</title>
 <meta content="width=device-width, initial</pre>
 <link rel="stylesheet" href="css/applicat;</pre>
</head>
<body>
<?php
 include('../app/views/header.php');
 include('../app/views/content.php');
 include('../app/views/footer.php');
</body>
</html>
```

#### app/views/footer.php

```
<footer class="row">
    <div class="cell well">

        </div>
</footer>
```

## New & Improved index.php File

### index.php

```
• • •
?>
<!DOCTYPE html>
<html>
<head>
 <title>PHP Demo</title>
  <meta content="width=device-width, initial-scale=1" name="viewport" />
 <link rel="stylesheet" href="css/application.css" />
</head>
<body>
<?php
  include('../app/views/header.php');
 include('../app/views/content.php');
 include('../app/views/footer.php');
?>
</body>
</html>
```

