



XML



All rules (7)

Kubernetes static code analysis

Code Smell 1

Tags

Unique rules to find Security Hotspots in your KUBERNETES code

Security Hotspot

	ounting sensitive file system paths security-sensitive
C	Security Hotspot
	sing host operating system mespaces is security-sensitive
C	Security Hotspot
	lowing process privilege escalations security-sensitive
C	Security Hotspot
	posing Docker sockets is security- nsitive
C	Security Hotspot
	nning containers in privileged mode security-sensitive
C	Security Hotspot
	etting capabilities is security- nsitive
C	Security Hotspot
Κu	bernetes parsing failure
Œ	Code Smell

Kubernetes parsing failure

Analyze your code

Code Smell Major suspicious

When the Kubernetes parser fails, it is possible to record the failure as a violation on the file. This way, not only it is possible to track the number of files that do not parse but also to easily find out why they do not parse.

Available In:

sonarcloud sonarqube

Search by name...

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.

Privacy Policy