





































-  Secrets
-  ABAP
-  Apex
-  AzureResourceManager
-  C
-  C#
-  C++
-  CloudFormation
-  COBOL
-  CSS
-  Dart
-  Docker
-  Flex
-  Go
-  HTML
-  Java
-  JavaScript
-  JCL
-  Kotlin
-  Kubernetes
-  Objective C
-  PHP
-  PL/I
-  PL/SQL
-  Python
-  RPG
-  Ruby
-  Scala
-  Swift
-  Terraform
-  Text
-  TypeScript
-  T-SQL
-  VB.NET
-  VB6
-  XML



Docker static code analysis

Unique rules to find Vulnerabilities, Security Hotspots, and Code Smells in your DOCKER code

- All rules 44
-  Vulnerability 4
-  Bug 4
-  Security Hotspot 15
-  Code Smell 21

Tags ▾

Impact ▾

Clean code attribute ▾

Search by name... 🔍

Allowing shell scripts execution during package installation is security-sensitive

 Security Hotspot

Using host operating system namespaces is security-sensitive

 Security Hotspot

Setting loose POSIX file permissions is security-sensitive

 Security Hotspot

Reduce the amount of consecutive RUN instructions

 Code Smell

Prefer COPY over ADD for copying local resources

 Code Smell

WORKDIR instruction should only be used with absolute path

 Code Smell

Too long RUN instruction should be split into multiple lines

 Code Smell

Prefer Exec form for ENTRYPOINT and CMD instructions

 Code Smell

"WORKDIR" instruction should be used instead of "cd" commands

 Code Smell

Specific version tag for image should be used

 Code Smell

Package update should not be executed without installing it

 Code Smell

Cache should be cleaned after package installation

Access variable which is not available in the current scope

Analyze your code

Intentionality - Logical

Reliability ⬆

 Bug  Major ⓘ

The variable is not available in the current scope. It will be evaluated to an empty value.

Why is this an issue?

How can I fix it?

More Info

Documentation

- [ARG scope - Dockerfile reference](#)

Available In:

sonarlint  | **sonarcloud**  | **sonarqube** 

