





# Bug

🖷 Bug

with no padding

"memcmp" should only be called with pointers to trivially copyable types

⊗ Code O Quick 14 Security 18 206 ₩ Bug (74) Hotspot Smell Tags Search by name. Sections of code should not be Analyze your code commented out based-on-misra unused Programmers should not comment out code as it bloats programs and reduces readability. Unused code should be deleted and can be retrieved from source control history if required. Exceptions

This rule does not apply to code documentation using Doxygen, QDoc, markdown, or

• MISRA C++:2008, 2-7-2 - Sections of code shall not be "commented out" using

• MISRA C++:2008, 2-7-3 - Sections of code should not be "commented out" using

• MISRA C:2012, Dir. 4.4 - Sections of code should not be "commented out"

sonarlint ⊖ | sonarcloud ☆ | sonarqube | Developer Edition

• MISRA C:2004, 2.4 - Sections of code should not be "commented out".

HTML tags.

C-style comments.

C++ comments.

Available In:

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved. Privacy Policy

Stack allocated memory and nonowned memory should not be freed

R
Bug

Closed resources should not be
accessed
Bug

Dynamically allocated memory should
be released
Bug

Freed memory should not be used