Code Smell (61)

Search by name...





PHP

PL/I

PL/SQL

Python

**RPG** 

Ruby

Scala

Swift

Terraform

Text

**TypeScript** 

T-SQL

**VB.NET** 

VB6

**XML** 




## Flex static code analysis

Unique rules to find Bugs, Security Hotspots, and Code Smells in your FLEX code

R Bug 9

Tags

Security Hotspot (1)



implementation

R Bug

```
Overriding methods should do
more than simply call the same
                                        Analyze your code
method in the super class
redundant clumsy
Overriding a method just to call the same method from the super class without
performing any other actions is useless and misleading.
Noncompliant Code Example
 override public function doSomething() : void
   super.doSomething();
 override public function isLegal(action:Action) : Boolean
   return super.isLegal(action);
Compliant Solution
 override public function doSomething() : void
   super.doSomething();
                                                      // Compli
   doSomethingElse();
 }
 override public function isLegal(action:Action) : Boolean
   return super.isLegal(new Action(...)); // Compliant - no
 [Deprecated(replacement="isAuthorized")]
 override public function isLegal(action:Action) : Boolean
   return super.isLegal(action); // Compliant as there is a
 }
 Available In:
 sonarcloud 🔗 | sonarqube
```

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved. **Privacy Policy** 

Classes that extend "Event" should override "Event.clone()"
<b>∰</b> Bug
Constructors should not dispatch events
<b>∰</b> Bug
"ManagedEvents" tags should have companion "Event" tags
Rug
Objects should not be instantiated inside a loop
Two branches in a conditional structure should not have exactly the same implementation
Code Smell
Constructor bodies should be as lightweight as possible
Only "while", "do" and "for" statements should be labelled
Code Smell
Statements, operators and keywords specific to ActionScript 2 should not be used
Code Smell
"for" loop stop conditions should be invariant
Code Smell

Unused function parameters should