




- 5.1 Sprites Revisited
- 5.2 Automatic
- 5.3 Manual
- 5.4 Further Configuration



- Images combined into one file to reduce HTTP requests
- Utilize background-position to shift the image and only show the needed portion
- Not universally loved





youtube.com

Assembly Tip

Make sure you're using the appropriate solution: sprites, icon fonts, and embedded images all have their place









images/icons/
next.png
113 x 185



images/icons/
warning.png
185 x 169

Using @import to generate a sprite:

```
@import "compass"
@import "icons/*.png"
       grabs all .png files
      in the icons folder
```





images/icons-s70d570c2ba.png

```
@import "compass"
@import "icons/*.png"
+all-icons-sprites

the name of the folder
your images are in
```

application.css

```
.icons-sprite, .icons-cancel,
.icons-next, .icons-warning {
 background: url('/images/icons-
s451834c886.png') no-repeat;
.icons-cancel {
 background-position: 0 -169px;
.icons-next {
 background-position: 0 -335px;
.icons-warning {
 background-position: 0 0;
```

5.2 Automatic

```
.icons-sprite, .icons-cancel,
.icons-next, .icons-warning {
 background: url('/images/icons-
s451834c886.png') no-repeat;
.icons-cancel {
 background-position: 0 -169px;
.icons-next {
 background-position: 0 -335px;
.icons-warning {
 background-position: 0 0;
```


lots of files = lots of selectors

manual width/height setting needed



5.2 Automatic

- 5.1 Sprites Revisited
- 5.2 Automatic
- 5.3 Manual
- 5.4 Further Configuration



Use sprite-map instead of @import to generate the sprite image:

```
@import "compass"
$icons: sprite-map("icons/*.png")
                                                doesn't create the
                                              sprite image on its own
```



We'll use the i element (rather than chain), similar to Bootstrap:

application.sass

```
@import "compass"
$icons: sprite-map("icons/*.png")

i
   background: $icons
   display: inline-block
```

```
i {
   background: url('/images/icons-
s23621d5361.png');
   display: inline-block;
}
```





images/icons-s23621d5361.png

sprite-position automatically finds the coordinates for us:

application.sass

```
@import "compass"
$icons: sprite-map("icons/*.png")
  background: $icons
  display: inline-block
.icn-cancel
  background-position: sprite-
position($icons, cancel)
                  file name, sans extension
  sprite map
```

```
background: url('/images/icons-
s23621d5361.png');
 display: inline-block;
.icn-cancel {
 background-position: 0 -169px;
```



sprite-position automatically finds the coordinates for us:

application.sass

```
@import "compass"
$icons: sprite-map("icons/*.png")

i
   background: $icons
   display: inline-block
.icn-cancel
   background-position: sprite-
position($icons, cancel)
   +sprite-dimensions($icons, cancel)
```

```
background: url('/images/icons-
s23621d5361.png');
 display: inline-block;
.icn-cancel {
 background-position: 0 -169px;
 height: 166px;
 width: 166px;
```





<i class="icn-cancel"></i>



```
.icn-cancel
  background-position: sprite-
position($icons, cancel)
  +sprite-dimensions($icons, cancel)
.icn-next
 background-position: sprite-
position($icons, next)
  +sprite-dimensions($icons, next)
.icn-warning
  background-position: sprite-
position($icons, warning)
  +sprite-dimensions($icons, warning)
```

```
.icn-cancel {
 background-position: 0 -169px;
 height: 166px;
 width: 166px;
.icn-next {
 background-position: 0 -335px;
 height: 185px;
 width: 113px;
.icn-warning {
 background-position: 0 0;
 height: 169px;
 width: 185px;
```



```
.icn-cancel
  background-position: sprite-
position($icons, cancel)
  +sprite-dimensions($icons, cancel)
.icn-next
 background-position: sprite-
position($icons, next)
  +sprite-dimensions($icons, next)
.icn-warning
  background-position: sprite-
position($icons, warning)
  +sprite-dimensions($icons, warning)
```

```
.icn-cancel {
 background-position: 0 -169px;
 height: 166px;
 width: 166px;
.icn-next {
 background-position: 0 -335px;
 height: 185px;
 width: 113px;
.icn-warning {
 background-position: 0 0;
 height: 169px;
 width: 185px;
```



```
$icon-names: cancel next warning
@each $i in $icon-names
  .icn-#{$i}
    background-position: sprite-
position($icons, $i)
    +sprite-dimensions($icons, $i)
                   forced to manually
               update the list for new files
```

```
.icn-cancel {
 background-position: 0 -169px;
 height: 166px;
 width: 166px;
.icn-next {
 background-position: 0 -335px;
 height: 185px;
 width: 113px;
.icn-warning {
 background-position: 0 0;
 height: 169px;
 width: 185px;
```



```
@each $i in sprite names($icons)
  .icn-#{$i}
    background-position: sprite-
position($icons, $i)
    +sprite-dimensions($icons, $i)
```

```
.icn-cancel {
 background-position: 0 -169px;
 height: 166px;
 width: 166px;
.icn-next {
 background-position: 0 -335px;
 height: 185px;
 width: 113px;
.icn-warning {
 background-position: 0 0;
 height: 169px;
 width: 185px;
```



```
@import "compass"
$icons: sprite-map("icons/*.png")
 background: $icons
  display: inline-block
@each $i in sprite names($icons)
  .icn-#{$i}
    background-position: sprite-position($icons, $i)
    +sprite-dimensions($icons, $i)
```



Additional Sprite Options

- The generated sprite can be altered with a number of configuration variables, like spacing: http://compass-style.org/help/tutorials/spriting/customization-options/
- Non-vertical layouts can be set:
 http://compass-style.org/help/tutorials/spriting/sprite-layouts/



5.4 Further Configuration