Secrets
ABAP
Ansible
Apex
AzureResourceManager
C
C#
C++
CloudFormation
COBOL
CSS
Dart
Docker
Flex
Go
HTML
Java
JavaScript
JCL
Kotlin
Kubernetes
Objective C
PHP
PL/I
PL/SQL
Python
RPG
Ruby
Scala
Swift
Terraform
Text
TypeScript
T-SQL
VB.NET
VB6
XML

Dart static code analysis

Unique rules to write Clean DART Code

All rules 115 Bug 15 Code Smell 100

Tags Impact Clean code attribute Search by name...

Collection literals should be preferred
Code Smell

Conditional assignment should be preferred
Code Smell

"this" should only be used when required
Code Smell

Exceptions should not be ignored
Code Smell

Code annotated as deprecated should not be used
Code Smell

File names should comply with a naming convention
Code Smell

Unused local variables should be removed
Code Smell

Package names should comply with a naming convention
Code Smell

Overriding methods should do more than simply call the same method in the super class
Code Smell

"isEmpty" or "isNotEmpty" should be used to test for emptiness
Code Smell

Unnecessary imports should be removed
Code Smell

Empty statements should be removed

Collection literals should be preferred

Analyze your code

Intentionality - Clear   Maintainability

Code Smell   Minor   finding clumsy

Why is this an issue?   How can I fix it?   More Info

Dart supports type inference, a mechanism that automatically infers the type of a variable based on its initial value. This means that if you initialize a variable with a particular value, Dart will assume that this variable should always hold that type of value.

Unnecessarily verbose declarations and initializations of collections make it harder to read the code and should be simplified. Therefore, type annotations should be omitted from collection declarations when they can be easily inferred from the initialized or defaulted value.

Available In:
sonarcloud