

-  Secrets
-  ABAP
-  Ansible
-  Apex
-  AzureResourceManager
-  C
-  C#
-  C++
-  CloudFormation
-  COBOL
-  CSS
-  **Dart**
-  Docker
-  Flex
-  Go
-  HTML
-  Java
-  JavaScript
-  JCL
-  Kotlin
-  Kubernetes
-  Objective C
-  PHP
-  PL/I
-  PL/SQL
-  Python
-  RPG
-  Ruby
-  Scala
-  Swift
-  Terraform
-  Text
-  TypeScript
-  T-SQL
-  VB.NET
-  VB6
-  XML



Dart static code analysis

Unique rules to write Clean DART Code

All rules **115**

 Bug **15**

 Code Smell **100**

Tags ▾

Impact ▾

Clean code attribute ▾

Search by name...



Class names should comply with a naming convention

 Code Smell

Track uses of "TODO" tags

 Code Smell

Deprecated code should be removed

 Code Smell

Cyclomatic Complexity of functions should not be too high

 Code Smell

Constant names should comply with a naming convention

 Code Smell

Unnecessary nullable in final declaration should be removed

 Code Smell

Dependencies should be sorted

 Code Smell

Unused assignments should be removed

 Code Smell

Standard outputs should not be used directly to log anything

 Code Smell

Variables should not be initialized with "null"

 Code Smell

Files should end with a newline

 Code Smell

Standard outputs should not be used directly to log anything

Analyze your code

Adaptability - Modular

Maintainability ⬆

 Code Smell

 Major ⓘ

 bad-practice

Why is this an issue?

More Info

- OWASP - [Top 10 2021 Category A9 - Security Logging and Monitoring Failures](#)
- OWASP - [Top 10 2017 Category A3 - Sensitive Data Exposure](#)
- Dart Docs - [Dart Linter rule - avoid_print](#)
- Flutter API Docs - [kDebugMode top-level constant](#)

Available In:

sonarcloud 

© 2008-2024 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE, and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.

Sonar helps developers write Clean Code.
[Privacy Policy](#) | [Cookie Policy](#)

