

-  Secrets
-  ABAP
-  Ansible
-  Apex
-  AzureResourceManager
-  C
-  C#
-  C++
-  CloudFormation
-  COBOL
-  CSS
-  **Dart**
-  Docker
-  Flex
-  Go
-  HTML
-  Java
-  JavaScript
-  JCL
-  Kotlin
-  Kubernetes
-  Objective C
-  PHP
-  PL/I
-  PL/SQL
-  Python
-  RPG
-  Ruby
-  Scala
-  Swift
-  Terraform
-  Text
-  TypeScript
-  T-SQL
-  VB.NET
-  VB6
-  XML



Dart static code analysis

Unique rules to write Clean DART Code

All rules **115**

 Bug **15**

 Code Smell **100**

Tags ▾

Impact ▾

Clean code attribute ▾

Search by name...



Class names should comply with a naming convention

 Code Smell

Track uses of "TODO" tags

 Code Smell

Deprecated code should be removed

 Code Smell

Cyclomatic Complexity of functions should not be too high

 Code Smell

Constant names should comply with a naming convention

 Code Smell

Unnecessary nullable in final declaration should be removed

 Code Smell

Dependencies should be sorted

 Code Smell

Unused assignments should be removed

 Code Smell

Standard outputs should not be used directly to log anything

 Code Smell

Variables should not be initialized with "null"

 Code Smell

Files should end with a newline

 Code Smell

Unused assignments should be removed

Analyze your code

Intentionality - Logical

Maintainability ⬆

 Code Smell

 Major ⓘ

 cwe unused

Why is this an issue?

How can I fix it?

More Info

Remove the unnecessary assignment, then test the code to make sure that the right-hand side of a given assignment had no side effects (e.g. a method that writes certain data to a file and returns the number of written bytes).

Code examples

Noncompliant code example

```
int foo(int y) {
  int x = 100; // Noncompliant: dead store
  x = 150;     // Noncompliant: dead store
  x = 200;
  return x + y;
}
```

Compliant solution

```
int foo(int y) {
  int x = 200; // Compliant: no unnecessary assignment
  return x + y;
}
```

Available In:

sonarcloud 

