

-  Secrets
-  ABAP
-  Ansible
-  Apex
-  AzureResourceManager
-  C
-  C#
-  C++
-  CloudFormation
-  COBOL
-  CSS
-  **Dart**
-  Docker
-  Flex
-  Go
-  HTML
-  Java
-  JavaScript
-  JCL
-  Kotlin
-  Kubernetes
-  Objective C
-  PHP
-  PL/I
-  PL/SQL
-  Python
-  RPG
-  Ruby
-  Scala
-  Swift
-  Terraform
-  Text
-  TypeScript
-  T-SQL
-  VB.NET
-  VB6
-  XML



Dart static code analysis

Unique rules to write Clean DART Code

All rules **115**

 Bug **15**

 Code Smell **100**

Tags ▾

Impact ▾

Clean code attribute ▾

Search by name... 🔍

Unused local variables should be removed

 Code Smell

Package names should comply with a naming convention

 Code Smell

Overriding methods should do more than simply call the same method in the super class

 Code Smell

"isEmpty" or "isEmpty" should be used to test for emptiness

 Code Smell

Unnecessary imports should be removed

 Code Smell

Empty statements should be removed

 Code Smell

Class names should comply with a naming convention

 Code Smell

Track uses of "TODO" tags

 Code Smell

Deprecated code should be removed

 Code Smell

Cyclomatic Complexity of functions should not be too high

 Code Smell

Constant names should comply with a naming convention

 Code Smell

Unused local variables should be removed

Intentionality - Clear

Maintainability ▾

 Code Smell

 Minor ⓘ

 unused

Why is this an issue?

How can I fix it?

More Info

- Dart Docs - [Dart Compiler diagnostic - unused_local_variable](#)

Available In:

sonarcloud 

Analyze your code

© 2008-2024 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE, and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.

Sonar helps developers write Clean Code.
[Privacy Policy](#) | [Cookie Policy](#)

