

-  Secrets
-  ABAP
-  Ansible
-  Apex
-  AzureResourceManager
-  C
-  C#
-  C++
-  CloudFormation
-  COBOL
-  CSS
-  **Dart**
-  Docker
-  Flex
-  Go
-  HTML
-  Java
-  JavaScript
-  JCL
-  Kotlin
-  Kubernetes
-  Objective C
-  PHP
-  PL/I
-  PL/SQL
-  Python
-  RPG
-  Ruby
-  Scala
-  Swift
-  Terraform
-  Text
-  TypeScript
-  T-SQL
-  VB.NET
-  VB6
-  XML



Dart static code analysis

Unique rules to write Clean DART Code

All rules **115**

 Bug **15**

 Code Smell **100**

Tags

▼

Impact

▼

Clean code attribute

▼

Search by name...



"this" should only be used when required

 Code Smell

Exceptions should not be ignored

 Code Smell

Code annotated as deprecated should not be used

 Code Smell

File names should comply with a naming convention

 Code Smell

Unused local variables should be removed

 Code Smell

Package names should comply with a naming convention

 Code Smell

Overriding methods should do more than simply call the same method in the super class

 Code Smell

"isEmpty" or "isEmpty" should be used to test for emptiness

 Code Smell

Unnecessary imports should be removed

 Code Smell

Empty statements should be removed

 Code Smell

Class names should comply with a naming convention

 Code Smell

Track uses of "TODO" tags

"this" should only be used when required

Consistency - Conventional

Maintainability 

 Code Smell

 Minor 

 clumsy

Why is this an issue?

More Info

- Dart Docs - [Dart Linter rule - unnecessary_this](#)
- [Effective Dart](#)

Available In:

sonarcloud 

Analyze your code

© 2008-2024 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE, and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.

Sonar helps developers write Clean Code.
[Privacy Policy](#) | [Cookie Policy](#)

