

-  Secrets
-  ABAP
-  Ansible
-  Apex
-  AzureResourceManager
-  C
-  C#
-  C++
-  CloudFormation
-  COBOL
-  CSS
-  **Dart**
-  Docker
-  Flex
-  Go
-  HTML
-  Java
-  JavaScript
-  JCL
-  Kotlin
-  Kubernetes
-  Objective C
-  PHP
-  PL/I
-  PL/SQL
-  Python
-  RPG
-  Ruby
-  Scala
-  Swift
-  Terraform
-  Text
-  TypeScript
-  T-SQL
-  VB.NET
-  VB6
-  XML



Dart static code analysis

Unique rules to write Clean DART Code

All rules **115**

 Bug **15**

 Code Smell **100**

Tags ▾

Impact ▾

Clean code attribute ▾

Search by name... 

If-null operator should be preferred

 Code Smell

Null-aware operators should be preferred

 Code Smell

Generic function type aliases should be preferred

 Code Smell

Type parameters should not shadow other type parameters

 Code Smell

"static final" declarations should be "const" instead

 Code Smell

Interpolation should be used instead of String concatenation

 Code Smell

Collection literals should be preferred

 Code Smell

Conditional assignment should be preferred

 Code Smell

"this" should only be used when required

 Code Smell

Exceptions should not be ignored

 Code Smell

Code annotated as deprecated should not be used

 Code Smell

File names should comply with a naming convention

If-null operator should be preferred

Consistency - Conventional

Maintainability ▾

 Code Smell

 Minor 

Why is this an issue?

How can I fix it?

More Info

- Dart Docs [Dart Linter rule - prefer_if_null_operators](#)

Available In:

sonarcloud 

Analyze your code

© 2008-2024 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE, and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.

Sonar helps developers write Clean Code.
[Privacy Policy](#) | [Cookie Policy](#)

