

-  Secrets
-  ABAP
-  Ansible
-  Apex
-  AzureResourceManager
-  C
-  C#
-  C++
-  CloudFormation
-  COBOL
-  CSS
-  **Dart**
-  Docker
-  Flex
-  Go
-  HTML
-  Java
-  JavaScript
-  JCL
-  Kotlin
-  Kubernetes
-  Objective C
-  PHP
-  PL/I
-  PL/SQL
-  Python
-  RPG
-  Ruby
-  Scala
-  Swift
-  Terraform
-  Text
-  TypeScript
-  T-SQL
-  VB.NET
-  VB6
-  XML



# Dart static code analysis

Unique rules to write Clean DART Code

All rules **115**

 Bug **15**

 Code Smell **100**

Tags ▾

Impact ▾

Clean code attribute ▾

Search by name... 

Web-only libraries should only be used in Flutter web plugins

 Code Smell

Generic function type syntax should be preferred for parameters

 Code Smell

Null-aware assignments should make sense

 Code Smell

Unnecessary use of "toList" with spread operator

 Code Smell

Unnecessary braces in string interpolation should be removed

 Code Smell

Initializing formals should be used

 Code Smell

Spread collections should be preferred to chaining list insertions

 Code Smell

Inline list literals should be preferred to chains of insertions

 Code Smell

Pubspec urls should be secure

 Code Smell

Referenced packages should be listed as dependencies

 Code Smell

For elements should be preferred to Map.fromIterable

 Code Smell

## Web-only libraries should only be used in Flutter web plugins

Analyze your code

Intentionality - Complete

Reliability 

 Code Smell

 Major 

Web-only libraries should only be used in Flutter web plugins.

- Why is this an issue?
- How can I fix it?
- More Info

Remove the dependency to the web-only library.

### Code examples

#### Noncompliant code example

```
import 'dart:html';    // Non compliant
import 'dart:js';      // Non compliant
import 'dart:js_util'; // Non compliant
import 'package:other_package/other_library.dart';
```

#### Compliant solution

```
import 'package:other_package/other_library.dart';
```

Available In:

**sonarcloud** 

