

-  Secrets
-  ABAP
-  Ansible
-  Apex
-  AzureResourceManager
-  C
-  C#
-  C++
-  CloudFormation
-  COBOL
-  CSS
-  **Dart**
-  Docker
-  Flex
-  Go
-  HTML
-  Java
-  JavaScript
-  JCL
-  Kotlin
-  Kubernetes
-  Objective C
-  PHP
-  PL/I
-  PL/SQL
-  Python
-  RPG
-  Ruby
-  Scala
-  Swift
-  Terraform
-  Text
-  TypeScript
-  T-SQL
-  VB.NET
-  VB6
-  XML



Dart static code analysis

Unique rules to write Clean DART Code

All rules **115**  Bug **15**  Code Smell **100**

Tags ▾

Impact ▾

Clean code attribute ▾

Search by name... 🔍

"void" variables should not be assigned a value
 Bug
Constant patterns should not be used with type literals
 Bug
"is!" should be used instead of "!is"
 Bug
Getters should not be recursive
 Bug
Nullable type parameter values should not be null checked with `!`
 Bug
"const" modifier should not be redundant
 Bug
Setters should not declare return types
 Bug
Inappropriate collection calls should not be made
 Bug
Unnecessary equality checks should not be made
 Bug
The original exception object should be rethrown
 Bug
Literal constructors parameters of @immutable classes should be const
 Code Smell
Unnecessary widget containers should be removed

"void" variables should not be assigned a value

Analyze your code

Intentionality - Logical Reliability 

 Bug  Major 

Variables of type `void` should not be assigned a value.

Why is this an issue? How can I fix it? More Info

Documentation

- Dart Docs - [Dart Linter rule - void_checks](#)
- Medium - [Dart 2: Legacy of the void](#)
- Medium - [The curious case of void in Dart](#)

Available In:

sonarcloud 

