


Products ✓



Character classes in regular

expressions should not contain the

TransformerFactory factory = javax.xml.transform.Transformer

factory.setFeature(XMLConstants.FEATURE SECURE PROCESSING, t

same character twice Code Smell Names of regular expressions named groups should be used Code Smell Regexes containing characters subject to normalization should use the CANON_EQ flag Code Smell Regular expressions should not be too complicated Code Smell

For Dom4j library: SAXReader xmlReader = new SAXReader(); $\verb|xmlReader.setFeature| (\verb|XMLConstants.FEATURE_SECURE_PROCESSING|, \\$ For Jdom2 library: SAXBuilder builder = new SAXBuilder(); builder.setFeature(XMLConstants.FEATURE SECURE PROCESSING, t • Oracle Java Documentation - XML External Entity Injection Attack OWASP Top 10 2017 Category A4 - XML External Entities (XXE) • OWASP XXE Prevention Cheat Sheet • MITRE, CWE-776 - Improper Restriction of Recursive Entity References in DTDs ('XML Entity Expansion') Available In: sonarlint ⊕ | sonarcloud & | sonarqube

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.

<u>Privacy Policy</u>