Secrets
ABAP
Apex
C
C++
CloudFormation
COBOL
C#
CSS
Flex
Go
HTML
Java
JavaScript
Kotlin
Objective C
PHP
PL/I
PL/SQL
Python
RPG
Ruby
Scala
Swift
Terraform
Text
TypeScript
T-SQL
VB.NET
VB6
XML

Java static code analysis

Unique rules to find Bugs, Vulnerabilities, Security Hotspots, and Code Smells in your JAVA code

All rules 632 | Vulnerability 53 | Bug 154 | Security Hotspot 36 | Code Smell 389 | Quick Fix 42

Tags | Search by name...

Abstract class names should comply with a naming convention
Code Smell

Strings literals should be placed on the left side when checking for equality
Code Smell

Files should contain an empty newline at the end
Code Smell

Source code should be indented consistently
Code Smell

A close curly brace should be located at the beginning of a line
Code Smell

Close curly brace and the next "else", "catch" and "finally" keywords should be on two different lines
Code Smell

Close curly brace and the next "else", "catch" and "finally" keywords should be located on the same line
Code Smell

An open curly brace should be located at the beginning of a line
Code Smell

An open curly brace should be located at the end of a line
Code Smell

Tabulation characters should not be used
Code Smell

Functions should not be defined with a variable number of arguments
Code Smell

Methods should not have too many parameters

Analyze your code

Code Smell | Major | brain-overload

A long parameter list can indicate that a new structure should be created to wrap the numerous parameters or that the function is doing too many things.

Noncompliant Code Example

With a maximum number of 4 parameters:

```
public void doSomething(int param1, int param2, int param3,
...
}
```

Compliant Solution

```
public void doSomething(int param1, int param2, int param3,
...
}
```

Exceptions

Methods annotated with :

- Spring's `@RequestMapping` (and related shortcut annotations, like `@GetRequest`)
- JAX-RS API annotations (like `@javax.ws.rs.GET`)
- Bean constructor injection with `@org.springframework.beans.factory.annotation.Autowired`
- CDI constructor injection with `@javax.inject.Inject`
- `@com.fasterxml.jackson.annotation.JsonCreator`

may have a lot of parameters, encapsulation being possible. Such methods are therefore ignored.

Available In:

sonarlint | sonarcloud | sonarqube

Local-Variable Type Inference should be used

Code Smell

Migrate your tests from JUnit4 to the new JUnit5 annotations

Code Smell

Track uses of disallowed classes

Code Smell

Track uses of "@SuppressWarnings" annotations

Code Smell