
Products >

O Quick 42



```
private String name = null;
@RequestMapping("/greet", method = GET)
public String greet(String greetee) {
  if (greetee != null) {
    this.name = greetee;
  return "Hello " + this.name; // if greetee is null, you
```

• OWASP Top 10 2017 Category A3 - Sensitive Data Exposure

Available In:

sonarlint ⊕ | sonarcloud ↔ | sonarqube

Functions should not be defined with a variable number of arguments

Tabulation characters should not be

Close curly brace and the next "else",

"catch" and "finally" keywords should

An open curly brace should be located

An open curly brace should be located

be located on the same line

at the beginning of a line

Code Smell

Code Smell

at the end of a line Code Smell

Code Smell

Code Smell

used

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of

VB.NET

VB6

XML

SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.

Privacy Policy

Local-Variable Type Inference should be used

Code Smell

Migrate your tests from JUnit4 to the new JUnit5 annotations

Code Smell

Track uses of disallowed classes

Code Smell

Track uses of "@SuppressWarnings" annotations

Code Smell