


Separation of Concerns




To style something based on user interaction, which would we use?

Changing our Style



DOM representation



Changing the Style

application.js


```
$(document).ready(function() {
    $('#vacations').on('click', '.vacation', function() {
        $(this).css('background-color', '#252b30');
        $(this).css('border-color', '1px solid #967');
    });
});
```

```
$(this).css('background-color', '#252b30')
.css('border-color', '1px solid #967');
```



Passing in a JavaScript Object as an argument is a common jQuery pattern

DOM representation



jQuery Object Methods

```
.css(<attr>, <value>)
```

```
.css(<attr>)
```

.css(<object>)

Showing the Price

application.js


```
$(this).find('.price').css('display', 'block');
```

\$(this).find('.price').show();



Same as CSS syntax, but easier to read and understand

DOM representation



jQuery Object Methods


```
.show()
```

Showing the Price

application.js

Highlights the Vacation Package and shows the price

DOM representation



jQuery Travels - Vacation Packages

Packages

Hawaiian Vacation European Getaway Visit Japan

Call us at 555-25937 to make a reservation today!

Our **.vacation** elements are highlighted when we click on them



Moving Styles to External CSS

application.js

DOM representation

```
DOCUMENT

div #vacations

li .vacation

p .price
```

application.css

Can we move these to a CSS stylesheet?

```
.highlighted {
  background-color: #563;
  border-color: 1px solid #967;
}
.highlighted .price {
  display: block;
}
```

```
$(this).addClass('highlighted');
```



Moving Styles to External CSS

application.js

```
$(document).ready(function() {
    $('#vacations').on('click', '.vacation', function() {
        $(this).addClass('highlighted');
    });
});
```

It's now much easier to manipulate with external CSS styles

application.css

```
.highlighted {
  background-color: #563;
  border-color: 1px solid #967;
}
.highlighted .price {
  display: block;
}
```

DOM representation

```
DOCUMENT

div #vacations

ul

li .vacation

p .price
```

Moving Styles to External CSS

application.js

```
$(document).ready(function() {
    $('#vacations').on('click', '.vacation', function() {
        $(this).addClass('highlighted');
    });
});
```


We can only show price, but how would we hide price?

```
$(this).toggleClass('highlighted');
```



Adds the class if \$(this) doesn't have it, removes it if \$(this) already has it

DOM representation



jQuery Object Methods

```
.toggleClass()
.addClass(<class>)
```

.removeClass(<class>)

jQuery Travels - Vacation Packages



Call us at 555-25937 to make a reservation today!

Our refactored page still works, and will be much easier to maintain

