

## **Packages**

Hawaiian Vacation European Getaway Visit Japan

Call us at 555-25937 to make a reservation today!

What can we do to add a bit more movement to this?



# Adding Movement

### application.js

```
$(document).ready(function() {
    $('#vacations').on('click', '.vacation', function() {
       $(this).toggleClass('highlighted');
    });
});
```

```
$(this).css({'top': '-10px'});
```




The box will jump up 10 px

```
$(this).animate({'top': '-10px'});
```



### **DOM representation**



### jQuery Object Methods

```
.animate(<object>)
```

Takes in a JavaScript object similar to the .css() method

# Adding Movement


### application.js

```
$(document).ready(function() {
    $('#vacations').on('click', '.vacation', function() {
        $(this).toggleClass('highlighted');
        $(this).animate({'top': '-10px'});
    });
});
```

Will adjust a CSS property pixel by pixel in order to animate it



### **Packages**



Call us at 555-25937 to make a reservation today!

Our animation can slide up but not slide down



### application.js

```
$(document).ready(function() {
    $('#vacations').on('click', '.vacation', function() {
        $(this).toggleClass('highlighted');
        $(this).animate({'top': '-10px'});
    });
});
```

How do we set 'top' to 'Opx' if a second click occurs?

```
if(<vacation has the class highlighted>) {
    // animate the vacation up
} else {
    // animate the vacation back down
}
```

"If statements" allow your code to make decisions at runtime

```
DOCUMENT

div #vacations

ul

li .vacation

p .price
```

### application.js

```
$(document).ready(function() {
    $('#vacations').on('click', '.vacation', function() {
        $(this).toggleClass('highlighted');
        if(<vacation has the class highlighted>) {
          $(this).animate({'top': '-10px'});
        } else {
          $(this).animate({'top': '0px'});
        }
    });
});
```

```
$(this).hasClass('highlighted');
true
```

Returns **true** or **false** 

### **DOM representation**



jQuery Object Methods

.hasClass(<class>)


### application.js

```
$(document).ready(function() {
    $('#vacations').on('click', '.vacation', function() {
        $(this).toggleClass('highlighted');
        if($(this).hasClass('highlighted')) {
          $(this).animate({'top': '-10px'});
        } else {
          $(this).animate({'top': '0px'});
        }
    });
});
```

Our vacation package will move up and down



### **Packages**



Call us at 555-25937 to make a reservation today!

Could we speed this up a little? Our customers don't have all day.



# Changing the Speed

```
$(this).animate({'top': '-10px'});

$(this).animate({'top': '-10px'}, 400);

$(this).animate({'top': '-10px'}, 'fast');

$(this).animate({'top': '-10px'}, 200);

$(this).animate({'top': '-10px'}, 'slow');
```

We can optionally pass in the speed as a second argument to **animate()** 

Effects methods like animate(), slideToggle() and fadeToggle() can also be given a specific speed as a String or in milliseconds

\$(this).animate({'top': '-10px'}, 600);

### application.js

```
$(document).ready(function() {
    $('#vacations').on('click', '.vacation', function() {
        $(this).toggleClass('highlighted'));
        if($(this).hasClass('highlighted')) {
          $(this).animate({'top': '-10px'}, 'fast');
        } else {
          $(this).animate({'top': '0px'}, 'fast');
        }
    });
});
```

And with this we now have specific speeds for our animation



### **Packages**





Call us at 555-25937 to make a reservation today!

Our jQuery animation is now using a 'fast' speed



## The Next Step with CSS Animations

### application.js

```
$(document).ready(function() {
   $('#vacations').on('click', '.vacation', function() {
    $(this).toggleClass('highlighted'));
    if($(this).hasClass('highlighted')) {
       $(this).animate({'top': '-10px'}, 'fast');
    } else {
       $(this).animate({'top': '0px'}, 'fast');
    }
});
});
```

Isn't this still styling? Shouldn't it be inside of a stylesheet?



### **Animation Duration**

#### application.js

```
$(document).ready(function() {
    $('#vacations').on('click', '.vacation', function() {
        $(this).toggleClass('highlighted');
    });
});
```

### application.css

```
.vacation {
  transition: top 0.2s;
}
.highlighted {
  top: -10px;
}
```

Will only work with browsers that implement **CSS transitions** 



## Working with Modern Browsers

### application.js

```
$(document).ready(function() {
    $('#vacations').on('click', '.vacation', function() {
        $(this).toggleClass('highlighted');
    });
});
```

### application.css

```
.vacation {
   -moz-transition: top 0.2s;
   -o-transition: top 0.2s;
   -webkit-transition: top 0.2s;
   transition: top 0.2s;
}
.highlighted {
   top: -10px;
}
```

Unlike jQuery, with CSS we have to account for specific browsers

```
DOCUMENT

div #vacations


ul

li .vacation

p .price
```

# jQuery Air Atlantic - Vacation Packages

## **Packages**



Call us at 555-25937 to make a reservation today!

CSS Animations are a huge topic, but worth looking into

