



What if we also want to show the ticket when they hover over the <**h3**> tag?



Deciding on an Event

```
application.js
  $(document).ready(function() {
    $('.confirmation').on('click', 'button', function() {
      $(this).closest('.confirmation').find('.ticket').slideDown();
    });
    $('.confirmation').on('?', 'h3', function() {
      $(this).closest('.confirmation').find('.ticket').slideDown();
    });
                                                     What event should we watch for?
  });
                      Fires when the mouse is first positioned over the element
Mouse Events
click
               focusin
                             mousedown
                                                                         mouseenter
                                            mousemove
                                                          mouseover
 dblclick
               focusout
                             mouseup
                                                          mouseleave
                                            mouseout
```

4.2 Expanding on on()



Mouse Events

application.js

Rendered HTML jQuery Travels - Vacation Confirmation Confirmations Hawaiian Vacation Paid \$399.99 on January 14, 2013. FLIGHT DETAILS

Call us at 555-25937 to make a reservation today!

Refactoring Handler Functions

application.js

```
function showTicket() {
    $(this).closest('.confirmation').find('.ticket').slideDown();
}
```

Refactoring Handler Functions

application.js

```
function showTicket() {
   $(this).closest('.confirmation').find('.ticket').slideDown();
}
$(document).ready(function() {
   $('.confirmation').on('click', 'button', showTicket);
   $('.confirmation').on('mouseenter', 'h3', showTicket);
});
```

Don't add () at the end - that would execute the function immediately

Rendered HTML jQuery Travels - Vacation Confirmation Confirmations Hawaiian Vacation Paid \$399.99 on January 14, 2013. FLIGHT DETAILS Call us at 555-25937 to make a reservation today!