ર્ડ Sign in

Kubernetes: Getting started

Learn how to begin deploying and managing containerized applications.

A primer on containers

Before you get started with Kubernetes, it's important to understand how containerization works.

In the same way that shipping industries use physical containers to isolate different cargos to transport in ships, trains, trucks and planes, software development technologies increasingly use a concept called containerization.

A single package of software—known as a container—bundles an application's code together with the related configuration files, libraries, and the dependencies required for the app to run. This allows developers and IT pros to create and deploy applications faster and more securely.


Containerization offers the benefits of isolation, portability, agility, scalability, and control across an application's whole lifecycle workflow. A container, abstracted away from the host operating system, stands alone and becomes more portable—able to run across any platform or cloud, uniformly and consistently on any infrastructure.

Kubernetes components and concepts

The cluster

At the highest level, Kubernetes is organized as a cluster of virtual or on-premises machines. These machines—called nodes—share compute, network, and storage resources. Each cluster has one master node connected to one or more worker nodes. The worker nodes are responsible for running groups of containerized applications and workloads, known as pods, and the master node manages which pods run on which worker nodes.

Get an overview of Kubernetes >




The control plane

In order for the master node to communicate with the worker nodes—and for a person to communicate with the master node—Kubernetes includes a number of objects that collectively form the control plane.

Developers and operators interact with the cluster primarily through the master node by using kubectl, a command-line interface that installs on their local OS. Commands issued to the cluster through kubectl are received by the kube-apiserver, the Kubernetes API that resides on the master node. The kube-apiserver then communicates requests to the kube-controller-manager in the master node, which is in turn re

handling worker node operations. Commands from the master node are received by the kubelet on the worker nodes.




Deploying apps and workloads

The next step to getting started with Kubernetes is deploying apps and workloads. The master node maintains the current state of the Kubernetes cluster and configuration in the etcd, a key value store database, at all times. To run pods with your containerized apps and workloads, you'll describe a new desired state to the cluster in the form of a YAML file. The kube-controller-manager takes the YAML file and tasks the kube-scheduler with deciding which worker nodes the app or workload should run based on predetermined constraints. Working in concert with each worker node's kubelet, the kube-scheduler starts the pods, watches the state of the machines, and is overall responsible for the resource management.

In a Kubernetes deployment, the desired state you describe becomes the current state in the etcd, but the previous state isn't lost. Kubernetes supports rollbacks, rolling updates, and pausing rollouts. Additionally, deployments use ReplicaSets in the background to ensure that the specified number of identically configured pods are running. If one or more pods happen to fail, the ReplicaSet replaces them. In this way, Kubernetes is said to be self-healing.

Learn more about Kubernetes deployment strategy >




Structuring and securing Kubernetes environments

With your app or workload deployed, the last step to getting started with Kubernetes is organizing them—and determining who or what has access to them. By creating a namespace, a grouping method inside Kubernetes, you allow services, pods, controllers, and volumes to easily work together while isolating them from other parts of the cluster. As well, use the Kubernetes concept of namespaces to apply consistent configurations to resources.

Further, each worker node contains a kube-proxy, which determines how various aspects of the cluster can be accessed from the outside. Store sensitive non-public information like tokens, certificates, and passwords in secrets—another Kubernetes object—that are encoded until runtime.

Lastly, specify who can see and interact with which parts of the cluster—and how they're allowed to interact—by using role-based access control (RBAC).



Go deeper into the technical details of Kubernetes

See Kubernetes documentation



Implement a fully managed Kubernetes solution

Manage your hosted Kubernetes environment with Azure Kubernetes Service (AKS). Deploy and maintain containerized apps without container orchestration experience. Provision, upgrade, and scale resources on demand—without taking your apps offline.

<u>Learn about Azure Kubernetes Service (AKS)</u> >



Kubernetes quickstart: get up and running in 50 days

Use this step-by-step guide to getting started with Kubernetes and gain hands-on experience with Kubernetes components, capabilities, and solutions.

Follow the Kubernetes learning path

Other ways to move forward with Kubernetes

Learn to use AKS

Prepare an app for AKS

<u>Create a Kubernetes cluster with AKS</u> >



Kubernetes quickstarts and technical guidance

Learn about Kubernetes vs. Docker

See Kubernetes deployment strategies



Open-source community

Join Kubernetes users on Github

Attend KubeCon

Attend a Kubernetes meetup group

Learn about open source on Azure

Ready when you are—try Kubernetes for free on Azure

Start free



Get the Azure mobile app







Explore Azure

Explore Azure

What is Azure?

Get started

Global infrastructure

Datacenter regions

Trust your cloud

Customer enablement

Customer stories

Products and pricing

Products and pricing

Products

Pricing

Free Azure services

Flexible purchase options

Cloud economics

Optimize your costs

Solutions and support

Solutions and support

Solutions

Resources for accelerating growth

Solution architectures

Support

Azure demo and live Q&A

Partners

Partners

Azure Marketplace

Find a partner

Join ISV Success

Resources

Resources

Training and certifications

Documentation

Blog

| Developer resources |
|---|
| Students |
| Events and webinars |
| Analyst reports, white papers, and e-books |
| Videos Cloud computing Cloud computing |
| What is cloud computing? |
| What is cloud migration? |
| What is a hybrid cloud? |
| What is Al? |
| What is laaS? |
| What is SaaS? |
| What is PaaS? |
| What is DevOps? |
| Change language English (US) Your Privacy Choices |
| Consumer Health Privacy Diversity and Inclusion Accessibility Privacy & Cookies Data Protection Notice Trademarks Terms of use Privacy Data Management Contact us |
| Feedback Sitemap © Microsoft 2024 |
| |
| |
| |
| |
| |
| |
| |