



ABAP



C С

CloudFormation

COBOL

C#

3 CSS

 \bowtie Flex

-GO Go

5 HTML

Java

JavaScript JS

Kotlin

Objective C

PHP

PL/I

PL/SQL

Python

RPG

Ruby

Scala

J. Swift

Terraform

Text

тѕ TypeScript

T-SQL

VB.NET

VB6

XML



Python static code analysis

Unique rules to find Bugs, Vulnerabilities, Security Hotspots, and Code Smells in your PYTHON code

All rules (216)

6 Vulnerability (29)

♣ Bug (55)

Tags

Security Hotspot 31

Code Smell (101)

Search by name...

📆 Bug

Exceptions' "__cause__" should be either an Exception or None

₩ Bug

"break" and "continue" should not be used outside a loop

Rug Bug

Break, continue and return statements should not occur in "finally" blocks

Rug Bug

Allowing public ACLs or policies on a S3 bucket is security-sensitive

Security Hotspot

Using publicly writable directories is security-sensitive

Security Hotspot

Using clear-text protocols is securitysensitive

Security Hotspot

Expanding archive files without controlling resource consumption is security-sensitive

Security Hotspot

Signalling processes is securitysensitive

Security Hotspot

Configuring loggers is securitysensitive

Security Hotspot

Using weak hashing algorithms is security-sensitive

Security Hotspot

Disabling CSRF protections is

```
Only strings should be listed
                                        Analyze your code
in "__all_
🛊 Bug 🕕 Blocker 💮
 _all__ is used to define the list of module's names that should be
imported when from package import * is used. For that reason, it may
only contain strings.
Noncompliant Code Example
  class MyClass:
      pass
   _all__ = [
      MyClass
                # Noncompliant
Compliant Solution
  class MyClass:
      pass
   _all__ = [
       "MyClass"
See
 • Python documentation - Importing * From a Package
 Available In:
 sonarlint ⊕ | sonarcloud ₺ | sonarqube
```

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.

Privacy Policy

security-sensitive

Security Hotspot

Using non-standard cryptographic algorithms is security-sensitive

Security Hotspot

Using pseudorandom number generators (PRNGs) is security-sensitive

Security Hotspot

Constants should not be used as conditions

Code Smell

"SystemExit" should be re-raised

M 0-4-0-----