
Code Smell (144)





Modifiers should be declared in the

An open curly brace should be located

at the beginning of a line

correct order Code Smell

Analyze your code cwe owasp php-ini The cgi.force_redirect php.ini configuration is on by default, and it prevents unauthenticated access to scripts when PHP is running as a CGI. Unfortunately, it must be disabled on IIS, OmniHTTPD and Xitami, but in all This rule raises an issue when when cgi.force_redirect is explicitly cgi.force_redirect=0 ; Noncompliant • OWASP Top 10 2021 Category A5 - Security Misconfiguration OWASP Top 10 2017 Category A6 - Security Misconfiguration • MITRE, CWE-305 - Authentication Bypass by Primary Weakness sonarlint ⊕ | sonarcloud ♦ | sonarqube

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.

Privacy Policy

An open curly brace should be located at the end of a line
Code Smell

Tabulation characters should not be used
Code Smell

Method and function names should comply with a naming convention
Code Smell

Creating cookies with broadly defined "domain" flags is security-sensitive

Security Hotspot