Secrets
ABAP
Apex
C
C++
CloudFormation
COBOL
C#
CSS
Flex
Go
HTML
Java
JavaScript
Kotlin
Objective C
PHP
PL/I
PL/SQL
Python
RPG
Ruby
Scala
Swift
Terraform
Text
TypeScript
T-SQL
VB.NET
VB6
XML

PHP static code analysis

Unique rules to find Bugs, Vulnerabilities, Security Hotspots, and Code Smells in your PHP code

All rules 268   🔒 Vulnerability 40   🐛 Bug 51   🛡 Security Hotspot 33   ☣ Code Smell 144

Tags ⌄   Search by name... 🔍

be used to end lines

☣ Code Smell

More than one property should not be declared per statement

☣ Code Smell

The "var" keyword should not be used

☣ Code Smell

"<?php" and "<?=" tags should be used

☣ Code Smell

File names should comply with a naming convention

☣ Code Smell

Comments should not be located at the end of lines of code

☣ Code Smell

Local variable and function parameter names should comply with a naming convention

☣ Code Smell

Field names should comply with a naming convention

☣ Code Smell

Lines should not end with trailing whitespaces

☣ Code Smell

Files should contain an empty newline at the end

☣ Code Smell

Modifiers should be declared in the correct order

☣ Code Smell

An open curly brace should be located at the beginning of a line

The names of methods with boolean return values should start with "is" or "has"

Analyze your code

☣ Code Smell   ⌃ Major ⑦   🏷 convention

Well-named functions can allow the users of your code to understand at a glance what to expect from the function - even before reading the documentation. Toward that end, methods returning a boolean property should have names that start with "is" or "has" rather than with "get".

Note that this rule will only apply to functions that are documented to return a boolean.

Noncompliant Code Example

```
/**
 * @return boolean
 */
public function getFoo() // Noncompliant
{
  return foo;
}
```

Compliant Solution

```
/**
 * @return boolean
 */
public function isFoo()
{
  return true;
}
```

Available In:

sonarlint 😊 | sonarcloud ⌾ | sonarqube ⟫⟫

Code Smell

An open curly brace should be located at the end of a line

Code Smell

Tabulation characters should not be used

Code Smell

Method and function names should comply with a naming convention

Code Smell

Creating cookies with broadly defined "domain" flags is security-sensitive

Security Hotspot