



 \bowtie Flex Go -GO

5 HTML Java

JavaScript JS

Kotlin

Objective C

PHP

PL/I

PL/SQL

Python

RPG

Ruby

Scala

N. Swift

Terraform

Text

тѕ TypeScript

T-SQL

VB.NET

VB6

XML



PHP static code analysis

Unique rules to find Bugs, Vulnerabilities, Security Hotspots, and Code Smells in your PHP code

All rules (268) 6 Vulnerability (40)

R Bug (51)

Security Hotspot 33

Search by name...

Code Smell (144)



A Code Smell

"<?php" and "<?=" tags should be used A Code Smell

File names should comply with a naming convention

A Code Smell

Comments should not be located at the end of lines of code

A Code Smell

Local variable and function parameter names should comply with a naming convention

A Code Smell

Field names should comply with a

naming convention

Code Smell

Lines should not end with trailing whitespaces

Code Smell

Files should contain an empty newline at the end

Code Smell

Modifiers should be declared in the correct order

Code Smell

An open curly brace should be located at the beginning of a line

```
Files that define symbols
should not cause side-
effects
```

Analyze your code

📆 Bug 🔷 Major 🕝

Tags

psr1 user-experience

Files that define symbols such as classes and variables may be included into many files. Simply performing that inclusion should have no effect on those files other than declaring new symbols. For instance, a file containing a class definition should not also contain side-effects such as print statements that will be evaluated automatically on inclusion. Logic should be segregated into symbol-only files and side-effect-only files. The type of operation which is not allowed in a symbol-definition file includes but is not limited to:

- · generating output
- modifying ini settings
- · emitting errors or exceptions
- · modifying global or static variables
- · reading/writing files

Noncompliant Code Example

```
<?php
print "Include worked!";
class foo {
 // ...
```

Compliant Solution

```
<?php
class foo {
  public function log() {
    print "Include worked!";
}
```

• PHP-FIG Basic Coding Standard PSR1, 2.3 - Side Effects

Available In:

sonarlint ⊕ | sonarcloud ↔ | sonarqube

An open curly brace should be located at the end of a line

Code Smell

Tabulation characters should not be used

Code Smell

Method and function names should comply with a naming convention

Code Smell

Creating cookies with broadly defined "domain" flags is security-sensitive

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.

Privacy Policy