
































-  Secrets
-  ABAP
-  Apex
-  C
-  C++
-  CloudFormation
-  COBOL
-  C#
-  CSS
-  Flex
-  Go
-  HTML
-  Java
-  JavaScript
-  Kotlin
-  Objective C
-  **PHP**
-  PL/I
-  PL/SQL
-  Python
-  RPG
-  Ruby
-  Scala
-  Swift
-  Terraform
-  Text
-  TypeScript
-  T-SQL
-  VB.NET
-  VB6
-  XML



PHP static code analysis

Unique rules to find Bugs, Vulnerabilities, Security Hotspots, and Code Smells in your PHP code

All rules 268


 Vulnerability 40

 Bug 51


 Security Hotspot 33


 Code Smell 144


Tags ▾


Search by name... 


- Configuration should not be changed dynamically


 Code Smell
- Class constructors should not create other objects


 Code Smell
- PHP parser failure


 Code Smell
- The names of methods with boolean return values should start with "is" or "has"


 Code Smell
- "php_sapi_name()" should not be used


 Code Smell
- Classes should not have too many lines of code


 Code Smell
- Deprecated features should not be used


 Code Smell
- Files should not contain inline HTML

 Code Smell
- Files should contain only one top-level class or interface each

 Code Smell
- Classes should not have too many fields

 Code Smell
- Track uses of "NOSONAR" comments

 Code Smell
- Statements should be on separate lines

 Code Smell
- Classes should not be coupled to too

Assertion arguments should be passed in the correct order

Analyze your code

 Code Smell  Major  tests suspicious phpunit

The standard PHPUnit assertion methods such as `assertEquals`, expect the first argument to be the expected value and the second argument to be the actual value. Swap them, and your test will still have the same outcome (succeed/fail when it should) but the error messages will be confusing.

This rule raises an issue when the second argument to an assertions library method is a hard-coded value and the first argument is not.

Noncompliant Code Example

```
self::assertEquals($runner.getExitCode(), 0, "Unexpected exit code")
```

Compliant Solution

```
self::assertEquals(0, $runner.getExitCode(), "Unexpected exit code")
```

Available In:

Classes should not be coupled to too many other classes (Single Responsibility Principle)

 Code Smell

"switch case" clauses should not have too many lines of code

 Code Smell

Assignments should not be made from within sub-expressions

 Code Smell

Files should not have too many lines of code

 Code Smell