
Code Smell (144)





Code Smell

correct order Code Smell

Modifiers should be declared in the

An open curly brace should be located

at the beginning of a line



Unique rules to find Bugs, Vulnerabilities, Security Hotspots, and Code Smells in your PHP code

**R** Bug (51)

Functions should not have too many parameters				Analyze your code		
<b>⇔</b> Co	de Smell		<b>\</b>	orain-overlo	ad	
-		r list can indicat ous parameters o				
Nonco	mpliant Co	ode Example				
With a	maximum	number of 4 pa	ırameters	•		
fun	ction do	oSomething(\$	param1,	<pre>\$param2,</pre>	\$param3,	\$param
}						
Compl	iant Soluti	ion				
fun	ction do	oSomething(\$	param1,	\$param2,	\$param3,	\$param
· · · · }						

Security Hotspot 33

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved. Privacy Policy

An open curly brace should be located at the end of a line
Code Smell

Tabulation characters should not be used
Code Smell

Method and function names should comply with a naming convention
Code Smell

Creating cookies with broadly defined "domain" flags is security-sensitive

Security Hotspot