



XML



Ruby static code analysis

Unique rules to find Bugs, Security Hotspots, and Code Smells in your RUBY code

Tags



Code Smell

lines

Statements should be on separate

```
Collapsible "if" statements
                                    Analyze your code
should be merged
clumsv
Merging collapsible if statements increases the code's readability.
Noncompliant Code Example
 if !filename.nil?
   if File.file?(filename) || File.directory?(filename)
     # ...
   end
  end
 if a then
   unless b then
   end
 end
Compliant Solution
 def isFileOrDirectory(filename)
   File.file?(filename) || File.directory?(filename)
 end
  if !filename.nil? && isFileOrDirectory(filename)
  end
 if a && !b then
 end
 Available In:
 sonarlint ⊕ | sonarcloud 👌 | sonarqube
```

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.

Privacy Policy

Code Smell (33)

Search by name...

Code Smell

"case when" clauses should not have too many lines of code

Code Smell

Files should not have too many lines of code

Code Smell

Lines should not be too long

Code Smell

Tabulation characters should not be used

Code Smell