

Introduction

Set up

Prepare the app

Deploy the app

View logs

Define a Procfile

Scale the app

Declare app dependencies

Run the app locally

Push local changes

Provision add-ons

Start a one-off dyno

Define config vars

Use a database

Next steps

Set up

In this step you will install the Heroku Command Line Interface (CLI), formerly known as the Heroku Toolbelt. You will use the CLI to manage and scale your applications, to provision add-ons, to view the logs of your application as it runs on Heroku, as well as to help run your application locally.

Download the CLI at <https://toolbelt.heroku.com>



Download the Heroku CLI for Windows

Once you have installed the Heroku CLI, you can use the `heroku` command from your command shell.

Log in using the email address and password you used when creating your Heroku account:

```
> heroku login
Enter your Heroku credentials.
Email: ruby@example.com
Password:
...
```

Logging in is required to allow both the `heroku` and `git` commands to operate.

[Log in to report a problem \(/login?back_to=%2Farticles%2Fgetting-started-with-jruby%23set-up\)](/login?back_to=%2Farticles%2Fgetting-started-with-jruby%23set-up)

I have installed the Toolbelt (set-up)

(Log in (/login?back_to=%2Farticles%2Fgetting-started-with-jruby%23set-up) to save and track your progress)