ORACLE

Oracle Technology Network > **Applications**

- AIA Pre-Built Integrations
- E-Business Applications Technology
- Oracle Policy Automation
- Autovue
- Construction and Engineering
- Oracle Commerce
- Utilities
- Communications

Oracle Database 11*g* Release 2 JDBC Drivers

Thank you for accepting the OTN License Agreement; you may now download this software.

Oracle Database 11*g* Release 2 (11.2.0.4) JDBC Drivers

SimpleFAN
⬇ **simplefan.jar** (20,365 bytes) - (SHA1 Checksum: 307a7e203d7e141964158d181ca849d512d7e710)
Classes for subscribing to RAC events via ONS; simplefan policy and javadoc

JDBC Thin for All Platforms
⬇ **ojdbc.policy** (10,591 bytes) - Sample security policy file for Oracle Database JDBC drivers
⬇ **JavaDoc** (6,415,512 bytes)
⬇ **README**

⬇ **ojdbc6.jar** (2,739,670 bytes) - (SHA1 Checksum: a483a046eee2f404d864a6ff5b09dc0e1be3fe6c)
Certified with JDK 8, JDK 7 and JDK 6: It contains the JDBC driver classes except classes for NLS support in Oracle Object and Collection types.
⬇ **ojdbc6_g.jar** (4,494,956 bytes) - (SHA1 Checksum: bf50af31967911af63058a6e1e5249c2dae34823)
Same as ojdbc6.jar except compiled with "javac -g" and contains tracing code.
⬇ **ojdbc6dms.jar** (3,350,769 bytes) - (SHA1 Checksum: d268a890a9a681cf498a9fe9c47e92ca06ac26f0)
Same as ojdbc6.jar, except that it contains instrumentation to support DMS and limited java.util.logging calls.
⬇ **ojdbc6dms_g.jar** (4,517,982 bytes) - (SHA1 Checksum: 1686b3128b37f8ba38b12e90b6ac675c09a0f598)
Same as ojdbc6_g.jar except that it contains instrumentation to support DMS.
⬇ **ojdbc5.jar** (2,091,137 bytes) - (SHA1 Checksum: 5543067223760fc2277fe3f603d8c4630927679c)
Classes for use with JDK 1.5. It contains the JDBC driver classes, except classes for NLS support in Oracle Object and Collection types.
⬇ **ojdbc5_g.jar** (3,424,140 bytes) - (SHA1 Checksum: 64e37b6d66b43b3c12edc84452331be0eb9e5329)
Same as ojdbc5.jar, except that classes were compiled with "javac -g" and contain tracing code.
⬇ **ojdbc5dms.jar** (2,609,740 bytes) - (SHA1 Checksum: 8d24978caa54608bef20d5179e4a474880d657e7)
Same as ojdbc5.jar, except that it contains instrumentation to support DMS and limited java.util.logging calls.
⬇ **ojdbc5dms_g.jar** (3,445,413 bytes) - (SHA1 Checksum: 3cd3ce19ca9d0e92e94393160e842b212a7b8cf3)
Same as ojdbc5_g.jar, except that it contains instrumentation to support DMS.
⬇ **orai18n.jar** (1,655,734 bytes) - (SHA1 Checksum: 02ca732c9b5043d39a6b300d190ba0dbce29f3a3)
NLS classes for use with JDK 1.5, and 1.6. It contains classes for NLS support in Oracle Object and Collection types. This jar file replaces the old nls_charset jar/zip files.
⬇ **demo.zip** (606,659 bytes) - contains sample JDBC programs.
⬇ **xdb6.jar** (263,097 bytes) - (SHA1 Checksum: 7604939a619d2f8bd2a02480ab785c2b4a02e3a7)
To use the standard JDBC4.0 java.sql.SQLXML interface with JDBC 11.2.0.3, you need to use xdb6.jar (instead of xdb.jar) from the 11.2.0.3 distribution..
⬇ **ons.jar** (71,830 bytes) - (SHA1 Checksum: 3516a84f4e26caab41d560678bb59076666543f7)
for use by the pure Java client-side Oracle Notification Services (ONS) deamon

Note: For platform specific JDBC-OCI libraries See Instant Client

Oracle Database 11*g* Release 2 (11.2.0.3) JDBC Drivers

SimpleFAN
⬇ **simplefan.jar** (20,345 bytes) (SHA1 Checksum: cf60661d6365a8f7bdb210c3e4a74cbaa58b9fdc)
simplefan policy, javadoc

JDBC Thin for All Platforms
⬇ **JavaDoc** (6,456,081 bytes)
⬇ **README**

⬇ **ojdbc6.jar** (2,714,189 bytes) (SHA1 Checksum:de96f0060c7353532f4cb4a0b73d20545580fc91)
Classes for use with JDK 1.6. It contains the JDBC driver classes except classes for NLS support in Oracle Object and Collection types.
⬇ **ojdbc6_g.jar** (4,463,274 bytes) (SHA1 Checksum: 69d4b41ba8d40a150acf45fc1945602969378291)
Same as ojdbc6.jar except compiled with "javac -g" and contains tracing code.
⬇ **ojdbc6dms.jar** (3,327,932 bytes) (SHA1 Checksum: d92a58664bce1192c3a5057a63bffdbe92c405c8)
Same as ojdbc6.jar, except that it contains instrumentation to support DMS and limited java.util.logging calls.
⬇ **ojdbc6dms_g.jar** (4,486,082 bytes) (SHA1 Checksum: bc2dea5d8f78ed252a3c74a63550f599693c189f)
Same as ojdbc6_g.jar except that it contains instrumentation to support DMS.
⬇ **ojdbc5.jar** (2,095,932 bytes) (SHA1 Checksum: 9a36ca0197d24f8ad0d2a47066e129be354ae408)
Classes for use with JDK 1.5. It contains the JDBC driver classes, except classes for NLS support in Oracle Object and Collection types.
⬇ **ojdbc5_g.jar** (3,426,203 bytes) (SHA1 Checksum: 315d01fcb830703740577dc95036db4b34633e63)
Same as ojdbc5.jar, except that classes were compiled with "javac -g" and contain tracing code.
⬇ **ojdbc5dms.jar** (2,617,374 bytes) (SHA1 Checksum: 9fea5cdf5a13b69da9c3a3e709932272e904c80f)
Same as ojdbc5.jar, except that it contains instrumentation to support DMS and limited java.util.logging calls.
⬇ **ojdbc5dms_g.jar** (3,447,502 bytes) (SHA1 Checksum: 124207ccdfe319888a10916fcfad5690565b2cfd)
Same as ojdbc5_g.jar, except that it contains instrumentation to support DMS.
⬇ **orai18n.jar** (1,656,248 bytes) (SHA1 Checksum: 74be2ed2d53ea36c32873782c83c2b55f26bf10f)
NLS classes for use with JDK 1.5, and 1.6. It contains classes for NLS support in Oracle Object and Collection types. This jar file replaces the old nls_charset jar/zip files.
⬇ **demo.zip** (606,505 bytes) - contains sample JDBC programs.
⬇ **xdb6.jar** (262,740 bytes) (SHA1 Checksum: e611f1c4cf7ddf11fbd88c3e6dc8995cbfc9f3c9)
To use the standard JDBC4.0 java.sql.SQLXML interface with JDBC 11.2.0.3, you need to use xdb6.jar (instead of xdb.jar) from the 11.2.0.3 distribution..

⬇ **ons.jar** (71,212 bytes) (SHA1 Checksum: 4ea7aa2f0ba775c14a9049f803987e6898159cf1)
for use by the pure Java client-side Oracle Notification Services (ONS) deamon

Note: For platform specific JDBC-OCI libraries See Instant Client

Oracle Database 11*g* Release 2 (11.2.0.2.0) JDBC Drivers

SimpleFAN
⬇ **simplefan.jar** (20,349 bytes) (SHA1 Checksum: 8a20790155963ce83e2f66002113c5c83868b282)
simplefan policy, javadoc

JDBC Thin for All Platforms
⬇ **JavaDoc** (6,098,206 bytes)
⬇ **README**

⬇ **ojdbc6.jar** (2,152,051 bytes) (SHA1 Checksum: 2f89cd9176772c3a6c261ce6a8e3d0d4425f5679)
Classes for use with JDK 1.6. It contains the JDBC driver classes except classes for NLS support in Oracle Object and Collection types.
⬇ **ojdbc6_g.jar** (3,872,378 bytes) (SHA1 Checksum: ad7c8bb402f36196230d439f9b5f846d83f55f9e)
Same as ojdbc6.jar except compiled with "javac -g" and contains tracing code.
⬇ **ojdbc6dms.jar** (2,761,898 bytes) (SHA1 Checksum: 991ed2b40abda51c757fef19d83aafaab3c263ef)
Same as ojdbc6.jar, except that it contains instrumentation to support DMS and limited java.util.logging calls.
⬇ **ojdbc6dms_g.jar** (3,895,302 bytes)(SHA1 Checksum:66eab1ae8ce896c369e15b528a083af59f547a0b)
Same as ojdbc6_g.jar except that it contains instrumentation to support DMS.
⬇ **ojdbc5.jar** (2,030,135 bytes)(SHA1 Checksum: 7d40721898509c01265e227ee179b5cd902d3a1d)
Classes for use with JDK 1.5. It contains the JDBC driver classes, except classes for NLS support in Oracle Object and Collection types.
⬇ **ojdbc5_g.jar** (3,348,984 bytes)(SHA1 Checksum: c1412e5a00a508543c436a177b51605ddbe47166)
Same as ojdbc5.jar, except that classes were compiled with "javac -g" and contain tracing code.
⬇ **ojdbc5dms.jar** (2,547,745 bytes)(SHA1 Checksum: 0b31b2e82295652ef48a1bda6b4f891c1446a3d7)
Same as ojdbc5.jar, except that it contains instrumentation to support DMS and limited java.util.logging calls.
⬇ **ojdbc5dms_g.jar** (3,370,127 bytes) (SHA1 Checksum:556989ff9a23ee1c7c9c2aca97cc910c993059cc)
Same as ojdbc5_g.jar, except that it contains instrumentation to support DMS.
⬇ **orai18n.jar** (1,656,239 bytes)(SHA1 Checksum: d13a7e834df89c4ef44a887707a94c545d3901a9)
NLS classes for use with JDK 1.5, and 1.6. It contains classes for NLS support in Oracle Object and Collection types. This jar file replaces the old nls_charset jar/zip files.
⬇ **demo.zip** (605,781 bytes) contains sample JDBC programs.
⬇ **ons.jar** (70,589 bytes) (SHA1 Checksum: ddac8f0a90c554350e6993c1669387050cd06db9)
for use by the pure Java client-side Oracle Notification Services (ONS) deamon.

Note: For platform specific JDBC-OCI libraries See Instant Client

Oracle Database 11*g* Release 2 (11.2.0.1.0) JDBC Drivers

SimpleFAN
⬇ **simplefan.jar** (20,355 bytes)(SHA1 Checksum: 2e35ba359d11b755f3eec351b1fca9fbd3863bb0)
simplefan policy, javadoc

JDBC Thin for All Platforms
⬇ **JavaDoc** (807,895 bytes)
⬇ **README**

⬇ **ojdbc6.jar** (2,111,220 bytes) (SHA1 Checksum: 931e21640909a205ccf5bc026738965570bb085f)
Classes for use with JDK 1.6. It contains the JDBC driver classes except classes for NLS support in Oracle Object and Collection types.
⬇ **ojdbc6_g.jar** (3,401,519 bytes) (SHA1 Checksum: 145cbd4f6b9f0723e29a4351b6ded7193320099f)
Same as ojdbc6.jar except compiled with "javac -g" and contains tracing code.
⬇ **ojdbc6dms.jar** (2,655,741 bytes) (SHA1 Checksum: 01ec0964930f195786a506a202e824092b36d959)
Same as ojdbc6.jar, except that it contains instrumentation to support DMS and limited java.util.logging calls.
⬇ **ojdbc6dms_g.jar** (3,423,263bytes)(SHA1 Checksum:b50b2f0c7455e98e53d645e6d64c4527501cc541)
Same as ojdbc6_g.jar except that it contains instrumentation to support DMS.
⬇ **ojdbc5.jar** (1,996,228 bytes) (SHA1 Checksum: 67ccc9a7b98de9e65fb6127d428e3123e54c98ac)
Classes for use with JDK 1.5. It contains the JDBC driver classes, except classes for NLS support in Oracle Object and Collection types.
⬇ **ojdbc5_g.jar** (3,081,328 bytes) (SHA1 Checksum: 60db4a41c7f08e9c7a4b5f072a1fafc2edb33cd0)
Same as ojdbc5.jar, except that classes were compiled with "javac -g" and contain tracing code.
⬇ **ojdbc5dms.jar** (2,429,777 bytes) (SHA1 Checksum:3b38f31be43990b85c265b0d5bde3345712b1adf)
Same as ojdbc5.jar, except that it contains instrumentation to support DMS and limited java.util.logging calls.
⬇ **ojdbc5dms_g.jar** (3,101,875 bytes)(SHA1Checksum:2fdae789494c7fc027a14b84be4a935dda47bdac)
Same as ojdbc5_g.jar, except that it contains instrumentation to support DMS.
⬇ **orai18n.jar** (1,656,280 bytes) (SHA1 Checksum: c720ce38edb7cbad35afbdedf3ffe160d669fc07)
NLS classes for use with JDK 1.5, and 1.6. It contains classes for NLS support in Oracle Object and Collection types. This jar file replaces the old nls_charset jar/zip files.
⬇ **demo.zip** (603,363 bytes) - contains sample JDBC programs.
⬇ **ons.jar** (63,590 bytes) (SHA1 Checksum:1be6ed5bb47715f7f5d96d4a8a8de8ae5d231b42)
for use by the pure Java client-side Oracle Notification Services (ONS) deamon.

Note: For platform specific JDBC-OCI libraries See Instant Client

Popular Downloads

⬇ Berkeley DB

⬇ Enterprise Manager

⬇ Database EE and XE

⬇ Developer VMs

⬇ Enterprise Pack for Eclipse

⬇ Java

E-mail this page   Printer View

ORACLE CLOUD

Learn About Oracle Cloud
Computing

Get a Free Trial

Learn About DaaS

Learn About SaaS

Learn About PaaS

Learn About IaaS

Learn About Private Cloud

Learn About Managed Cloud

JAVA

Learn About Java

Download Java for Consumers

Download Java for Developers

Java Resources for Developers

Java Cloud Service

Java Magazine

CUSTOMERS AND EVENTS

Explore and Read Customer
Stories

All Oracle Events

Oracle OpenWorld

JavaOne

EMAIL SUBSCRIPTIONS

Subscription Center

COMMUNITIES

Blogs

Discussion Forums

Wikis

Oracle ACEs

User Groups

Social Media Channels

SERVICES AND STORE

Log In to My Oracle Support

Training and Certification

Become a Partner

Find a Partner Solution

Purchase from the Oracle Store

Source Code for Open Source
Software

CONTACT AND CHAT

US Sales: +1.800.633.0738
Global Contacts
Oracle Support
Partner Support

Integrated Cloud Applications & Platform Services

© Oracle | Subscribe | Careers | Contact Us | Site Maps | Legal Notices | Terms of Use | Privacy | Cookie Preferences | Ad Choices | Oracle Mobile