~	200 XP	

Knowledge check

4 minutes

Choose the best response for each question. Then select **Check your answers**.

Check your knowledge

	on.
0	needs.
,	✓ Correct. Jobs run in parallel by default, but you can define dependencies between the jobs using needs.
0	uses.
Whi	ch of the following choices isn't a level that self-hosted runners can be added within an enterprise? *
0	Enterprise-level (multiple organizations across an enterprise).
\bigcirc	Organizational-level (multiple repositories in an organization).
\sim	Organizational-level (multiple repositories in an organization).
0	Project-level. ✓ Correct. Self-hosted runners can be added at different levels within an enterprise: Organizational-level (multiple
	Project-level.
	Project-level. ✓ Correct. Self-hosted runners can be added at different levels within an enterprise: Organizational-level (multiple repositories in an organization), Enterprise-level (multiple organizations across an enterprise), Repository-level (single repository).
Whice	Project-level. ✓ Correct. Self-hosted runners can be added at different levels within an enterprise: Organizational-level (multiple repositories in an organization), Enterprise-level (multiple organizations across an enterprise), Repository-level (single repository). ch of the following choices is the location where you can find workflows? *
. Whic	Project-level. ✓ Correct. Self-hosted runners can be added at different levels within an enterprise: Organizational-level (multiple repositories in an organization), Enterprise-level (multiple organizations across an enterprise), Repository-level (single repository). ch of the following choices is the location where you can find workflows? *