Code Smell (99)

Search by name...





ABAP

Apex Apex

C C

C++

CloudFormation

COBOL COBOL

C# C#

E CSS

X Flex

-co Go

HTML

衡 Java

Js JavaScript

Kotlin

Kubernetes

Objective C

🕪 PHP

PL/I

PL/SQL PL/SQL

Python

RPG RPG

Ruby

Scala

Swift

Terraform

Text

TypeScript

T-SQL

VB VB.NET

VB6 VB6

XML XML



Swift static code analysis

Unique rules to find Bugs, Vulnerabilities, Security Hotspots, and Code Smells in your SWIFT code

Tags

Hard-coded credentials are securitysensitive

"switch case" clauses should not have too many lines of code

Methods and field names should not be the same or differ only by

"switch case" clauses should not have too many lines of code

be the same or differ only by capitalization

Code Smell

Cipher algorithms should be robust

Vulnerability

Using weak hashing algorithms is security-sensitive

Security Hotspot

Cognitive Complexity of functions should not be too high

Code Smell

"try!" should not be used

Code Smell

String literals should not be duplicated

Code Smell
 Code Smell

Functions and closures should not be empty

Code Smell

Collection elements should not be replaced unconditionally

📆 Bug

Collection sizes comparisons should make sense

📆 Bug

All branches in a conditional structure should not have exactly the same implementation

📆 Bug

Infix operators that end with "=" should update their left operands

👚 Bug

Precedence and associativity of standard operators should not be changed

"switch case" clauses should Analyze your code brain-overload The switch statement should be used only to clearly define some new branches in the control flow. As soon as a case clause contains too many statements this highly decreases the readability of the overall control flow statement. In such case, the content of the case clause should be extracted into a dedicated method. **Noncompliant Code Example** The following code snippet illustrates this rule with the default threshold of 5: switch myVariable { case 0: // 6 lines till next case methodCall1("") methodCall2("") methodCall3("") methodCall4("") methodCall5("") case 1: **Compliant Solution** switch myVariable { case 0: doSomething() case 1: } func doSomething(){ methodCall1("") methodCall2("") methodCall3(' methodCall4("") methodCall5("") } Available In: sonarlint ⊕ | sonarcloud む | sonarqube | Developer Edition

Security Hotspot 3

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved.

Privacy Policy

∰ Bug
Return values from functions without side effects should not be ignored
∰ Bug
Related "if/else if" statements and "cases" in a "switch" should not have the same condition
Rug
Identical expressions should not be used on both sides of a binary operator
🖟 Bug
All code should be reachable
Rug
Loops with at most one iteration should be refactored
🖟 Bug
"IBInspectable" should be used correctly
Functions should not have identical implementations
Ternary operators should not be nested
Closure expressions should not be nested too deeply
Code Smell
Backticks should not be used around