Status	Finished
Started	Saturday, 17 October 2026, 10:26 AM
Completed	Saturday, 17 October 2026, 10:33 AM
Duration	7 mins 33 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters ahead from the current position. ✓

b. • Move file pointer five characters behind from the current position.

c. Move file pointer five characters ahead from the beginning

d. • Move file pointer five characters behind ahead from the end of a file.

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **2**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. readlist()

b. readlines() ✓

c. readline()

d. read()

The correct answer is: readlines()

Question **3**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Deletes the file content
b. Moves the file cursor to the beginning
c. Flushes the internal buffer to the file ✓
d. Closes the file

The correct answer is: Flushes the internal buffer to the file

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. Both text and binary file ✓
b. Binary file
c. Text file
d. none of the given choices

The correct answer is: Both text and binary file

Question **5**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer to beginning of the file

b. move the file pointer five characters behind from the current position

c. moves the file pointer to the end of a file

d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position

Question **6**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Read ✓

b. Binary

c. Write

d. Append

The correct answer is: Read

Question **7**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Raises an error because the file is opened in append mode

b. Opens the file in read mode

c. Overwrites the file with "Adding new data"

d. Appends "Adding new data" to the end of the file ✓

The correct answer is: Appends "Adding new data" to the end of the file

Question **8**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

a. write()

b. write_list()

c. writelines() ✓

d. write_all()

The correct answer is: writelines()

Question **9**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. a list of integers

b. str

c. a list of single characters

d. a list of lines ✓

The correct answer is:
a list of lines

Question **10**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The file's read/write position
b. The buffer size for the file operations ✓
c. The access mode of the file
d. The encoding of the file

The correct answer is: The buffer size for the file operations

Question **11**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

a. Prints each line of the file
b. Prints the first 10 characters of the file
c. Prints the entire content of the file ✓
d. Prints an error message

The correct answer is: Prints the entire content of the file

Question **12**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. A new file is created
b. An empty file object is returned
c. An error is raised ✓
d. The operation is ignored

The correct answer is: An error is raised

Question **13**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the read() method
b. Using the readline() method
c. Using the readlines() method
d. Using a for loop ✓

The correct answer is: Using a for loop

Question **14**

Correct

Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

a. The access mode in which the file was opened ✓
b. The name of the file
c. The current position of the file cursor
d. The size of the file

The correct answer is: The access mode in which the file was opened

Question **15**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It raises an error
b. It appends data to the file
c. It clears the old data and starts fresh ✓
d. It does nothing

The correct answer is: It clears the old data and starts fresh