ADMETlab 2.0

1. Physicochemical Property

Property	Value	Comment
Molecular Weight	178.17	Contain hydrogen atoms. Optimal:100~600
Volume	213.655	Van der Waals volume
Density	0.834	Density = MW / Volume
nHA	0	Number of hydrogen bond acceptors. Optimal:0~12
nHD	0	Number of hydrogen bond donors. Optimal:0~7
nRot	0	Number of rotatable bonds. Optimal:0~11
nRing	2	Number of rings. Optimal:0~6
MaxRing	13	Number of atoms in the biggest ring. Optimal:0~18
nHet	0	Number of heteroatoms. Optimal:1~15
fChar	0	Formal charge. Optimal:-4 ~4
nRig	14	Number of rigid bonds. Optimal:0~30
Flexibility	0.0	Flexibility = nRot /nRig
Stereo Centers	1	Optimal: $\leq$ 2
TPSA	0.0	Topological Polar Surface Area. Optimal:0~140
logS	-6.208	Log of the aqueous solubility. Optimal: -4~0.5 log mol/L
logP	6.233	Log of the octanol/water partition coefficient. Optimal: 0~3
logD	4.211	logP at physiological pH 7.4. Optimal: 1~3

2. Medicinal Chemistry

Property	Value	Decision	Comment
QED	0.48	🔴	■ A measure of drug-likeness based on the concept of desirability; ■ Attractive: > 0.67; unattractive: 0.49~0.67; too complex: < 0.34
SAscore	3.268	🟢	■ Synthetic accessibility score is designed to estimate ease of synthesis of drug-like molecules. ■ SAscore $\geq$ 6, difficult to synthesize; SAscore <6, easy to synthesize
Fsp3	0.846	🟢	■ The number of sp3 hybridized carbons / total carbon count, correlating with melting point and solubility. ■ Fsp^3 $\geq$0.42 is considered a suitable value.
MCE-18	23.333	🔴	■ MCE-18 stands for medicinal chemistry evolution. ■ MCE-18$\geq$45 is considered a suitable value.

Property	Value	Decision	Comment
NPscore	0.786	-	■ Natural product-likeness score. ■ This score is typically in the range from −5 to 5. The higher the score is, the higher the probability is that the molecule is a NP.
Lipinski Rule	Accepted	🟢	■ MW ≤ 500; logP ≤ 5; Hacc ≤ 10; Hdon ≤ 5 ■ If two properties are out of range, a poor absorption or permeability is possible, one is acceptable.
Pfizer Rule	Rejected	🔴	logP > 3; TPSA < 75 Compounds with a high log P (>3) and low TPSA (<75) are likely to be toxic.
GSK Rule	Rejected	🔴	■ MW ≤ 400; logP ≤ 4 ■ Compounds satisfying the GSK rule may have a more favorable ADMET profile
Golden Triangle	Rejected	🔴	■ 200 ≤ MW ≤ 50; -2 ≤ logD ≤ 5 ■ Compounds satisfying the Golden Triangle rule may have a more favorable ADMET profile.
PAINS	0 alerts	-	Pan Assay Interference Compounds, frequent hitters, Alpha-screen artifacts and reactive compound.
ALARM NMR	0 alerts	-	Thiol reactive compounds.
BMS	0 alerts	-	Undesirable, reactive compounds.
Chelator Rule	0 alerts	-	Chelating compounds.

3. Absorption

Property	Value	Decision	Comment
Caco-2 Permeability	-4.639	🟢	Optimal: higher than -5.15 Log unit
MDCK Permeability	1.7e-05	🟢	■ low permeability: $< 2 \times 10^{-6}$ cm/s ■ medium permeability: $2\text{–}20 \times 10^{-6}$ cm/s ■ high passive permeability: $> 20 \times 10^{-6}$ cm/s
Pgp-inhibitor	0.004	🟢	■ Category 1: Inhibitor; Category 0: Non-inhibitor; ■ The output value is the probability of being Pgp-inhibitor
Pgp-substrate	0.0	🟢	■ Category 1: substrate; Category 0: Non-substrate; ■ The output value is the probability of being Pgp-substrate
HIA	0.004	🟢	■ Human Intestinal Absorption ■ Category 1: HIA+(HIA < 30%); Category 0: HIA-(HIA < 30%); The output value is the probability of being HIA+
$F_{20\%}$	0.715	🔴	■ 20% Bioavailability ■ Category 1: $F_{20\%}$+ (bioavailability < 20%); Category 0: $F_{20\%}$- (bioavailability ≥ 20%); The output value is the probability of being $F_{20\%}$+

Property	Value	Decision	Comment
$F_{30\%}$	0.912	🔴	■ 30% Bioavailability ■ Category 1: $F_{30\%}$+ (bioavailability < 30%); Category 0: $F_{30\%}$- (bioavailability ≥ 30%); The output value is the probability of being $F_{30\%}$+

4. Distribution

Property	Value	Decision	Comment
PPB	97.02%	🔴	■ Plasma Protein Binding ■ Optimal: < 90%. Drugs with high protein-bound may have a low therapeutic index.
VD	3.29	🟢	■ Volume Distribution ■ Optimal: 0.04-20L/kg
BBB Penetration	0.582	🟠	■ Blood-Brain Barrier Penetration ■ Category 1: BBB+; Category 0: BBB-; The output value is the probability of being BBB+
Fu	1.536%	🔴	■ The fraction unbound in plasms ■ Low: <5%; Middle: 5~20%; High: > 20%

5. Metabolism

Property	Value	Comment
CYP1A2 inhibitor	0.767	■ Category 1: Inhibitor; Category 0: Non-inhibitor; ■ The output value is the probability of being inhibitor.
CYP1A2 substrate	0.351	■ Category 1: Substrate; Category 0: Non-substrate; ■ The output value is the probability of being substrate.
CYP2C19 inhibitor	0.564	■ Category 1: Inhibitor; Category 0: Non-inhibitor; ■ The output value is the probability of being inhibitor.
CYP2C19 substrate	0.093	■ Category 1: Substrate; Category 0: Non-substrate; ■ The output value is the probability of being substrate.
CYP2C9 inhibitor	0.38	■ Category 1: Inhibitor; Category 0: Non-inhibitor; ■ The output value is the probability of being inhibitor.
CYP2C9 substrate	0.911	■ Category 1: Substrate; Category 0: Non-substrate; ■ The output value is the probability of being substrate.
CYP2D6 inhibitor	0.233	■ Category 1: Inhibitor; Category 0: Non-inhibitor; ■ The output value is the probability of being inhibitor.
CYP2D6 substrate	0.415	■ Category 1: Substrate; Category 0: Non-substrate; ■ The output value is the probability of being substrate.
CYP3A4 inhibitor	0.365	■ Category 1: Inhibitor; Category 0: Non-inhibitor; ■ The output value is the probability of being inhibitor.
CYP3A4 substrate	0.131	■ Category 1: Substrate; Category 0: Non-substrate; ■ The output value is the probability of being substrate.

6. Excretion

Property	Value	Decision	Comment
CL	5.029	🟢	■ Clearance ■ High: >15 mL/min/kg; moderate: 5-15 mL/min/kg; low: <5 mL/min/kg
$T_{1/2}$	0.117	-	■ Category 1: long half-life ; Category 0: short half-life; ■ long half-life: >3h; short half-life: <3h ■ The output value is the probability of having long half-life.

7. Toxicity

Property	Value	Decision	Comment
hERG Blockers	0.01	🟢	■ Category 1: active; Category 0: inactive; ■ The output value is the probability of being active.
H-HT	0.133	🟢	■ Human Hepatotoxicity ■ Category 1: H-HT positive(+); Category 0: H-HT negative(-); ■ The output value is the probability of being toxic.
DILI	0.203	🟢	■ Drug Induced Liver Injury. ■ Category 1: drugs with a high risk of DILI; Category 0: drugs with no risk of DILI. The output value is the probability of being toxic.
AMES Toxicity	0.019	🟢	■ Category 1: Ames positive(+); Category 0: Ames negative(-); ■ The output value is the probability of being toxic.
Rat Oral Acute Toxicity	0.03	🟢	■ Category 0: low-toxicity; Category 1: high-toxicity; ■ The output value is the probability of being highly toxic.
FDAMDD	0.456	🟠	■ Maximum Recommended Daily Dose ■ Category 1: FDAMDD (+); Category 0: FDAMDD (-) ■ The output value is the probability of being positive.
Skin Sensitization	0.778	🔴	■ Category 1: Sensitizer; Category 0: Non-sensitizer; ■ The output value is the probability of being sensitizer.
Carcinogenicity	0.539	🟠	■ Category 1: carcinogens; Category 0: non-carcinogens; ■ The output value is the probability of being toxic.
Eye Corrosion	0.717	🔴	■ Category 1: corrosives ; Category 0: noncorrosives ■ The output value is the probability of being corrosives.
Eye Irritation	0.985	🔴	■ Category 1: irritants ; Category 0: nonirritants ■ The output value is the probability of being irritants.

Respiratory Toxicity	0.911	🔴	■ Category 1: respiratory toxicants; Category 0: respiratory nontoxicants ■ The output value is the probability of being toxic.

8. Environmental toxicity

Property	Value	Comment
Bioconcentration Factors	2.87	■ Bioconcentration factors are used for considering secondary poisoning potential and assessing risks to human health via the food chain. ■ The unit is $-\log10[(mg/L)/(1000*MW)]$
IGC_{50}	4.876	■ Tetrahymena pyriformis 50 percent growth inhibition concentration ■ The unit is $-\log10[(mg/L)/(1000*MW)]$
$LC_{50}FM$	5.508	■ 96-hour fathead minnow 50 percent lethal concentration ■ The unit is $-\log10[(mg/L)/(1000*MW)]$
$LC_{50}DM$	5.116	■ 48-hour daphnia magna 50 percent lethal concentration ■ The unit is $-\log10[(mg/L)/(1000*MW)]$

9. Tox21 pathway

Property	Value	Decision	Comment
NR-AR	0.202	🟢	■ Androgen receptor ■ Category 1: actives ; Category 0: inactives; ■ The output value is the probability of being active.
NR-AR-LBD	0.003	🟢	■ Androgen receptor ligand-binding domain ■ Category 1: actives ; Category 0: inactives; ■ The output value is the probability of being active.
NR-AhR	0.013	🟢	■ Aryl hydrocarbon receptor ■ Category 1: actives ; Category 0: inactives; ■ The output value is the probability of being active.
NR-Aromatase	0.156	🟢	■ Category 1: actives ; Category 0: inactives; ■ The output value is the probability of being active.
NR-ER	0.18	🟢	■ Estrogen receptor ■ Category 1: actives ; Category 0: inactives; ■ The output value is the probability of being active.
NR-ER-LBD	0.029	🟢	■ Estrogen receptor ligand-binding domain ■ Category 1: actives ; Category 0: inactives; ■ The output value is the probability of being active.
NR-PPAR-gamma	0.32	🟠	■ Peroxisome proliferator-activated receptor gamma ■ Category 1: actives ; Category 0: inactives; ■ The output value is the probability of being active.
SR-ARE	0.064	🟢	■ Antioxidant response element ■ Category 1: actives ; Category 0: inactives; ■ The output value is the probability of being active.
SR-ATAD5	0.005	🟢	■ ATPase family AAA domain-containing protein 5 ■ Category 1: actives ; Category 0: inactives; ■ The output value is the probability of being active.

SR-HSE	0.469	🟠	■ Heat shock factor response element ■ Category 1: actives ; Category 0: inactives; ■ The output value is the probability of being active.
SR-MMP	0.251	🟢	■ Mitochondrial membrane potential ■ Category 1: actives ; Category 0: inactives; ■ The output value is the probability of being active.
SR-p53	0.054	🟢	■ Category 1: actives ; Category 0: inactives; ■ The output value is the probability of being active.

10. Toxicophore Rules

Property	Value	Comment
Acute Toxicity Rule	0 alerts	■ 20 substructures ■ acute toxicity during oral administration
Genotoxic Carcinogenicity Rule	0 alerts	■ 117 substructures ■ carcinogenicity or mutagenicity
NonGenotoxic Carcinogenicity Rule	0 alerts	■ 23 substructures ■ carcinogenicity through nongenotoxic mechanisms
Skin Sensitization Rule	0 alerts	■ 155 substructures ■ skin irritation
Aquatic Toxicity Rule	1 alerts	■ 99 substructures ■ toxicity to liquid(water)
NonBiodegradable Rule	2 alerts	■ 19 substructures ■ non-biodegradable
SureChEMBL Rule	0 alerts	■ 164 substructures ■ MedChem unfriendly status