Create a storage account ...

Basics   Advanced   Networking   Data protection   Encryption   Tags   Review

Project details

Select the subscription in which to create the new storage account. Choose a new or existing resource group to organize and manage your storage account together with other resources.

Subscription *

| Free Trial | ⌄ |

Resource group *

| Azurelib-Academy | ⌄ |

Create new

Instance details

Storage account name ⓘ *

| rajasekhar04061998stg |

Region ⓘ *

| (US) East US | ⌄ |

Deploy to an edge zone

Create a storage account ...

Basics   Advanced   Networking   **Data protection**   Encryption   Tags   Review

Tracking

Manage versions and keep track of changes made to your blob data.

☑ Enable versioning for blobs

Use versioning to automatically maintain previous versions of your blobs. Learn more

Consider your workloads, their impact on the number of versions created, and the resulting costs. Optimize costs by automatically managing the data lifecycle. Learn more

☐ Enable blob change feed

Keep track of create, modification, and delete changes to blobs in your account. Learn more

Access control

☐ Enable version-level immutability support

Allows you to set time-based retention policy on the account-level that will apply to all blob versions. Enable this feature to set a default policy at the account level. Without enabling this, you can still set a default policy at the container level or set policies for

Review   < Previous   Next : Encryption >

rajasekhar04061998stg | Containers 📌 ☆ ⋯
Storage account

«

🔍 Search

- ☰ Overview
- 🗐 Activity log
- 🏷 Tags
- 🔧 Diagnose and solve problems
- 🔑 Access Control (IAM)
- 🛢 Data migration
- ⚡ Events
- 🗂 Storage browser
- 🔺 Storage Mover

Data storage

- ☰ Containers
- 🗄 File shares
- ▥ Queues
- ▦ Tables

Security + networking

- 🌐 Networking

+ Container   🔒 Change access level   ↻ Restore containers ∨   🔄 Refresh | 🗑 Delete   🗨 Give feedback

Search containers by prefix

Name	Last modified	Public acce
☐ $logs	6/27/2023, 3:54:51 PM	Private

New container   ✕

Name *

landing   ✓

Public access level ⓘ

Container (anonymous read access for containers and blobs) ∨

⚠ All container and blob data can be read by anonymous request.
Clients can enumerate blobs within the container by
anonymous request, but cannot enumerate containers within
the storage account.

∨ Advanced

Create   Give feedback 🗨

landing ···
Container

🔍 Search   «

🔲 Overview

🔧 Diagnose and solve problems

👥 Access Control (IAM)

Settings

🔗 Shared access tokens

🔑 Access policy

|¦| Properties

ℹ Metadata

↑ Upload   🔒 Change access level   ⟳ Refresh | 🗑 Delete   ⇄ Change tier   ✎ Acquire lease   🔗

Authentication method: Access key (Switch to Azure AD User Account)
Location: landing

Search blobs by prefix (case-sensitive)

⁺▽ Add filter

Name	Modified	Access tier	Arc
No results			

Upload blob

☁⬆

1 file(s) selected: Hive-assignment.txt

Drag and drop files here or Browse for files

☑ Overwrite if files already exist

⌄ Advanced

Upload   👤

landing ···
Container

- 🔲 Overview
- 🔧 Diagnose and solve problems
- 👤 Access Control (IAM)

Settings

- ☁️ Shared access tokens
- 🔑 Access policy
- 📊 Properties
- ℹ️ Metadata

↑ Upload 🔓 Change access level 🔄 Refresh | 🗑️ Delete ⇄ Change tier ✏️ Acquire lease 🔗

Authentication method: Access key (Switch to Azure AD User Account)
Location: landing

Search blobs by prefix (case-sensitive)

➕ Add filter

	Name	Modified	Access tier	Arc
☐ 📄	Hive-assignment.txt	6/27/2023, 3:58:03 PM	Hot (Inferred)	

Upload blob ✕

1 file(s) selected: Document-2.txt

Drag and drop files here or Browse for files

✅ Overwrite if files already exist

∧ Advanced

Blob type ⓘ

Block blob ⌄

✅ Upload .vhd files as page blobs (recommended)

Block size ⓘ

4 MiB ⌄

Access tier ⓘ

Hot (Inferred) ⌄

Upload to folder

NewFolderS

Blob index tags ⓘ

landing ···
Container

✕

↑ Upload   🔒 Change access level   ↻ Refresh | 🗑 Delete   ⇄ Change tier   🖉 Acquire lease   🖉 Break lease   👁 View snapshots   🗐 Create snapshot   📷 Give feedback

▢ Overview

Authentication method: Access key (Switch to Azure AD User Account)
Location: landing

🖉 Diagnose and solve problems

👥 Access Control (IAM)

Search blobs by prefix (case-sensitive)   ⬤ Show deleted blobs

Settings

+🔽 Add filter

🌐 Shared access tokens

🔑 Access policy

Name	Modified	Access tier	Archive status	Blob type	Size	Lease state	
☑ 📁 NewFolder						-	···
☐ 📄 Hive-assignment.txt	6/27/2023, 3:58:03 PM	Hot (Inferred)		Block blob	933 B	Available	···

Ⅲ Properties

ⓘ Metadata

landing ...
Container

✕

↑ Upload   🔒 Change access level   ↻ Refresh | 🗑 Delete   ⇄ Change tier   🔌 Acquire lease   🔌 Break lease   👁 View snapshots   🗐 Create snapshot   👥 Give feedback

Authentication method: Access key (Switch to Azure AD User Account)
Location: landing / NewFolder

Search blobs by prefix (case-sensitive)		⚫ Show deleted blobs

➕ Add filter

Name	Modified	Access tier	Archive status	Blob type	Size	Lease state	
☐ 📁 [..]							...
☑ 📄 Document-2.txt	6/27/2023, 4:05:35 PM	Hot (Inferred)		Block blob	109 B	Available	...

landing ···
Container

×

↑ Upload   🔒 Change access level   ↻ Refresh | 🗑 Delete   ⇄ Change tier   🖉 Acquire lease   🖉 Break lease   👁 View snapshots   🗐 Create snapshot   👥 Give feedback

🔲 Overview

🖉 Diagnose and solve problems

👥 Access Control (IAM)

Authentication method: Access key (Switch to Azure AD User Account)
Location: landing

Search blobs by prefix (case-sensitive)   ⬤ Show deleted blobs

Settings

🔗 Shared access tokens

🔑 Access policy

‖ Properties

ⓘ Metadata

➕ Add filter

Name	Modified	Access tier	Archive status	Blob type	Size	Lease state	
☐ 📄 Hive-assignment.txt	6/27/2023, 3:58:03 PM	Hot (Inferred)		Block blob	933 B	Available	···