


Launching instance

Launch initiation

80%

Details

Please wait while we launch your instance.
Do not close your browser while this is loading.



Network settings

VPC - required

Info

vpc-0b5ce6975045cec63 (default)

172.31.0.0/16

Subnet

Info

subnet-0c048a2af34def10d

VPC: vpc-0b5ce6975045cec63 Owner: 074404964370
Availability Zone: us-east-1b (use1-az4) Zone type: Availability Zone
IP addresses available: 4091 CIDR: 172.31.16.0/20

Auto-assign public IP

Info

Enable

Firewall (security groups)

Info

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

Create security group

Select existing security group

Security group name - required

abc2

This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and _-./!@#%&*~

Description - required

Info

launch-wizard-7 created 2026-01-30T05:13:35.638Z

Inbound Security Group Rules

Security group rule 1 (TCP, 22, 0.0.0.0/0)

Remove

Summary

Number of instances

Info

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.10....read more

ami-0532be01f26a3de55

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group


Storage (volumes)

1 volume(s) - 8 GiB

Cancel

Launch instance

Preview code



EC2 > Instances > Launch an instance

Success
Successfully initiated launch of instance (i-0c573917c8d3ca265)

► **Launch log**

Next Steps

What would you like to do next with this instance, for example "create alarm" or "create backup"

Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
[Create billing alerts](#)

Connect to your instance
Once your instance is running, log into it from your local computer.
[Connect to instance](#)
[Learn more](#)

Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
[Connect an RDS database](#)
[Create a new RDS database](#)
[Learn more](#)


Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots.
[Create EBS snapshot policy](#)

Manage detailed monitoring
Enable or disable detailed monitoring for the instance. If you enable detailed monitoring,
[Manage detailed monitoring](#)

Create Load Balancer
Create an application, network gateway or classic Elastic Load Balancer.
[Create Load Balancer](#)

Create AWS budget
AWS Budgets allows you to create budgets, forecast spend, and take action on your costs.
[Create AWS budget](#)

Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms for the instance.
[Manage CloudWatch alarms](#)



EC2 > Security Groups > sg-0c5d504de1e9e5d0f - abc2 > Edit inbound rules

Edit inbound rules info

Inbound rules control the incoming traffic that's allowed to reach the instance.

Inbound rules info

Security group rule ID	Type info	Protocol info	Port range info	Source info	Description - optional info	
sgr-03e9d5727061608cc	SSH	TCP	22	Custom		Delete
-	NFS	TCP	2049	Custom		Delete





[Add rule](#)

Rules with source of 0.0.0.0/0 or ::/0 allow all IP addresses to access your instance. We recommend setting security group rules

CIDR blocks

- 0.0.0.0/0
- 0.0.0.0/8
- 0.0.0.0/16
- 0.0.0.0/24
- 0.0.0.0/32
- ::/0
- ::/16
- ::/32
- ::/48
- ::/64

[Save rules](#)



Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... x Instance details | EC2 | us-east-1 x Document 15.docx x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#instanceDetails:instanceId=i-0c573917c8d3ca265

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > i-0c573917c8d3ca265

EC2

- Dashboard
- EC2 Global View
- Events
- Instances
 - Instances
 - Instance Types
 - Launch Templates
 - Spot Requests
 - Savings Plans
 - Reserved Instances
 - Dedicated Hosts
 - Capacity Reservations
 - Capacity Manager
- Images
 - AMIs
 - AMI Catalog
- Elastic Block Store
 - Volumes
 - Snapshots
 - Lifecycle Manager

IAM Role -

IMDSv2 Required

Operator -

Subnet ID
subnet-0c048a2af34def10d

Instance ARN
arn:aws:ec2:us-east-1:074404964370:instance/i-0c573917c8d3ca265

Auto Scaling Group name -

Managed false

Details Status and alarms Monitoring Security Networking Storage Tags

Instance details info

AMI ID
ami-0532be01f26a3de55

AMI name
al2023-ami-2023.10.20260120.4-kernel-6.1-x86_64

Stop protection
Disabled

Instance reboot migration
Default (On)

Stop-hibernate behavior

Monitoring disabled

Allowed image -

Launch time
Fri Jan 30 2026 10:47:03 GMT+0530 (India Standard Time) (4 minutes)

Instance auto-recovery
Default

AMI Launch index

Platform details
Linux/UNIX

Termination protection
Disabled

AMI location
amazon/al2023-ami-2023.10.20260120.4-kernel-6.1-x86_64

Lifecycle
normal

Key pair assigned at launch

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... x ModifyInboundSecurityGroup x Document 15.docx x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#ModifyInboundSecurityGroupRules:securityGroupId=sg-013d21b19d06c132b

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Security Groups > sg-013d21b19d06c132b - abc1 > Edit inbound rules

Edit inbound rules

Inbound rules control the incoming traffic that's allowed to reach the instance.

Inbound rules

Security group rule ID	Type	Protocol	Port range	Source	Description - optional
sgr-08a3ed3e1794c0ca7	SSH	TCP	22	Custom	
-	NFS	TCP	2049	Anyw...	

Add rule

Rules with source of 0.0.0.0 or :::0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

Cancel Preview changes Save rules

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help | Fri 30 Jan 10:49

Launch AWS Academy Learn | ModifyInboundSecurityGroup | Document 15.docx | +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#ModifyInboundSecurityGroupRules:securityGroupId=sg-013d21b19d06c132b

aws | Search | [Option+S] | Ask Amazon Q | United States (N. Virginia) | Account ID: 0744-0496-4370 | voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Security Groups > sg-013d21b19d06c132b - abc1 > Edit inbound rules

Edit inbound rules info

Inbound rules control the incoming traffic that's allowed to reach the instance.

Inbound rules info

Security group rule ID

sgr-08a3ed3e1794c0ca7

[Add rule](#)

Type info

SSH

POP3

IMAP

LDAP

HTTPS

SMB

SMTPS

IMAPS

POP3S

MSSQL

NFS

MYSQL/Aurora

RDP

Redshift

Protocol info

TCP

Port range info

22

Source info

Custom

0.0.0.0

Description - optional info

[Delete](#)

Rules with source of 0.0.0.0/0 or ::0 are not recommended for your instance. We recommend setting security group rules to allow access from known IP addresses only.

[Cancel](#) [Preview changes](#) [Save rules](#)

CloudShell | Feedback | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help | Fri 30 Jan 10:53

Launch AWS Academy Learn | Instances | EC2 | us-east-1 | Document 15.docx | +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#instances:

aws | Search | efs | Ask Amazon Q | United States (N. Virginia) | Account ID: 0744-0496-4370 | voclabs/user3763806=akshaydevaraboina410@gm...

EC2 >

EC2

Dashboard

EC2 Global V...

Events

▼ Instances

Instances

Instance Type

Launch Temp...

Spot Request...

Savings Plans

Reserved Inst...

Dedicated Ho...

Capacity Rese...

Capacity Man...

▼ Images

AMIs

AMI Catalog

▼ Elastic Blo...

Volumes

Snapshots

Lifecycle Man...

Services

Show more

EFS

Managed File Storage for EC2

Top features

File systems | Access points

DataSync

DataSync simplifies, automates, and accelerates moving data

AWS Transfer Family

Fully managed support for SFTP, FTPS, FTP, and AS2

Features

Show more

Access points

■ EFS feature

File systems

■ EFS feature

Create a SFTP server

■ AWS Transfer Family feature

Were these results helpful?

[Yes](#) [No](#)

Actions

Launch instances

	Alarm status	Availability Zone	P...
us-east-1a	View alarms +	us-east-1a	er
us-east-1d	View alarms +	us-east-1d	-
us-east-1b	View alarms +	us-east-1b	er

Private IPv4 addresses

172.31.29.116

Public DNS

2-34-226-202-255.compute-1.amazonaws.com | open

Address

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn x EFS | us-east-1 x Document 15.docx x +

us-east-1.console.aws.amazon.com/efs/home?region=us-east-1#/get-started

Account ID: 0744-0496-4370
voclabs/user3763806=akshaydevaraboina410@gm...

Amazon Elastic File System

Scalable, elastic, cloud-native NFS file system

Amazon Elastic File System (Amazon EFS) provides a simple, scalable, elastic file system for general purpose workloads for use with AWS Cloud services and on-premises resources.

Create file system

Create an EFS file system with recommended settings.

[Create file system](#)

Pricing

With EFS, there are no minimum fees. You pay only for the storage that you use, the data that you read and write, and any additional throughput that you provision.

Estimate your cost using the [AWS Pricing Calculator](#)

[Learn more about pricing](#)

Get started

[What is Amazon Elastic File System?](#)

What is Amazon Elastic File System?

Amazon Elastic File System - Scalable, Elastic,...

Copy link

Amazon Elastic File System

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn x EFS | us-east-1 x Document 15.docx x +

us-east-1.console.aws.amazon.com/efs/home?region=us-east-1#/get-started

Account ID: 0744-0496-4370
voclabs/user3763806=akshaydevaraboina410@gm...

Amazon Elastic File System

Scalable, elastic, cloud-native NFS file system

Amazon Elastic File System (Amazon EFS) provides a simple, scalable, elastic file system for general purpose workloads for use with AWS Cloud services and on-premises resources.

Create file system

Create a file system with the recommended settings shown below by choosing Create file system. To view all settings or to customize your file system, choose Customize. [Learn more](#)

Name - optional
Name your file system.

Name can include letters, numbers, and +-=._/ symbols, up to 256 characters.

Virtual Private Cloud (VPC)
Choose the VPC where you want EC2 instances to connect to your file system.

default

Recommended settings
Your file system is created with the following recommended settings unless you choose to customize the file system. You will be charged for storage and throughput. We recommend reviewing pricing for these features using the [AWS Pricing Calculator](#).

Setting	Value	Editable after creation
Throughput mode Learn more	Elastic	Yes
Transition into Infrequent Access (IA)	30 day(s) since last access	Yes
Transition into Archive	90 day(s) since last access	Yes
Transition into Standard	None	Yes
Automatic backups	Enabled	Yes
Encryption	Enabled	No

[Cancel](#) [Customize](#) [Create file system](#)

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn Amazon EFS - Create a file system Document 15.docx

us-east-1.console.aws.amazon.com/efs/home?region=us-east-1#/file-systems/create?name=efs_karthik&vpc=vpc-0b5ce6975045cec63

Account ID: 0744-0496-4370

Amazon EFS > File systems > Create

Network access

Step 2: Network access

Virtual Private Cloud (VPC) Choose the VPC where you want EC2 instances to connect to your file system.

vpc-0b5ce6975045cec63

Mount targets

A mount target provides an NFSv4 endpoint at which you can mount an Amazon EFS file system. We recommend creating one mount target per Availability Zone. [Learn more](#)

Availability zone	Subnet ID	IP address type	IPv4 address	IPv6 address	Security groups	
us-east-1a	subnet-...	IPv4 only	Optional	-	sg-03af3e8a3d79e2e5d default	Remove
us-east-1b	subnet-...	IPv4 only	Optional	-	sg-03af3e8a3d79e2e5d default	Remove
us-east-1c	subnet-...	IPv4 only	Optional	-	Choose ...	Remove

CloudShell Feedback

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn Amazon EFS - Create a file system Document 15.docx

us-east-1.console.aws.amazon.com/efs/home?region=us-east-1#/file-systems/create?name=efs_karthik&vpc=vpc-0b5ce6975045cec63

Account ID: 0744-0496-4370

Amazon EFS > File systems > Create

Mount targets

A mount target provides an NFSv4 endpoint at which you can mount an Amazon EFS file system. We recommend creating one mount target per Availability Zone. [Learn more](#)

Availability zone	Subnet ID	IP address type	IPv4 address	IPv6 address	Security groups	
us-east-1a	subnet-...	IPv4 only	Optional	-	sg-013d21b19d06c132b abc1	Remove
					sg-03af3e8a3d79e2e5d default	Show less
us-east-1b	subnet-...	IPv4 only	Optional	-	sg-0c5d504de1e9e5d0f abc2	Remove
					sg-03af3e8a3d79e2e5d default	

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy LearnAmazon EFS - Create a file sDocument 15.docx

us-east-1.console.aws.amazon.com/efs/home?region=us-east-1#/file-systems/create?name=efx_karthik&vpc=vpc-0b5ce6975045cec63

Account ID: 0744-0496-4370
voclabs/user3763806=akshaydevaraboina410@gm...

Amazon EFSFile systemsCreate

Step 1
File system settings

Step 2
Network access

Step 3 - optional
File system policy

Step 4
Review and create

File system policy - optional

Policy options

Select one or more of these common policy options, or create a custom policy using the editor. [Learn more](#)

☐ Prevent root access by default*

☐ Enforce read-only access by default*

☐ Prevent anonymous access

☐ Enforce in-transit encryption for all clients

* Identity-based policies can override these default permissions.

▶ Grant additional permissions

Policy editor (JSON)

Clear

Manual changes will prevent the use of the policy options on the left until the editor is cleared.

CancelPreviousNext

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy LearnAmazon EFS - Create a file sDocument 15.docx


us-east-1.console.aws.amazon.com/efs/home?region=us-east-1#/file-systems/create?name=efx_karthik&vpc=vpc-0b5ce6975045cec63

Account ID: 0744-0496-4370
voclabs/user3763806=akshaydevaraboina410@gm...

Amazon EFSFile systemsCreate

File system policy

CancelPreviousCreate



Elastic File System

File systems

Access points

AWS Backup

AWS DataSync

AWS Transfer

Documentation

Success!

File system (fs-05251ac2647688d41) is available.

View file system

File systems (1)

Filter by property values

Name

File system ID

Encryption

Total size

Size in Standard

Size in IA

Size in Archive

Provisioned Throughput (MiB/s)

efs_karthik

fs-05251ac2647688d41

Encrypt


6.00 KiB

6.00 KiB

0 Bytes

0 Bytes

-



Elastic File System

File systems

Access points

AWS Backup

AWS DataSync

AWS Transfer

Documentation

efs_karthik (fs-05251ac2647688d41)

Delete

Attach

Edit

General

Amazon resource name (ARN)

arn:aws:elasticfilesystem:us-east-1:074404964370:file-system/fs-05251ac2647688d41

Performance mode

General Purpose

Throughput mode

Elastic

Lifecycle management

Transition into Infrequent Access (IA): 30 day(s) since last access

Transition into Archive: 90 day(s) since last access

Transition into Standard: None

Availability zone

Regional

Automatic backups

Enabled

Encrypted

03c3c6bc-4f8f-41f7-a7e6-2062b21401bd (aws/elasticfilesystem)

File system state

Available

DNS name

fs-05251ac2647688d41.efs.us-east-1.amazonaws.com

Replication overwrite protection

Enabled

Metered size

Monitoring

Tags

File system policy

Access points


Network

Replication

Metered size

Total size

6.00 KiB



```
Terminal Shell Edit View Window Help
aws — root@ip-172-31-87-195:efs — ssh -i week3-1.pem ec2-user@ec2-44-204-24-10.comput...
[ec2-user@ip-172-31-87-195 ~]$ sudo su
[root@ip-172-31-87-195 ec2-user]# mkdir -p /efs
[root@ip-172-31-87-195 ec2-user]# ls
[root@ip-172-31-87-195 ec2-user]# sudo mount -t efs -o tls fs-05251ac2647688d41:/ /efs
mount: /efs: unknown filesystem type 'efs'.
[root@ip-172-31-87-195 ec2-user]# sudo dnf install -y amazon-efs-utils
Amazon Linux 2023 Kernel livepatch repository
Dependencies resolved.
Package Architecture Version Repository Size
Installing:
amazon-efs-utils x86_64 2.4.1-1.amzn2023 amazonlinux 4.7 M
Installing dependencies:
stunnel x86_64 5.58-1.amzn2023.0.2 amazonlinux 156 k
Transaction Summary
Install 2 Packages
Total download size: 4.9 M
Installed size: 10 M
Downloading Packages:
(1/2): stunnel-5.58-1.amzn2023.0.2.x86_64.rpm 4.2 MB/s | 156 kB 00:00
(2/2): amazon-efs-utils-2.4.1-1.amzn2023.x86_64.rpm 56 MB/s | 4.7 MB 00:00
Total 40 MB/s | 4.9 MB 00:00
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
Preparing : stunnel-5.58-1.amzn2023.0.2.x86_64 1/1
Installing : stunnel-5.58-1.amzn2023.0.2.x86_64 1/2
Running scriptlet: stunnel-5.58-1.amzn2023.0.2.x86_64 1/2
Installing : amazon-efs-utils-2.4.1-1.amzn2023.x86_64 2/2
Running scriptlet: amazon-efs-utils-2.4.1-1.amzn2023.x86_64 2/2
Verifying : amazon-efs-utils-2.4.1-1.amzn2023.x86_64 1/2
Verifying : stunnel-5.58-1.amzn2023.0.2.x86_64 2/2
Installed:
amazon-efs-utils-2.4.1-1.amzn2023.x86_64 stunnel-5.58-1.amzn2023.0.2.x86_64
Complete!
[root@ip-172-31-87-195 ec2-user]# sudo mount -t efs -o tls fs-05251ac2647688d41:/ /efs
[root@ip-172-31-87-195 ec2-user]# vi hellow.txt
[root@ip-172-31-87-195 ec2-user]# cd /efs
[root@ip-172-31-87-195 efs]# ls
[root@ip-172-31-87-195 efs]# vi hellow.txt
[root@ip-172-31-87-195 efs]# ls
hellow.txt
[root@ip-172-31-87-195 efs]# []

aws — root@ip-172-31-29-116:efs — ssh -i week3-1.pem ec2-user@ec2-34-226-202-255.compu...
[ec2-user@ip-172-31-29-116 ~]$ sudo su
[root@ip-172-31-29-116 ec2-user]# mkdir -p /efs
[root@ip-172-31-29-116 ec2-user]# ls
[root@ip-172-31-29-116 ec2-user]# sudo mount -t efs -o tls fs-05251ac2647688d41:/ /efs
mount: /efs: unknown filesystem type 'efs'.
[root@ip-172-31-29-116 ec2-user]# sudo dnf install -y amazon-efs-utils
Amazon Linux 2023 Kernel livepatch repository
Dependencies resolved.
Package Architecture Version Repository Size
Installing:
amazon-efs-utils x86_64 2.4.1-1.amzn2023 amazonlinux 4.7 M
Installing dependencies:
stunnel x86_64 5.58-1.amzn2023.0.2 amazonlinux 156 k
Transaction Summary
Install 2 Packages
Total download size: 4.9 M
Installed size: 10 M
Downloading Packages:
(1/2): stunnel-5.58-1.amzn2023.0.2.x86_64.rpm 3.8 MB/s | 156 kB 00:00
(2/2): amazon-efs-utils-2.4.1-1.amzn2023.x86_64.rpm 54 MB/s | 4.7 MB 00:00
Total 38 MB/s | 4.9 MB 00:00
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
Preparing : stunnel-5.58-1.amzn2023.0.2.x86_64 1/1
Installing : stunnel-5.58-1.amzn2023.0.2.x86_64 1/2
Running scriptlet: stunnel-5.58-1.amzn2023.0.2.x86_64 1/2
Installing : amazon-efs-utils-2.4.1-1.amzn2023.x86_64 2/2
Running scriptlet: amazon-efs-utils-2.4.1-1.amzn2023.x86_64 2/2
Verifying : amazon-efs-utils-2.4.1-1.amzn2023.x86_64 1/2
Verifying : stunnel-5.58-1.amzn2023.0.2.x86_64 2/2
Installed:
amazon-efs-utils-2.4.1-1.amzn2023.x86_64 stunnel-5.58-1.amzn2023.0.2.x86_64
Complete!
[root@ip-172-31-29-116 ec2-user]# sudo mount -t efs -o tls fs-05251ac2647688d41:/ /efs
[root@ip-172-31-29-116 ec2-user]# cd /efs
[root@ip-172-31-29-116 efs]# ls
hellow.txt
[root@ip-172-31-29-116 efs]# []
```