

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy Learn...Create S3 bucket | S3 | us-east-1Word for the Web - Microsoft...+us-east-1.console.aws.amazon.com/s3/bucket/create?region=us-east-1

Account ID: 0744-0496-4370voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3> Buckets> Create bucket

Create bucket

Buckets are containers for data stored in S3.

General configuration

AWS Region

US East (N. Virginia) us-east-1

Bucket type

☒ General purpose

Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ Directory

Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name

bucketkarthik

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). [Learn more](#)

Copy settings from existing bucket - optional

Only the bucket settings in the following configuration are copied.

Choose bucket

Format: s3://bucket/prefix

Object Ownership

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

☐ ACLs disabled (recommended)

☒ ACLs enabled

CloudShellFeedback

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy Learn...Create S3 bucket | S3 | us-east-1Document 17.docx+us-east-1.console.aws.amazon.com/s3/bucket/create?region=us-east-1

Account ID: 0744-0496-4370voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3> Buckets> Create bucket

No tags associated with this bucket.

Add new tag

You can add up to 50 tags.

Default encryption

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type

☒ Server-side encryption with Amazon S3 managed keys (SSE-S3)

☐ Server-side encryption with AWS Key Management Service keys (SSE-KMS)

☐ Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)

☐ Disable

☒ Enable

Advanced settings


After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

Cancel

Create bucket

CloudShellFeedback

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences



ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy Learn...Upload objects - S3 bucket...Document 17.docx

us-east-1.console.aws.amazon.com/s3/upload/buckarthik?region=us-east-1

Account ID: 0744-0496-4370

Amazon S3BucketsbuckarthikUpload

Destination

s3://buckarthik

Destination details

Bucket settings that impact new objects stored in the specified destination.

Permissions

Grant public access and access to other AWS accounts.

Access control list (ACL)

Grant basic read/write permissions to other AWS accounts.

AWS recommends using S3 bucket policies or IAM policies for access control.

Access control list (ACL)

Choose from predefined ACLs

Specify individual ACL permissions

Predefined ACLs

Private (recommended)

Only the object owner will have read and write access.

Grant public-read access

Anyone in the world will be able to access the specified objects. The object owner will have read and write access.

Granting public-read access is not recommended

Anyone in the world will be able to access the specified objects.

I understand the risk of granting public-read access to the specified objects.

CloudShellFeedback

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy Learn...Upload objects - S3 bucket...Document 17.docx

us-east-1.console.aws.amazon.com/s3/upload/buckarthik?region=us-east-1

Account ID: 0744-0496-4370

Amazon S3

Upload succeeded

For more information, see the Files and folders table.

Close

Upload: status

After you navigate away from this page, the following information is no longer available.

Summary

Destination

s3://buckarthik

Succeeded

1 file, 1.2 MB (100.00%)

Failed

0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (1 total, 1.2 MB)

Find by name

1

Name	Folder	Type	Size	Status	Error
Screenshot 2026-01-29 at 18...	-	image/png	1.2 MB	Succeeded	-

CloudShellFeedback

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy LearnScreenshot 2026-01-29 at 18:09:36.pngDocument 17.docx

us-east-1.console.aws.amazon.com/s3/object/buckarthik?region=us-east-1&prefix=Screenshot+2026-01-29+at+18.09.36.png

Account ID: 0744-0496-4370
voclabs/user3763806-akshaydevaraboina410@gm...

Amazon S3> Buckets> buckarthik> Screenshot 2026-01-29 at 18.09.36.png

Screenshot 2026-01-29 at 18.09.36.pngInfo

Copy S3 URICopy S3 URIDownloadDownloadOpen OpenObject actionsObject actions

PropertiesPermissionsVersions

Object overview

Owner

b84172b2bf2f46e28531ac8a0ab971ee77bafac41ea16581304a22f918c5f07c

Amazon Resource Name (ARN)

arn:aws:s3::buckarthik/Screenshot 2026-01-29 at 18.09.36.png

Entity tag (Etag)

1a4f41fbf3e6d6e527031dc1bd278cab

Object URL

https://buckarthik.s3.us-east-1.amazonaws.com/Screenshot+2026-01-29+at+18.09.36.png

Amazon Region

US East (N. Virginia) us-east-1

Last modified

January 30, 2026, 12:21:31 (UTC+05:30)

Size

1.2 MB

Type

png

Key

Screenshot 2026-01-29 at 18.09.36.png

S3 URI

s3://buckarthik/Screenshot 2026-01-29 at 18.09.36.png

Object management overview

The following bucket properties and object management configurations impact the behavior of this object.

Bucket properties

Management configurations

https://buckarthik.s3.us-east-1.amazonaws.com/Screenshot+2026-01-29+at+18.09.36.png

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy LearnScreenshot+2026-01-29+at+18.09.36.pngDocument 17.docx


buckarthik.s3.us-east-1.amazonaws.com/Screenshot+2026-01-29+at+18.09.36.png

portal.teleuniv.in/exam/getexamresults

Print

Name	PALAMOOR SARAYU	Hall Ticket	23BD1A6744	Branch	CSD	
S.NO	Subject Code	Subjects	Grade Secured	Grade Points	Result	Credits
1	23501	SOFTWARE ENGINEERING LAB	O	10	P	1
2	23506	MACHINE LEARNING LAB	A+	9	P	1
3	23507	WEB TECHNOLOGIES LAB	O	10	P	1
4	23512	SKILL DEVELOPMENT COURSE-2	A+	9	P	2
5	23513	INTELLECTUAL PROPERTY RIGHTS	B	6	P	0
6	235AA	SOFTWARE ENGINEERING	A	8	P	3
7	235AC	ALGORITHM DESIGN AND ANALYSIS	B+	7	P	3
8	235AH	MACHINE LEARNING	A	8	P	3
9	235AJ	WEB TECHNOLOGIES	B+	7	P	3
10	235AK	COMPUTER NETWORKS	B+	7	P	3
*Note: -2 Indicates Withheld		REGISTERED : 10	APPEARED : 10	PASSED : 10	TOTAL	20
Result : PASS		Semester Grade Point Average(SGPA) : 7.9				

Copyright © 2026 Teleparadigm Networks



Upload succeeded
For more information, see the [Files and folders table](#).

Upload: status

After you navigate away from this page, the following information is no longer available.

Summary		
Destination s3://buckarthik	Succeeded 0 files, 1.2 MB (100.00%)	Failed 0 files, 0 B (0%)

[Files and folders](#) | [Configuration](#)

Files and folders (1 total, 1.2 MB)						
Find by name						
Name	Folder	Type	Size	Status	Error	
Screenshot 2026-01-29 at 18...	-	image/png	1.2 MB	Succeeded	-	



[Amazon S3](#) > [Buckets](#) > buckarthik

buckarthik [Info](#)

[Objects](#) | [Metadata](#) | [Properties](#) | [Permissions](#) | [Metrics](#) | [Management](#) | [Access Points](#)

Objects (2)						
Find objects by prefix ☒ Show versions						
☐	Screenshot 2026-01-29 at 18.09.36.png	png	YL3ypu_EAebt7PGILJR5WCGE RbaFMCJd	January 30, 2026, 12:22:54 (UTC+05:30)	1.2 MB	Standard
☐	Screenshot 2026-01-29 at 18.09.36.png	png	meysMHBB90_OMNREpptm NF_3IM9RjZ.	January 30, 2026, 12:21:31 (UTC+05:30)	1.2 MB	Standard



Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn x Delete objects - S3 bucket b x Document 17.docx x +

us-east-1.console.aws.amazon.com/s3/buckets/buckarthik/object/delete?region=us-east-1&showversions=false

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3 > Buckets > buckarthik > Delete objects

Delete objects info

⚠ If a folder is selected for deletion, all objects in the folder will be deleted, and any new objects added while the delete action is in progress might also be deleted. If an object is selected for deletion, any new objects with the same name that are uploaded before the delete action is completed will also be deleted. [Learn more](#)

📘 Deleting the specified objects adds delete markers to them
If you need to undo the delete action, you can delete the delete markers. [Learn more](#)

Specified objects

Find objects by name

Name	Type	Last modified	Size
Screenshot 2026-01-29 at 18.09.36.png	png	January 30, 2026, 12:22:54 (UTC+05:30)	1.2 MB

Delete objects?

To confirm deletion, type **delete** in the text input field.

delete

Cancel

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn x buckarthik - S3 bucket | S3 | x Document 17.docx x +

us-east-1.console.aws.amazon.com/s3/buckets/buckarthik?region=us-east-1&tab=objects&showversions=false

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3 > Buckets > buckarthik

buckarthik info

Objects Metadata Properties Permissions Metrics Management Access Points

Objects (0)

🔄 Copy S3 URI 📄 Copy URL ⬇ Download 🔗 Open ⌫ Delete ⚙ Actions 📁 Create folder 📤 Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)


Find objects by prefix

Show versions

Name	Type	Last modified	Size	Storage class
No objects				
You don't have any objects in this bucket.				

📤 Upload

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



buckarthik Info

[Objects](#) | [Metadata](#) | [Properties](#) | [Permissions](#) | [Metrics](#) | [Management](#) | [Access Points](#)

Objects (3)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

Show versions

< 1 >

☐	Name	Type	Version ID	Last modified	Size	Storage class
☐	Screenshot 2026-01-29 at 18.09.36.png	Delete marker	eo1_X_7_5a2qAkH8zlnx40as8FmQv4VT	January 30, 2026, 12:24:20 (UTC+05:30)	0 B	-
☐	Screenshot 2026-01-29 at 18.09.36.png	png	YL3ypu_EAebt7PGiJR5WCGERbaFMCjd	January 30, 2026, 12:22:54 (UTC+05:30)	1.2 MB	Standard
☐	Screenshot 2026-01-29 at 18.09.36.png	png	meysMHB890_OMNREppotmNF_3IM9RjZ	January 30, 2026, 12:21:31 (UTC+05:30)	1.2 MB	Standard

Delete objects Info

- If a folder is selected for deletion, all objects in the folder will be deleted, and any new objects added while the delete action is in progress might also be deleted. If an object is selected for deletion, any new objects with the same name that are uploaded before the delete action is completed will also be deleted.
- Deleting the specified objects can't be undone.

[Learn more](#)

Specified objects

Find objects by name

Name	Version ID	Type	Last modified	Size
Screenshot 2026-01-29 at 18.09.36.png	eo1_X_7_5a2qAkH8zlnx40as8FmQv4VT	Delete marker	January 30, 2026, 12:24:20 (UTC+05:30)	0 B

Permanently delete objects?


To confirm deletion, type *permanently delete* in the text input field.

permanently delete


Cancel

Delete objects

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



buckarthik						
Info						
Objects	Metadata	Properties	Permissions	Metrics	Management	Access Points
Objects (2)						
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more						
Find objects by prefix ☒ Show versions 1						
☐	Name	Type	Version ID	Last modified	Size	Storage class
☐	Screenshot 2026-01-29 at 18.09.36.png	png	YL3ypu_EAebt7PGILJR5WCGE RbaFMCJd	January 30, 2026, 12:22:54 (UTC+05:30)	1.2 MB	Standard
☐	Screenshot 2026-01-29 at 18.09.36.png	png	meysMHB890_OMNREppotm NF_3IM9RjZ.	January 30, 2026, 12:21:31 (UTC+05:30)	1.2 MB	Standard



Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... x Create S3 bucket | S3 | us-west-2 x Document 17.docx x +

us-west-2.console.aws.amazon.com/s3/bucket/create?region=us-west-2

aws Search [Option+S] United States (Oregon) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3 > Buckets > Create bucket

Add new tag

You can add up to 50 tags.

Default encryption [Info](#)

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type [Info](#)

Secure your objects with two separate layers of encryption. For details on pricing, see DSSE-KMS pricing on the Storage tab of the [Amazon S3 pricing page](#).

☒ Server-side encryption with Amazon S3 managed keys (SSE-S3)

☐ Server-side encryption with AWS Key Management Service keys (SSE-KMS)

☐ Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)

☐ Disable

☒ Enable

► **Advanced settings**

After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

Cancel Create bucket

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... x S3 buckets | S3 | us-west-2 x Document 17.docx x +

us-west-2.console.aws.amazon.com/s3/buckets?region=us-west-2

aws Search [Option+S] United States (Oregon) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3 > Buckets

Successfully created bucket "karhtikbucket17"

To upload files and folders, or to configure additional bucket settings, choose [View details](#).

[General purpose buckets](#) [All AWS Regions](#) [Directory buckets](#)

General purpose buckets (2) [Info](#)

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	Creation date
☐ buckarthik	US East (N. Virginia) us-east-1	January 30, 2026, 12:20:22 (UTC+05:30)
☐ karhtikbucket17	US West (Oregon) us-west-2	January 30, 2026, 12:30:25 (UTC+05:30)

[Copy ARN](#) [Empty](#) [Delete](#) [Create bucket](#)

Account snapshot [Info](#)

[View dashboard](#)

Updated daily

Storage Lens provides visibility into storage usage and activity trends.

External access summary [Info](#)

[View dashboard](#)

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy Learn...Create replication rule - S3 b...Document 17.docx

us-west-2.console.aws.amazon.com/s3/management/karhtikbucket17/replication/create?region=us-west-2

Account ID: 0744-0496-4370voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3Bucketskarhtikbucket17Replication rulesCreate replication rule

Replication rule configuration

Replication rule name

rule1

Up to 255 characters. In order to be able to use CloudWatch metrics to monitor the progress of your replication rule, the replication rule name must only contain English characters.

Status

Choose whether the rule will be enabled or disabled when created.

☒ Enabled

☐ Disabled

Priority

The priority value resolves conflicts that occur when an object is eligible for replication under multiple rules to the same destination. The rule is added to the configuration at the highest priority and the priority can be changed on the replication rules table.

0

Source bucket

Source bucket name

karhtikbucket17

Source Region

US West (Oregon) us-west-2

Choose a rule scope

☒ Limit the scope of this rule using one or more filters

☐ Apply to all objects in the bucket

CloudShellFeedback© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy Learn...Create replication rule - S3 b...Document 17.docx

us-west-2.console.aws.amazon.com/s3/management/karhtikbucket17/replication/create?region=us-west-2

Account ID: 0744-0496-4370voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3Bucketskarhtikbucket17Replication rulesCreate replication rule

Server-side encryption protects data at rest.

☐ Replicate objects encrypted with AWS Key Management Service (AWS KMS)

Replicate SSE-KMS and DSSE-KMS encrypted objects.

Destination storage class

Amazon S3 offers a range of storage classes designed for different use cases. [Learn more](#) or see [Amazon S3 pricing](#)

☐ Change the storage class for the replicated objects

Additional replication options

☐ Replication Time Control (RTC)

Replication Time Control replicates 99.99% of new objects within 15 minutes and includes replication metrics. Additional fees will apply. [Learn more](#)

☐ Replication metrics

With replication metrics, you can monitor the total number and size of objects that are pending replication, and the maximum replication time to the destination Region. You can also view and diagnose replication failures. CloudWatch metrics fees apply. [Learn more](#) or see [Amazon CloudWatch pricing](#)

☐ Delete marker replication

Delete markers created by S3 delete operations will be replicated. Delete markers created by lifecycle rules are not replicated. [Learn more](#)

☐ Replica modification sync

Replicate metadata changes made to replicas from the destination bucket to the source bucket. [Learn more](#)

CancelSave

CloudShellFeedback© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help Fri 30 Jan 12:33

Launch AWS Academy Learn... x Replication rule list - S3 bucl... x Document 17.docx x +

us-west-2.console.aws.amazon.com/s3/management/karhtikbucket17/replication?region=us-west-2

Search [Option+S] United States (Oregon) Account ID: 0744-0496-4370 voclabs/user3763806+akshaydevaraboina410@gm...

Amazon S3 > Buckets > karhtikbucket17 > Replication rules

Replication configuration successfully updated
If changes to the configuration aren't displayed, choose the refresh button. Changes apply only to new objects. To replicate existing objects with this configuration, choose Create replication job.

Replication rules Info
Replication enables automatic and asynchronous copying of objects during replication.

Replication configuration settings
Configuration settings affect all replication rules in the bucket.

Source bucket
karhtikbucket17

Source Region
US West (Oregon) us-west-2

Replicate existing objects?
You can enable a one-time Batch Operations job from this replication configuration to replicate objects that already exist in the bucket and to synchronize the source and destination buckets. [Learn more](#) or [see pricing](#).

Existing objects
☐ No, do not replicate existing objects.
☒ Yes, replicate existing objects.

Cancel Submit

Replication rules (1)
Use replication rules to define options you want Amazon S3 to apply during replication such as server-side encryption, replica ownership, transitioning replicas to another storage class, and more. [Learn more](#)

Replication rule name	Status	Destination bucket	Destination Region	Priority	Scope	Storage class	Replica owner	Replication Time Control	KMS-encrypted objects (SSE-KMS or DSSE-256)	Replication modification sync
-----------------------	--------	--------------------	--------------------	----------	-------	---------------	---------------	--------------------------	---	-------------------------------

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help Fri 30 Jan 12:34

Launch AWS Academy Learn... x Replicate objects through S3... x Document 17.docx x +

us-west-2.console.aws.amazon.com/s3/management/karhtikbucket17/replication/create-job?region=us-west-2

Search [Option+S] United States (Oregon) Account ID: 0744-0496-4370 voclabs/user3763806+akshaydevaraboina410@gm...

Amazon S3 > Buckets > karhtikbucket17 > Replication rules > Create Batch Operations job

☒ This account
☐ A different account

Destination
Enter a destination in Amazon S3 where your object(s) are stored. Amazon S3 is object storage built to store and retrieve any amount of data from anywhere.

s3://buckarthik [View](#) [Browse S3](#)

Format: s3://<bucket>/<optional-prefix-with-path>. S3 will append the path with a "/". If you add a "/" to the prefix, it will appear as an extra folder in the S3 console.

Bucket owner account ID
074404964370

Completion report destination
s3://buckarthik/job-*job-id*/results/<unique-id>.csv

Permissions
Choose an IAM role with the [required access permissions and trust relationships](#). An IAM role policy template based on your job configuration, and the IAM trust policy required for batch operations to assume the IAM role are available below. [Learn more about IAM roles](#).


► View IAM role policy template and IAM trust policy

Permission to access the specified resources
☐ Create new role
☒ Choose from existing IAM roles
☐ Enter IAM role ARN

IAM role
LabRole [View](#)

Cancel Save


CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences




Batch Operations [info](#)

A job is used to execute batch operations on a list of S3 objects. Job events are published to [CloudWatch Events](#).

Jobs (1)										
Search by job ID or description				All status types		< 1 > Settings				
	Job ID	Status	Description	Operation	Date created	Total objects	% Complete	Total failed (rate)	Priority	
☐	a96ddee2-773f-4a59-b25b-1f81af1595f2	New	2026-01-30 - Replicate	Replicate	January 30, 2026, 12:34:56 (UTC+05:30)	Not yet available	0%	0 (0%)	10	





Upload: status

Close

After you navigate away from this page, the following information is no longer available.

Summary

Destination

s3://karhtikbucket17

Succeeded

0 files, 1.2 MB (100.00%)

Failed

0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (1 total, 1.2 MB)

Find by name

1

Name	Folder	Type	Size	Status	Error
Screenshot 2026-01-29 at 18...	-	image/png	1.2 MB	Succeeded	-



Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

Account and organization settings

AWS Marketplace for S3

buckarthik

Objects

Metadata

Properties

Permissions

Metrics

Management

Access Points

Objects (3)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Name	Type	Version ID	Last modified	Size	Storage class
Screenshot 2026-01-29 at 18.09.36.png	png	A6L8lx3S2hdtST2yaxsWJuEI5b34SUhs	January 30, 2026, 12:41:33 (UTC+05:30)	1.2 MB	Standard
Screenshot 2026-01-29 at 18.09.36.png	png	YL3ypu_EAebt7PGILJR5WCGERbaFMCIJd	January 30, 2026, 12:22:54 (UTC+05:30)	1.2 MB	Standard
Screenshot 2026-01-29 at 18.09.36.png	png	meysMHB90_OMNREppotmNF_3IM9RjZ.	January 30, 2026, 12:21:31 (UTC+05:30)	1.2 MB	Standard

3-2

EXPLORER

- 3-2
 - folder
 - error.html
 - index.html
 - fsd
 - oca
 - react
 - react2

error.html

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   | <h1>Errorrorororor</h1>
10 </body>
11 </html>
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

zsh - myapp

```
gotvelocity@Karthiks-MacBook-Air myapp %
* History restored
gotvelocity@Karthiks-MacBook-Air myapp %
* History restored
gotvelocity@Karthiks-MacBook-Air myapp %
```

Ln 9, Col 22 Spaces: 4 UTF-8 LF HTML Go Live

3-2

EXPLORER

- 3-2
 - folder
 - error.html
 - index.html
 - fsd
 - oca
 - react
 - react2

index.html

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   | <h1>This is main page</h1>
10 </body>
11 </html>
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

zsh - myapp

```
gotvelocity@Karthiks-MacBook-Air myapp %
* History restored
gotvelocity@Karthiks-MacBook-Air myapp %
* History restored
gotvelocity@Karthiks-MacBook-Air myapp %
```

Ln 9, Col 26 Spaces: 4 UTF-8 LF HTML Go Live

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... Create S3 bucket | S3 | us-east-1 Document 17.docx

us-east-1.console.aws.amazon.com/s3/bucket/create?region=us-east-1

Search [Option+S]

United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3 > Buckets > Create bucket

Add new tag

You can add up to 50 tags.

Default encryption Info

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type Info

Secure your objects with two separate layers of encryption. For details on pricing, see DSSE-KMS pricing on the Storage tab of the [Amazon S3 pricing page](#).

☒ Server-side encryption with Amazon S3 managed keys (SSE-S3)

☐ Server-side encryption with AWS Key Management Service keys (SSE-KMS)

☐ Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)

☐ Disable

☒ Enable

► **Advanced settings**

After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

Cancel Create bucket

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... S3 buckets | S3 | us-east-1 Document 17.docx

us-east-1.console.aws.amazon.com/s3/buckets?region=us-east-1

Search [Option+S]

United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3 > Buckets

Successfully created bucket "buck3karthik"

To upload files and folders, or to configure additional bucket settings, choose [View details](#).

General purpose buckets All AWS Regions Directory buckets

General purpose buckets (3) Info

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	Creation date
☐ buck3karthik	US East (N. Virginia) us-east-1	January 30, 2026, 12:45:49 (UTC+05:30)
☐ buckkarthik	US East (N. Virginia) us-east-1	January 30, 2026, 12:20:22 (UTC+05:30)
☐ karhtikbucket17	US West (Oregon) us-west-2	January 30, 2026, 12:30:25 (UTC+05:30)

Account snapshot Info

Updated daily

Storage Lens provides visibility into storage usage and activity trends.

View dashboard

External access summary Info

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... x buck3karthik - S3 bucket | S... x Document 17.docx x +

us-east-1.console.aws.amazon.com/s3/buckets/buck3karthik?region=us-east-1&tab=properties

aws Search [Option+S] United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3 > Buckets > buck3karthik

Object Lock

Store objects using a write-once-read-many (WORM) model to help you prevent objects from being deleted or overwritten for a fixed amount of time or indefinitely. Object Lock works only in versioned buckets. [Learn more](#)

Object Lock
Disabled [Edit](#)

Requester pays

When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. [Learn more](#)

Requester pays
Disabled [Edit](#)

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

We recommend using AWS Amplify Hosting for static website hosting
Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. Learn more about [Amplify Hosting](#) or [View your existing Amplify apps](#) [Create Amplify app](#)

S3 static website hosting
Disabled [Edit](#)

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... x Edit static website hosting - x Document 17.docx x +

us-east-1.console.aws.amazon.com/s3/bucket/buck3karthik/property/website/edit?region=us-east-1

aws Search [Option+S] United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3 > Buckets > buck3karthik > Edit static website hosting

Edit static website hosting [Info](#)

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting

☐ Disable

☒ Enable

Hosting type

☒ Host a static website
Use the bucket endpoint as the web address. [Learn more](#)

☐ Redirect requests for an object
Redirect requests to another bucket or domain. [Learn more](#)

For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

Index document
Specify the home or default page of the website.

index.html

Error document - optional
This is returned when an error occurs.

error.html

Redirection rules - optional
Redirection rules, written in JSON, automatically redirect webpage requests for specific content. [Learn more](#)

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy Learnibuck3karthik - S3 bucket | SDocument 17.docx

us-east-1.console.aws.amazon.com/s3/buckets/buck3karthik?region=us-east-1&tab=properties

Account ID: 0744-0496-4370
voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3> Buckets> buck3karthik

Successfully edited static website hosting.
Disabled

Tags

You can use tags to track storage costs, organize general purpose buckets, and specify permissions for a general purpose bucket. AWS-generated tags are created by AWS and are read-only. [Learn more](#)

S3 Console now uses s3:ListTagsForResource, s3:TagResource, and s3:UntagResource APIs to manage tags on S3 general purpose buckets by default. To use these APIs for tagging, please provide permissions to s3:ListTagsForResource, s3:TagResource, and s3:UntagResource actions. [Learn more](#)

User-defined tagsAWS-generated tags

User-defined tags (0) [Info](#)

⌵

DeleteAdd new tag

Key

Value - optional

There are no user-defined tags associated with this bucket.

Add new tag

Default encryption

Edit

CloudShellFeedback

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Upload objects - S3 bucket | SDocument 17.docx

us-east-1.console.aws.amazon.com/s3/upload/buck3karthik?region=us-east-1

Account ID: 0744-0496-4370
voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3> Buckets> buck3karthik> Upload

Upload [Info](#)

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose [Add files](#) or [Add folder](#).

Files and folders (2 total, 458.0 B)

All files and folders in this table will be uploaded.

Find by name

☐

Name

▼

☐

Folder

▼

☐

Type

▼

☐

Size

▼

error.html

-

text/html

227.0 B

index.html

-

text/html

231.0 B

Remove

Add files

Add folder

Destination [Info](#)

Destination
[s3://buck3karthik](#)

Destination details

Bucket settings that impact new objects stored in the specified destination.

Permissions

Grant public access and access to other AWS accounts.

CloudShellFeedback

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... Upload objects - S3 bucket... Document 17.docx

us-east-1.console.aws.amazon.com/s3/upload/buck3karthik?region=us-east-1

Account ID: 0744-0496-4370
voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3

Upload succeeded
For more information, see the Files and folders table.

Upload: status

After you navigate away from this page, the following information is no longer available.

Summary

Destination s3://buck3karthik	Succeeded 2 files, 458.0 B (100.00%)	Failed 0 files, 0 B (0%)
----------------------------------	---	-----------------------------

Files and folders Configuration

Files and folders (2 total, 458.0 B)

Find by name

Name	Folder	Type	Size	Status	Error
error.html	-	text/html	227.0 B	Succeeded	-
index.html	-	text/html	231.0 B	Succeeded	-

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... Upload objects - S3 bucket... index.html - Object in S3 bucket... Document 17.docx

us-east-1.console.aws.amazon.com/s3/object/buck3karthik?region=us-east-1&prefix=index.html

Account ID: 0744-0496-4370
voclabs/user3763806=akshaydevaraboina410@gm...

Amazon S3 Buckets buck3karthik index.html

Successfully edited access control list for object "index.html".

index.html

Copy S3 URI Download Open Object actions

Properties Permissions Versions


Object overview

Owner b84172b2bf2f46e28531ac8a0ab971ee77bafac41ea16581304a22f918c5f07c	S3 URI s3://buck3karthik/index.html
AWS Region US East (N. Virginia) us-east-1	Amazon Resource Name (ARN) arn:aws:s3::buck3karthik/index.html
Last modified January 30, 2026, 12:47:37 (UTC+05:30)	Entity tag (Etag) 96cfce4150d57ae829c073b1e7b00534
Size 231.0 B	Object URL https://buck3karthik.s3.us-east-1.amazonaws.com/index.html
Type html	
Key index.html	

Object management overview

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



This is main page

Amazon S3

Successfully deleted objects
View details below.

Delete objects: status Close

After you navigate away from this page, the following information is no longer available.

Summary

Source s3://buck3karthik	Successfully deleted 1 object, 231.0 B	Failed to delete 0 objects
-----------------------------	---	-------------------------------

Failed to delete | Configuration


Failed to delete (0)

Find objects by name

Name	Folder	Type	Last modified	Size	Error
No objects failed to delete.					

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Error