

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn VPC | us-east-1 Word for the Web - Microsoft Netra

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#Home:

aws Search [Option+S] United States (N. Virginia) Account ID: 0744-0496-4370

VPC dashboard

AWS Global View

Filter by VPC:

Virtual private cloud

- Your VPCs
- Subnets
- Route tables
- Internet gateways
- Egress-only Internet gateways
- Carrier gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers

Security

- Network ACLs
- Security groups

PrivateLink and Lattice

Getting started

Create VPC **Launch EC2 Instances**

Note: Your Instances will launch in the United States region.

Resources by Region

You are using the following Amazon VPC resources

VPCs N. Virginia 1
▶ See all regions

Subnets N. Virginia 6
▶ See all regions

Route Tables N. Virginia 1
▶ See all regions

Internet Gateways N. Virginia 1
▶ See all regions

Egress-only Internet Gateways N. Virginia 0
▶ See all regions

DHCP option sets N. Virginia 1

Endpoint Services N. Virginia 0
▶ See all regions

NAT Gateways N. Virginia 0
▶ See all regions

VPC Peering Connections N. Virginia 0
▶ See all regions

Network ACLs N. Virginia 1
▶ See all regions

Security Groups N. Virginia 9
▶ See all regions

Customer Gateways N. Virginia 0

Service Health
[View complete service health details](#)

Settings
[Block Public Access](#)
[Zones](#)
[Console Experiments](#)

Additional Information
[VPC Documentation](#)
[All VPC Resources](#)
[Forums](#)
[Report an issue](#)

AWS Network Manager
AWS Network Manager provides tools and features to help you manage and monitor your network on AWS. Network Manager makes it easier to

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn CreateVpc | VPC | us-east-1 Document 18.docx Netra

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#CreateVpc:createMode=vpcOnly

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370

Create VPC

A VPC is an isolated portion of the AWS Cloud populated by AWS objects, such as Amazon EC2 instances.

VPC settings

Resources to create [Info](#)
Create only the VPC resource or the VPC and other networking resources.

☒ VPC only ☐ VPC and more

Name tag - optional [Info](#)
Creates a tag with a key of 'Name' and a value that you specify.

my-vpc-1

IPv4 CIDR block [Info](#)
☒ IPv4 CIDR manual input
☐ IPAM-allocated IPv4 CIDR block

IPv4 CIDR
10.0.0.0/16
CIDR block size must be between /16 and /28.

IPv6 CIDR block [Info](#)
☒ No IPv6 CIDR block
☐ IPAM-allocated IPv6 CIDR block
☐ Amazon-provided IPv6 CIDR block
☐ IPv6 CIDR owned by me

Tenancy [Info](#)
Default

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn x Create VPC | VPC | us-east-1 x Document 18.docx x Netra x +

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#CreateVpc:createMode=vpcOnly

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

VPC > Your VPCs > Create VPC

CIDR block size must be between /16 and /28.

IPv6 CIDR block Info

- ☒ No IPv6 CIDR block
- ☐ IPAM-allocated IPv6 CIDR block
- ☐ Amazon-provided IPv6 CIDR block
- ☐ IPv6 CIDR owned by me

Tenancy Info

Default

VPC encryption control (\$) Info

Monitor mode provides visibility into encryption status without blocking traffic. Enforce mode prevents unencrypted traffic. Additional charges apply

- ☒ None
- ☐ Monitor mode
See which resources in your VPC are unencrypted but allow the creation of unencrypted resources.
- ☐ Enforce mode
Requires all resources, except exclusions, in your VPC to be encryption-capable and blocks creation of unencrypted resources.

Tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key

Q Name X

Value - optional

Q my-vpc-1 X Remove tag

Add tag

You can add 49 more tags

Cancel Preview code Create VPC

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn x VPC | us-east-1 x Document 18.docx x Netra x +

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#VpcDetails:VpcId=vpc-0d3ad312aadfb1e4d

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

VPC > Your VPCs > vpc-0d3ad312aadfb1e4d

You successfully created vpc-0d3ad312aadfb1e4d / my-vpc-1

vpc-0d3ad312aadfb1e4d / my-vpc-1 Actions

Details Info

VPC ID vpc-0d3ad312aadfb1e4d	State Available	Block Public Access Off	DNS hostnames Disabled
DNS resolution Enabled	Tenancy default	DHCP option set dopt-0fd9622beff6c8fae	Main route table rtb-0f68e2bba6b8ee1fb
Main network ACL acl-0df96efb9f81e5a9c	Default VPC No	IPv4 CIDR 10.0.0.0/16	IPv6 pool -
IPv6 CIDR (Network border group) -	Network Address Usage metrics Disabled	Route 53 Resolver DNS Firewall rule groups Failed to load rule groups	Owner ID 074404964370
Encryption control ID -	Encryption control mode -		

Resource map Info


Subnets (0)
Subnets within this VPC

Route tables (1)
Route network traffic to resources

rtb-0f68e2bba6b8ee1fb

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



VPC dashboard

AWS Global View

Filter by VPC:

Virtual private cloud

Subnets

Route tables

Internet gateways

Egress-only Internet gateways

Carrier gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

Security

Network ACLs

Security groups

PrivateLink and Lattice

Getting started

https://us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#vpcs:

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Your VPCs


VPCs VPC encryption controls

Find VPCs by attribute or tag

Last updated 1 minute ago Actions Create VPC

	Name	VPC ID	State	Encryption c...	Encryption control ...	Block Public...
☐	-	vpc-0b5ce6975045cec63	Available	-	-	Off
☐	my-vpc-1	vpc-0d3ad312aadfb1e4d	Available	-	-	Off

Select a VPC above



VPC

VPC ID

Create subnets in this VPC.

Select a VPC

Subnet settings

Specify the CIDR blocks and Availability Zone for the subnet.

Select a VPC first to create new subnets.

Add new subnet

Cancel Create subnet

Chrome File Edit View History Bookmarks Profiles Tab Window Help Mon 2 Feb 10:10

Launch AWS Academy Learn VPC | us-east-1 Document 18.docx

us-east-1.console.aws.amazon.com/vpconsole/home?region=us-east-1#CreateSubnet:

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

VPC Subnets Create subnet

Subnet 1 of 1

Subnet name
Create a tag with a key of 'Name' and a value that you specify.
public-1
The name can be up to 256 characters long.

Availability Zone Info
Choose the zone in which your subnet will reside, or let Amazon choose one for you.
United States (N. Virginia) / use1-az2 (us-east-1a)

IPv4 VPC CIDR block Info
Choose the VPC's IPv4 CIDR block for the subnet. The subnet's IPv4 CIDR must lie within this block.
10.0.0.0/16

IPv4 subnet CIDR block
10.0.1.0/24 256 IPs

Tags - optional

Key Value - optional
Name public-1 Remove

Add new tag
You can add 49 more tags.
Remove

Add new subnet

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help Mon 2 Feb 10:11

Launch AWS Academy Learn VPC | us-east-1 Document 18.docx

us-east-1.console.aws.amazon.com/vpconsole/home?region=us-east-1#CreateSubnet:

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

VPC Subnets Create subnet

Subnet 2 of 2

Subnet name
Create a tag with a key of 'Name' and a value that you specify.
private
The name can be up to 256 characters long.

Availability Zone Info
Choose the zone in which your subnet will reside, or let Amazon choose one for you.
United States (N. Virginia) / use1-az2 (us-east-1a)

IPv4 VPC CIDR block Info
Choose the VPC's IPv4 CIDR block for the subnet. The subnet's IPv4 CIDR must lie within this block.
10.0.0.0/16

IPv4 subnet CIDR block
10.0.2.0/24 256 IPs

Tags - optional

Key Value - optional
Name private Remove

Add new tag
You can add 49 more tags.
Remove

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help | Mon 2 Feb 10:11

Launch AWS Academy Learn | subnets | VPC | us-east-1 | Document 18.docx | +

us-east-1.console.aws.amazon.com/vpconsole/home?region=us-east-1#subnets:subnetId=subnet-0ab59f657021906e6,subnet-0ea4a1c7f6be94d41

aws | Search | [Option+S] | Ask Amazon Q | United States (N. Virginia) | Account ID: 0744-0496-4370 | voclabs/user3763806=akshaydevaraboina410@gm...

VPC > Subnets

VPC dashboard < | AWS Global View | Filter by VPC: >

▼ Virtual private cloud

- Your VPCs
- Subnets**
- Route tables
- Internet gateways
- Egress-only Internet gateways
- Carrier gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers

▼ Security

- Network ACLs
- Security groups

▼ PrivateLink and Lattice

Getting started

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

You have successfully created 2 subnets: subnet-0ab59f657021906e6, subnet-0ea4a1c7f6be94d41

Subnets (2) Info | Last updated less than a minute ago | Actions | Create subnet

Find subnets by attribute or tag

Subnet ID: subnet-0ab59f657021906e6 | Subnet ID: subnet-0ea4a1c7f6be94d41 | Clear filters

☐	Name	Subnet ID	State	VPC	Block Public...	IPv4 C
☐	private	subnet-0ea4a1c7f6be94d41	Available	vpc-0d3ad312aadfb1e4d my...	Off	10.0.2
☐	public-1	subnet-0ab59f657021906e6	Available	vpc-0d3ad312aadfb1e4d my...	Off	10.0.1

Select a subnet

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help | Mon 2 Feb 10:12

Launch AWS Academy Learn | subnets | VPC | us-east-1 | Document 18.docx | +

us-east-1.console.aws.amazon.com/vpconsole/home?region=us-east-1#subnets:subnetId=subnet-0ab59f657021906e6,subnet-0ea4a1c7f6be94d41

aws | Search | [Option+S] | Ask Amazon Q | United States (N. Virginia) | Account ID: 0744-0496-4370 | voclabs/user3763806=akshaydevaraboina410@gm...

VPC > Subnets

VPC dashboard < | AWS Global View | Filter by VPC: >

▼ Virtual private cloud

- Your VPCs
- Subnets**
- Route tables
- Internet gateways
- Egress-only Internet gateways
- Carrier gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers

▼ Security

- Network ACLs
- Security groups

▼ PrivateLink and Lattice

Getting started

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

You have successfully created 2 subnets: subnet-0ab59f657021906e6, subnet-0ea4a1c7f6be94d41

Subnets (1/2) Info | Last updated 1 minute ago | Actions | Create subnet

Find subnets by attribute or tag

Subnet ID: subnet-0ab59f657021906e6 | Subnet ID: subnet-0ea4a1c7f6be94d41 | Clear filters

☒	Name	Subnet ID	State	VPC	Block Public...	IPv4 C
☐	private	subnet-0ea4a1c7f6be94d41	Available	vpc-0d3ad312aadfb1e4d my...	Off	10.0.2
☒	public-1	subnet-0ab59f657021906e6	Available	vpc-0d3ad312aadfb1e4d my...	Off	10.0.1


View details
Create flow log
Edit subnet settings
Edit IPv6 CIDRs
Edit network ACL association
Edit route table association
Edit CIDR reservations
Share subnet
Manage tags
Delete subnet

subnet-0ab59f657021906e6 / public-1

Details | Flow logs | Route table | Network ACL | CIDR reservations | Sharing | Tags

Details

Subnet ID subnet-0ab59f657021906e6	Subnet ARN arn:aws:ec2:us-east-1:074404964370:subnet/subnet-0ab59f657021906e6	State Available	Block Public Access Off
IPv4 CIDR 10.0.1.0/24	Available IPv4 addresses 251	IPv6 CIDR -	IPv6 CIDR association ID -
Availability Zone us-east-1-az2 (us-east-1)	VPC vpc-0d3ad312aadfb1e4d myvpc-1	Route table	



Edit subnet settings [info](#)

Subnet

Subnet ID

[subnet-0ab59f657021906e6](#)

Name

[public-1](#)

Auto-assign IP settings [info](#)

Enable AWS to automatically assign a public IPv4 or IPv6 address to a new primary network interface for an instance in this subnet.

☒ Enable auto-assign public IPv4 address [info](#)

☐ Enable auto-assign customer-owned IPv4 address [info](#)
Option disabled because no customer owned pools found.

Resource-based name (RBN) settings [info](#)

Specify the hostname type for EC2 instances in this subnet and optional RBN DNS query settings.

☐ Enable resource name DNS A record on launch [info](#)

☐ Enable resource name DNS AAAA record on launch [info](#)

Hostname type [info](#)

☐ Resource name


☒ IP name

DNS64 settings

Enable DNS64 to allow IPv6-only services in Amazon VPC to communicate with IPv4-only services and networks.

[CloudShell](#) [Feedback](#)

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)



[VPC](#) > [Subnets](#) > [subnet-0ab59f657021906e6](#) > Edit subnet settings

Subnet ID

[subnet-0ab59f657021906e6](#)

Name

[public-1](#)

Auto-assign IP settings [info](#)

Enable AWS to automatically assign a public IPv4 or IPv6 address to a new primary network interface for an instance in this subnet.

☒ Enable auto-assign public IPv4 address [info](#)

☐ Enable auto-assign customer-owned IPv4 address [info](#)
Option disabled because no customer owned pools found.

Resource-based name (RBN) settings [info](#)

Specify the hostname type for EC2 instances in this subnet and optional RBN DNS query settings.

☐ Enable resource name DNS A record on launch [info](#)

☐ Enable resource name DNS AAAA record on launch [info](#)

Hostname type [info](#)

☐ Resource name

☒ IP name

DNS64 settings

Enable DNS64 to allow IPv6-only services in Amazon VPC to communicate with IPv4-only services and networks.

☐ Enable DNS64 [info](#)

[Cancel](#)

[Save](#)

[CloudShell](#) [Feedback](#)

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... x igws | VPC | us-east-1 x Document 18.docx x +

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#igws:

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

VPC > Internet gateways

VPC dashboard < AWS Global View Filter by VPC: Virtual private cloud Your VPCs Subnets Route tables Internet gateways Egress-only Internet gateways Carrier gateways DHCP option sets Elastic IPs Managed prefix lists NAT gateways Peering connections Route servers Security Network ACLs Security groups PrivateLink and Lattice

Internet gateways (1) Info Find internet gateways by attribute or tag

	Name	Internet gateway ID	State	VPC ID	Owner
☐	-	igw-0021070f2507d72fd	Attached	vpc-0b5ce6975045cec63	07440496437

Select an internet gateway above

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... x VPC | us-east-1 x Document 18.docx x +

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#CreateInternetGateway:

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

VPC > Internet gateways > Create internet gateway

Create internet gateway Info

An internet gateway is a virtual router that connects a VPC to the internet. To create a new internet gateway specify the name for the gateway below.

Internet gateway settings

Name tag
Creates a tag with a key of 'Name' and a value that you specify.

my-internet-gateway

Tags - optional

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key	Value - optional	
Name	my-internet-gateway	Remove

Add new tag

You can add 49 more tags.

Cancel Create internet gateway

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help | Mon 2 Feb 10:14

Launch AWS Academy Learn... x VPC | us-east-1 x Document 18.docx x +

us-east-1.console.aws.amazon.com/vpconsole/home?region=us-east-1#InternetGateway:internetGatewayId=igw-09535781aa2e4773e

aws | Search | [Option+S] | Ask Amazon Q | United States (N. Virginia) | Account ID: 0744-0496-4370 | voclabs/user3763806=akshaydevaraboina410@gm...

VPC > Internet gateways > igw-09535781aa2e4773e

VPC dashboard < | AWS Global View L² | Filter by VPC: ▾

▼ Virtual private cloud

- Your VPCs
- Subnets
- Route tables
- Internet gateways
- Egress-only Internet gateways
- Carrier gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers

▼ Security

- Network ACLs
- Security groups

▼ PrivateLink and Lattice

Getting started

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help | Mon 2 Feb 10:14

Launch AWS Academy Learn... x VPC | us-east-1 x Document 18.docx x +

us-east-1.console.aws.amazon.com/vpconsole/home?region=us-east-1#InternetGateway:internetGatewayId=igw-09535781aa2e4773e

aws | Search | [Option+S] | Ask Amazon Q | United States (N. Virginia) | Account ID: 0744-0496-4370 | voclabs/user3763806=akshaydevaraboina410@gm...

VPC > Internet gateways > igw-09535781aa2e4773e

VPC dashboard < | AWS Global View L² | Filter by VPC: ▾

▼ Virtual private cloud

- Your VPCs
- Subnets
- Route tables
- Internet gateways
- Egress-only Internet gateways
- Carrier gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers

▼ Security

- Network ACLs
- Security groups

▼ PrivateLink and Lattice

Getting started

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help | Mon 2 Feb 10:16

Launch AWS Academy Learn... x VPC | us-east-1 x Document 18.docx x +

us-east-1.console.aws.amazon.com/vpconsole/home?region=us-east-1#AttachInternetGateway:internetGatewayId=igw-09535781aa2e4773e

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

VPC > Internet gateways > Attach to VPC (igw-09535781aa2e4773e)

The following Internet gateway was created: igw-09535781aa2e4773e - my-internet-gateway. You can now attach to a VPC to enable the VPC to communicate with the internet. [Attach to a VPC](#)

Attach to VPC (igw-09535781aa2e4773e) [Info](#)

VPC
Attach an internet gateway to a VPC to enable the VPC to communicate with the internet. Specify the VPC to attach below.

Available VPCs
Attach the internet gateway to this VPC.

[AWS Command Line Interface command](#)

[Cancel](#) [Attach internet gateway](#)

CloudShell Feedback | © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help | Mon 2 Feb 10:16

Launch AWS Academy Learn... x RouteTables | VPC | us-east-1 x Document 18.docx x +

us-east-1.console.aws.amazon.com/vpconsole/home?region=us-east-1#RouteTables:

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

VPC > Route tables

VPC dashboard <

AWS Global View [L](#)

Filter by VPC: [v](#)

Virtual private cloud

- Your VPCs
- Subnets
- [Route tables](#)
- Internet gateways
- Egress-only Internet gateways
- Carrier gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers

Security

- Network ACLs
- Security groups

PrivateLink and Lattice

- [Getting started](#)

Route tables (1) [Info](#)

Last updated 11 minutes ago [Actions](#) [Create route table](#)

☐	Name	Route table ID	Explicit subnet associ...	Edge associations	Main	VPC
☐	-	rtb-0b5a7418ffb4aece1	-	-	Yes	vpc-0b5ce6975045cec

Select a route table [Settings](#) [v](#)

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy Learn...VPC | us-east-1Document 18.docx

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#CreateRouteTable:

Account ID: 0744-0496-4370

VPCRoute tablesCreate route table

Account ID: 0744-0496-4370

Create route table

A route table specifies how packets are forwarded between the subnets within your VPC, the internet, and your VPN connection.

Route table settings

Name - optional

Create a tag with a key of 'Name' and a value that you specify.

my-route-table

VPC

The VPC to use for this route table.

vpc-0d3ad312aadfb1e4d (my-vpc-1)

Tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key

Q NameX

Value - optional

Q my-route-tableXRemove

Add new tag

You can add 49 more tags.

Cancel

Create route table

CloudShellFeedback

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy Learn...VPC | us-east-1Document 18.docx

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#RouteTableDetails:RouteTableId=rtb-0a49d71f508806168

Account ID: 0744-0496-4370

VPCRoute tablesrtb-0a49d71f508806168

Account ID: 0744-0496-4370

VPC dashboard

Filter by VPC:

Virtual private cloud

Your VPCs

Subnets

Route tables

Internet gateways

Egress-only Internet gateways

Carrier gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

Security

Network ACLs

Security groups

PrivateLink and Lattice

Getting started

Route table rtb-0a49d71f508806168 | my-route-table was created successfully.

rtb-0a49d71f508806168 / my-route-table

Actions

Details

Route table ID

rtb-0a49d71f508806168

Main

No

Explicit subnet associations

-

Edge associations

-

VPC

vpc-0d3ad312aadfb1e4d | my-vpc-1

Owner ID

074404964370

Routes

Subnet associations

Edge associations

Route propagation

Tags

Routes (1)

Both

Edit routes

Filter routes

1

Destination

Target

Status

Propagated

Route Origin


10.0.0.0/16

local

Active

No

Create Route Table



VPC dashboard

AWS Global View

Filter by VPC:

Virtual private cloud

Your VPCs

Subnets

Route tables

Internet gateways

Egress-only Internet gateways

Carrier gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

Security

Network ACLs

Security groups

PrivateLink and Lattice

Route table rtb-0a49d71f508806168 | my-route-table was created successfully.

rtb-0a49d71f508806168 / my-route-table

Details

Route table ID

rtb-0a49d71f508806168

VPC

vpc-0d3ad312aadfb1e4d | my-vpc-1

Main

No

Owner ID

074404964370

Explicit subnet associations

-

Edge associations

-

Routes

Subnet associations

Edge associations

Route propagation

Tags

Routes (1)


Filter routes

Both

Edit routes

1

Destination	Target	Status	Propagated	Route Origin
10.0.0.0/16	local	Active	No	Create Route Table



Edit subnet associations

Change which subnets are associated with this route table.

Available subnets (1/2)

Filter subnet associations

1

	Name	Subnet ID	IPv4 CIDR	IPv6 CIDR	Route table ID
☐	private	subnet-0ea4a1c7f6be94d41	10.0.2.0/24	-	Main (rtb-0f68e2bba6b8ee1fb)
☒	public-1	subnet-0ab59f657021906e6	10.0.1.0/24	-	Main (rtb-0f68e2bba6b8ee1fb)

Selected subnets

subnet-0ab59f657021906e6 / public-1

Cancel

Save associations

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help | Mon 2 Feb 10:17

Launch AWS Academy Learn | VPC | us-east-1 | Document 18.docx | +

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#RouteTableDetails:RouteTableId=rtb-0a49d71f508806168

aws | Search | [Option+S] | Ask Amazon Q | United States (N. Virginia) | Account ID: 0744-0496-4370 | voclabs/user3763806=akshaydevaraboina410@gm...

VPC > Route tables > rtb-0a49d71f508806168

VPC dashboard < | AWS Global View | Filter by VPC: | Virtual private cloud | Your VPCs | Subnets | **Route tables** | Internet gateways | Egress-only Internet gateways | Carrier gateways | DHCP option sets | Elastic IPs | Managed prefix lists | NAT gateways | Peering connections | Route servers | Security | Network ACLs | Security groups | PrivateLink and Lattice | Getting started | CloudShell | Feedback

rtb-0a49d71f508806168 / my-route-table | Actions

Details Info

Route table ID rtb-0a49d71f508806168	Main No	Explicit subnet associations subnet-0ab59f657021906e6 / public-1	Edge associations -
VPC vpc-0d3ad312aadfb1e4d my-vpc-1	Owner ID 074404964370		

Routes | Subnet associations | Edge associations | Route propagation | Tags

Routes (1) | Both | Edit routes

Destination	Target	Status	Propagated	Route Origin
10.0.0.0/16	local	Active	No	Create Route Table

© 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help | Mon 2 Feb 10:17

Launch AWS Academy Learn | VPC | us-east-1 | Document 18.docx | +

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#RouteTableDetails:RouteTableId=rtb-0a49d71f508806168

aws | Search | [Option+S] | Ask Amazon Q | United States (N. Virginia) | Account ID: 0744-0496-4370 | voclabs/user3763806=akshaydevaraboina410@gm...

VPC > Route tables > rtb-0a49d71f508806168

VPC dashboard < | AWS Global View | Filter by VPC: | Virtual private cloud | Your VPCs | Subnets | **Route tables** | Internet gateways | Egress-only Internet gateways | Carrier gateways | DHCP option sets | Elastic IPs | Managed prefix lists | NAT gateways | Peering connections | Route servers | Security | Network ACLs | Security groups | PrivateLink and Lattice | Getting started | CloudShell | Feedback

rtb-0a49d71f508806168 / my-route-table | Actions

Details Info

Route table ID rtb-0a49d71f508806168	Main No	Explicit subnet associations subnet-0ab59f657021906e6 / public-1	Edge associations -
VPC vpc-0d3ad312aadfb1e4d my-vpc-1	Owner ID 074404964370		


Routes | Subnet associations | Edge associations | Route propagation | Tags

Routes (1) | Both | Edit routes

Destination	Target	Status	Propagated	Route Origin
10.0.0.0/16	local	Active	No	Create Route Table

Set main route table
Edit subnet associations
Edit edge associations
Edit route propagation
Edit routes
Manage tags
Delete

© 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences




Edit routes

Destination	Target	Status	Propagated	Route Origin
10.0.0.0/16	local Q local	Active	No	CreateRouteTable

Add route

Cancel Preview Save changes



Edit routes

Destination	Target	Status	Propagated	Route Origin
10.0.0.0/16	local Q local	Active	No	CreateRouteTable
Q 0.0.0.0/0	Internet Gateway igw- Use: "igw-" igw-09535781aa2e4773e (my-internet-gateway)	-	No	CreateRoute

Add route

Remove

Cancel Preview Save changes

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn x VPC | us-east-1 x Document 18.docx x +

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#RouteTableDetails:RouteTableId=rtb-0a49d71f508806168

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

VPC > Route tables > rtb-0a49d71f508806168

VPC dashboard < AWS Global View Filter by VPC: Virtual private cloud Your VPCs Subnets Route tables Internet gateways Egress-only Internet gateways Carrier gateways DHCP option sets Elastic IPs Managed prefix lists NAT gateways Peering connections Route servers Security Network ACLs Security groups PrivateLink and Lattice

Updated routes for rtb-0a49d71f508806168 / my-route-table successfully Details

rtb-0a49d71f508806168 / my-route-table Actions

Details Info

Route table ID rtb-0a49d71f508806168

VPC vpc-0d3ad312aadfb1e4d | my-vpc-1

Main No

Owner ID 074404964370

Explicit subnet associations subnet-0ab59f657021906e6 / public-1

Edge associations -

Routes Subnet associations Edge associations Route propagation Tags

Routes (2) Both Edit routes

Destination	Target	Status	Propagated	Route Origin
0.0.0.0/0	igw-09535781aa2e4773e	Active	No	Create Route
10.0.0.0/16	local	Active	No	Create Route Table

Getting started CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

next testing

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn x Dashboard | EC2 | us-east-1 x Document 18.docx x vpcs | VPC | us-east-1 x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Home:

aws Search [Option+S] United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 < Dashboard EC2 Global View Events

Instances Instances Instance Types Launch Templates Spot Requests Savings Plans Reserved Instances Dedicated Hosts Capacity Reservations Capacity Manager New

Images AMIs AMI Catalog

Elastic Block Store Volumes Snapshots Lifecycle Manager

Network & Security

Resources EC2 Global View

You are using the following Amazon EC2 resources in the United States (N. Virginia) Region:

Instances (running)	0	Auto Scaling Groups	0	Capacity Reservations	0
Dedicated Hosts	0	Elastic IPs	0	Instances	2
Key pairs	6	Load balancers	0	Placement groups	0
Security groups	10	Snapshots	3	Volumes	2

Launch instance To get started, launch an Amazon EC2 instance, which is a virtual server in the cloud.

Launch instance Migrate a server

Note: Your instances will launch in the United States (N. Virginia) Region

Instance alarms View in CloudWatch

Service health AWS Health Dashboard

Region United States (N. Virginia)

Status This service is operating normally.

Zones

Zone name	Zone ID
us-east-1a	use1-az2
us-east-1b	use1-az4

Account attributes Default VPC vpc-0b5ce6975045cec63 Settings Data protection and security Allowed AMIs Zones EC2 Serial Console Default credit specification EC2 console preferences

Explore AWS Get Up to 40% Better Price Performance T4g instances deliver the best price performance for burstable general purpose workloads in Amazon EC2. Learn more Optimize EC2 Cost with Spot Instances and EC2 Auto Scaling Get started with EC2 Spot Instances, EC2 Auto Scaling, and Launch Templates by following this step by step tutorial. Learn more Introducing Spot Blueprints, a Real-Time Template Generator

https://us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInst... © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy LearnLaunch an Instance | EC2 | us-east-1Document 18.docxvpcs | VPC | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

Account ID: 0744-0496-4370voclabs/user3763806=akshaydevaraboina410@gm...

EC2>Instances>Launch an instance

Name

frontend-vpc-week5

Add additional tags

Application and OS Images (Amazon Machine Image)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

RecentsQuick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Debian

Browse more AMIs

Amazon Machine Image (AMI)

Ubuntu Server 24.04 LTS (HVM), SSD Volume Type

ami-0b6c6ebd2801a5cb (64-bit (x86)) / ami-0071c8c431eea0db (64-bit (Arm))

Virtualization: hvmENA enabled: trueRoot device type: ebs

Free tier eligible

Description

Ubuntu Server 24.04 LTS (HVM), EBS General Purpose (SSD) Volume Type. Support available from Canonical.

Summary

Number of instances1

Software Image (AMI)

Canonical, Ubuntu, 24.04, amd6...[read more](#)

ami-0b6c6ebd2801a5cb

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

CancelLaunch instancePreview code

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS Academy LearnLaunch an Instance | EC2 | us-east-1Document 18.docxvpcs | VPC | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

Account ID: 0744-0496-4370voclabs/user3763806=akshaydevaraboina410@gm...

EC2>Instances>Launch an instance

key-1

Create new key pair

Network settings

Network

vpc-0b5ce6975045cec63

Subnet

No preference (Default subnet in any availability zone)

Auto-assign public IP

Enable

Firewall (security groups)

Create security group

Select existing security group

We'll create a new security group called 'launch-wizard-7' with the following rules:

Allow SSH traffic from

Anywhere

Allow HTTPS traffic from the internet

Allow HTTP traffic from the internet

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

Summary

Number of instances1

Software Image (AMI)

Canonical, Ubuntu, 24.04, amd6...[read more](#)

ami-0b6c6ebd2801a5cb

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

CancelLaunch instancePreview code

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn x Launch an Instance | EC2 | us-east-1 x Document 18.docx x vpcs | VPC | us-east-1 x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > Launch an instance

Network settings Info

VPC - required Info

vpc-0b5ce6975045cec63 (default) 172.31.0.0/16

Q |

vpc-0d3ad312aadfb1e4d (my-vpc-1) 10.0.0.0/16

vpc-0b5ce6975045cec63 (default) 172.31.0.0/16

Auto-assign public IP Info

Enable

Firewall (security groups) Info

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

Create security group Select existing security group

Security group name - required

launch-wizard-7

This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and _-./@#,%&!*~`

Description - required Info

launch-wizard-7 created 2026-02-02T04:50:37.601Z

Inbound Security Group Rules

Security group rule 1 (TCP, 22, 0.0.0.0/0)

Remove

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn x Launch an Instance | EC2 | us-east-1 x Document 18.docx x vpcs | VPC | us-east-1 x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > Launch an instance

Network settings Info

VPC - required Info

vpc-0d3ad312aadfb1e4d (my-vpc-1) 10.0.0.0/16

Subnet Info

subnet-0ab59f657021906e6 public-1

subnet-0a41c7f6be94d41 private

subnet-0ab59f657021906e6 public-1

Security group name - required

launch-wizard-7

This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and _-./@#,%&!*~`

Description - required Info

launch-wizard-7 created 2026-02-02T04:50:37.601Z

Inbound Security Group Rules

Security group rule 1 (TCP, 22, 0.0.0.0/0)

Remove

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

add scrutiyp grp rules

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... Launch an Instance | EC2 | us-east-1 Document 18.docx vpcs | VPC | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > Launch an instance

0.0.0.0/0 X

▼ Security group rule 2 (TCP, 80, 0.0.0.0/0) Remove

Type Info HTTP Protocol Info TCP Port range Info 80

Source type Info Anywhere Source Info Add CIDR, prefix list or security group 0.0.0.0/0 X Description - optional Info e.g. SSH for admin desktop

▼ Security group rule 3 (TCP, 443, 0.0.0.0/0) Remove

Type Info HTTPS Protocol Info TCP Port range Info 443

Source type Info Anywhere Source Info Add CIDR, prefix list or security group 0.0.0.0/0 X Description - optional Info e.g. SSH for admin desktop

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only. X

Add security group rule

▼ Summary

Number of instances Info 1

Software Image (AMI) Canonical, Ubuntu, 24.04, amd6...read more ami-0b6c6ebd2801a5cb

Virtual server type (instance type) t3.micro

Firewall (security group) New security group

Storage (volumes) 1 volume(s) - 8 GiB

Cancel Launch instance Preview code

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy Learn... Launch an Instance | EC2 | us-east-1 Document 18.docx vpcs | VPC | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > Launch an instance

Source type Info Anywhere Source Info Add CIDR, prefix list or security group 0.0.0.0/0 X Description - optional Info e.g. SSH for admin desktop

▼ Security group rule 3 (TCP, 443, 0.0.0.0/0) Remove

Type Info HTTPS Protocol Info TCP Port range Info 443

Source type Info Anywhere Source Info Add CIDR, prefix list or security group 0.0.0.0/0 X Description - optional Info e.g. SSH for admin desktop

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only. X

Add security group rule

► Advanced network configuration

▼ Configure storage Info Advanced

1x 8 GiB gp3 Root volume, 3000 IOPS, Not encrypted

▼ Summary

Number of instances Info 1

Software Image (AMI) Canonical, Ubuntu, 24.04, amd6...read more ami-0b6c6ebd2801a5cb


Virtual server type (instance type) t3.micro

Firewall (security group) New security group

Storage (volumes) 1 volume(s) - 8 GiB

Cancel Launch instance Preview code

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Success
Successfully initiated launch of instance (i-04de625ed12be1196)

► **Launch log**

Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"

Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
[Create billing alerts](#)

Connect to your instance
Once your instance is running, log into it from your local computer.
[Connect to instance](#)
[Learn more](#)

Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
[Connect an RDS database](#)
[Create a new RDS database](#)
[Learn more](#)

Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots.
[Create EBS snapshot policy](#)

Manage detailed monitoring
Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.
[Manage detailed monitoring](#)

Create Load Balancer
Create an application, network gateway or classic Elastic Load Balancer.
[Create Load Balancer](#)

Create AWS budget
AWS Budgets allows you to create budgets, forecast spend, and take action on your costs.
[Create AWS budget](#)

Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms for the instance.
[Manage CloudWatch alarms](#)

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"

Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
[Create billing alerts](#)

Connect to your instance
Once your instance is running, log into it from your local computer.
[Connect to instance](#)
[Learn more](#)

Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
[Connect an RDS database](#)
[Create a new RDS database](#)
[Learn more](#)

Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots.
[Create EBS snapshot policy](#)

Manage detailed monitoring
Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.
[Manage detailed monitoring](#)

Create Load Balancer
Create an application, network gateway or classic Elastic Load Balancer.
[Create Load Balancer](#)

Create AWS budget
AWS Budgets allows you to create budgets, forecast spend, and take action on your costs and usage from a single location.
[Create AWS budget](#)

Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms for the instance.
[Manage CloudWatch alarms](#)

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

connect using ec2

Chrome browser window showing the AWS Management Console terminal output for an EC2 instance. The terminal displays system information for Ubuntu 24.04 LTS, including system load, memory usage, and network configuration. Below the terminal output, the instance details for 'i-04de625ed12be1196 (frontend-vpc-week5)' are shown, including public and private IP addresses.

```
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/pro

System information as of Mon Feb 2 04:55:39 UTC 2026

System load: 0.29      Temperature: -273.1 C
Usage of /: 25.9% of 6.71GB    Processes: 117
Memory usage: 23%      Users logged in: 0
Swap usage: 0%         IPv4 address for ens5: 10.0.1.171

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-10-0-1-171:~$
```

i-04de625ed12be1196 (frontend-vpc-week5)
PublicIPs: 54.163.131.156 PrivateIPs: 10.0.1.171

test from private now:

Chrome browser window showing the AWS Management Console 'Launch an instance' page. The 'Name and tags' section has 'backend' entered. The 'Application and OS Images (Amazon Machine Image)' section shows a search bar and a grid of AMIs. The 'Summary' section on the right shows the configuration: 1 instance, Canonical Ubuntu 24.04 AMI, t3.micro instance type, new security group, and 1 volume (8 GiB). The 'Launch instance' button is highlighted.

EC2 > Instances > Launch an instance

Name and tags Info
Name: backend Add additional tags

Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).
Search our full catalog including 1000s of application and OS images

Recents Quick Start

Amazon Linux macOS Ubuntu Windows Red Hat SUSE Linux Debian
aws Mac ubuntu Microsoft Red Hat SUSE debian

Amazon Machine Image (AMI)
Ubuntu Server 24.04 LTS (HVM), SSD Volume Type
ami-0b6c6ebd2801a5cb (64-bit (x86)) / ami-0071c8c431eea0edb (64-bit (Arm))
Virtualization: hvm ENA enabled: true Root device type: ebs
Free tier eligible

Summary
Number of instances Info: 1
Software Image (AMI): Canonical, Ubuntu, 24.04, amd64...read more
ami-0b6c6ebd2801a5cb
Virtual server type (instance type): t3.micro
Firewall (security group): New security group
Storage (volumes): 1 volume(s) - 8 GiB
Cancel Launch instance Preview code

add key and check boxes to avoid adding

Chrome File Edit View History Bookmarks Profiles Tab Window Help Mon 2 Feb 10:28

Launch AWS Academy | x Launch an instance | EC | x Document 18.docx | x vpcs | VPC | us-east-1 | x Launch an instance | EC | x EC2 Instance Connect | x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > Launch an instance

Network settings Info Edit

Network Info
vpc-0b5ce6975045cec63

Subnet Info
No preference (Default subnet in any availability zone)

Auto-assign public IP Info
Enable

Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

Create security group Select existing security group

We'll create a new security group called 'launch-wizard-8' with the following rules:

- ☒ Allow SSH traffic from
Helps you connect to your instance
Anywhere
0.0.0.0/0
- ☒ Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server
- ☒ Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

Summary

Number of instances Info
1

Software Image (AMI)
Canonical, Ubuntu, 24.04, amd64...read more
ami-0b6c6ebd2801a5cb

Virtual server type (instance type)
t3.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

Cancel Launch instance Preview code

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help Mon 2 Feb 10:28

Launch AWS Academy | x Launch an instance | EC | x Document 18.docx | x vpcs | VPC | us-east-1 | x Launch an instance | EC | x EC2 Instance Connect | x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > Launch an instance

Network settings Info

VPC - required Info
vpc-0d3ad312aadfb1e4d (my-vpc-1)
10.0.0.0/16

Subnet Info
subnet-0ea4a1c7f6be94d41 private
VPC: vpc-0d3ad312aadfb1e4d Owner: 074404964370
Availability Zone: us-east-1a (us1-az2) Zone type: Availability Zone
IP addresses available: 251 CIDR: 10.0.2.0/24

Auto-assign public IP Info
Disable

Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance.

Create security group Select existing security group

Security group name - required
launch-wizard-8

This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and _-./@#,%&()!\$*

Description - required Info
launch-wizard-8 created 2026-02-02T04:57:04.007Z

Inbound Security Group Rules
Security group rule 1 (TCP, 22, 0.0.0.0/0)

Summary

Number of instances Info
1

Software Image (AMI)
Canonical, Ubuntu, 24.04, amd64...read more
ami-0b6c6ebd2801a5cb

Virtual server type (instance type)
t3.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

Cancel Launch instance Preview code

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

already existing rules

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy | x Launch an instance | EC | x Document 18.docx | x vpcs | VPC | us-east-1 | x Launch an instance | EC | x EC2 Instance Connect | x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > Launch an instance

Anywhere Add CIDR, prefix list or security group e.g. SSH for admin desktop 0.0.0.0/0 X

Security group rule 2 (TCP, 443, 0.0.0.0/0) Remove

Type Info Protocol Info Port range Info

HTTPS TCP 443

Source type Info Source Info Description - optional Info

Anywhere Add CIDR, prefix list or security group e.g. SSH for admin desktop 0.0.0.0/0 X

Security group rule 3 (TCP, 80, 0.0.0.0/0) Remove

Type Info Protocol Info Port range Info

HTTP TCP 80

Source type Info Source Info Description - optional Info

Anywhere Add CIDR, prefix list or security group e.g. SSH for admin desktop 0.0.0.0/0 X

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only. X

Add security group rule

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Academy | x Launch an instance | EC | x Document 18.docx | x vpcs | VPC | us-east-1 | x Launch an instance | EC | x EC2 Instance Connect | x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > Launch an instance

0.0.0.0/0 X

Security group rule 3 (TCP, 80, 0.0.0.0/0) Remove

Type Info Protocol Info Port range Info

HTTP TCP 80

Source type Info Source Info Description - optional Info

Anywhere Add CIDR, prefix list or security group e.g. SSH for admin desktop 0.0.0.0/0 X

Security group rule 4 (TCP, 3306, 0.0.0.0/0) Remove

Type Info Protocol Info Port range Info

MySQL/Aurora TCP 3306

Source type Info Source Info Description - optional Info

Anywhere Add CIDR, prefix list or security group e.g. SSH for admin desktop 0.0.0.0/0 X


Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only. X

Add security group rule

Advanced network configuration

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

added mysql / aurora



no winscp for mac, trying to use cyberduck

Chrome File Edit View History Bookmarks Profiles Tab Window Help Mon 2 Feb 10:39

Launch AWS Acad... x Connect to instanc... x Document 18.docx x vpcs | VPC | us-ea... x Launch an instanc... x EC2 Instance Conn... x Download x +

cyberduck.io/download/

Katalon

Crack! mobile testing at ease

Try Katalon now

Unified low-code platform

Katalon

Sign Up

Cyberduck is free software, but it still costs money to write, support, and distribute it. As a contributor you receive a registration key that disables the donation prompt. Or buy Cyberduck from the [Mac App Store](#) or [Windows Store](#).

Free Software. Free software is a matter of the users freedom to run, copy, distribute, study, change and improve the software. The continued donations of users is what allows Cyberduck to be available for free today. If you find this program useful, please consider making a donation or buy the version from the [Mac App Store](#) or [Windows Store](#). It will help to make Cyberduck even better!

Download [Changelog](#)

Download Cyberduck for Windows
Cyberduck-Installer-9.3.1.44136.exe

Version 9.3.1, 09 Dec 2025
MD5 6adf01f47e305bd2e8b883dd62ed4f9
Windows 10 (64bit) or later required.

Download Cyberduck for macOS
Cyberduck-9.3.1.44136.zip

Version 9.3.1, 09 Dec 2025
MD5 6a9dd936d947d1901271517132a2a6dc
macOS 10.13 or later on Intel (64bit) or Apple M1 required.

Privacy - Terms

Chrome File Edit View History Bookmarks Profiles Tab Window Help Mon 2 Feb 10:44

Launch AWS Acad... x Launch an instanc... x Document 18.docx x vpcs | VPC | us-ea... x Launch an instanc... x EC2 Instance Conn... x Download x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

Search [Option+S] Ask Amazon Q

United States (N. Virginia) Account ID: 0744-0496-4370

voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > Launch an instance

Launch an instance

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags

Name
e.g. My Web Server

Application and OS Images (Amazon Machine Image)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

Recents Quick Start

Amazon Linux macOS Ubuntu Windows Red Hat SUSE Linux Debian

Amazon Linux 2023 kernel-6.1 AMI

Free tier eligible

Summary

Number of instances 1

Software Image (AMI)

Virtual server type (instance type)

t3.micro

Firewall (security group)

Storage (volumes)

Cancel Launch instance Preview code

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

meanwhile create a bastion server

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Acad... Launch an instanci... Document 18.docx vpcs | VPC | us-ea... Launch an instanci... EC2 Instance Con... Download

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > Launch an instance

Application and OS Images (Amazon Machine Image) [Info](#)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

Recents Quick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Debian

Browse more AMIs
Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Ubuntu Server 24.04 LTS (HVM), SSD Volume Type
ami-0b6c6ebd2801a5cb (64-bit (x86)) / ami-0071c8c431eea0db (64-bit (Arm))
Virtualization: hvm ENA enabled: true Root device type: ebs Free tier eligible

Description

Ubuntu Server 24.04 LTS (HVM), EBS General Purpose (SSD) Volume Type. Support available from Canonical (<http://www.ubuntu.com/cloud/services>).

Canonical, Ubuntu, 24.04, amd64 noble image

Architecture	AMI ID	Publish Date	Username	
64-bit (x86)	ami-0b6c6ebd2801a5cb	2025-12-12	ubuntu	Verified provider

Summary

Number of instances [Info](#)

1

Software Image (AMI)
Canonical, Ubuntu, 24.04, amd6...[read more](#)
ami-0b6c6ebd2801a5cb

Virtual server type (instance type)
t3.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

Cancel Launch instance Preview code

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

ppk key

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Acad... Launch an instanci... Document 18.docx vpcs | VPC | us-ea... Launch an instanci... EC2 Instance Con... Download

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > Launch an instance

Instance type [Info](#) | [Get advice](#)

Instance type

t3.micro Free tier eligible

Family: t3 2 vCPU 1 GiB Memory Current generation: true
On-Demand Ubuntu Pro base pricing: 0.0139 USD per Hour
On-Demand SUSE base pricing: 0.0104 USD per Hour
On-Demand Linux base pricing: 0.0104 USD per Hour
On-Demand RHEL base pricing: 0.0392 USD per Hour
On-Demand Windows base pricing: 0.0196 USD per Hour

Additional costs apply for AMIs with pre-installed software

All generations Compare instance types

Key pair (login) [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

ppkkey Create new key pair

Network settings [Info](#)

Network [Info](#)

vpc-0b5ce6975045cec63

Subnet [Info](#)

Summary

Number of instances [Info](#)

1

Software Image (AMI)
Canonical, Ubuntu, 24.04, amd6...[read more](#)
ami-0b6c6ebd2801a5cb

Virtual server type (instance type)
t3.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

Cancel Launch instance Preview code

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Acad... Launch an instanc... Document 18.docx vpcs | VPC | us-ea... Launch an instanc... EC2 Instance Conn... Download

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > Launch an instance

HTTPS TCP 443

Source type [Info](#) Anywhere

Source [Info](#) Add CIDR, prefix list or security group 0.0.0.0/0 X

Description - optional [Info](#) e.g. SSH for admin desktop

Security group rule 3 (TCP, 80, 0.0.0.0/0) Remove

Type [Info](#) HTTP

Protocol [Info](#) TCP

Port range [Info](#) 80

Source type [Info](#) Anywhere

Source [Info](#) Add CIDR, prefix list or security group 0.0.0.0/0 X

Description - optional [Info](#) e.g. SSH for admin desktop

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only. X

Add security group rule

Advanced network configuration

Configure storage [Info](#) Advanced

1x 8 GIB on3 Boot volume: 3000 IOPS, Not encrypted

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Chrome File Edit View History Bookmarks Profiles Tab Window Help

Launch AWS Acad... Launch an instanc... Document 18.docx vpcs | VPC | us-ea... Launch an instanc... EC2 Instance Conn... Download

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

Search [Option+S] Ask Amazon Q United States (N. Virginia) Account ID: 0744-0496-4370 voclabs/user3763806=akshaydevaraboina410@gm...

EC2 > Instances > Launch an instance

Security group rule 3 (TCP, 80, 0.0.0.0/0) Remove

Type [Info](#) HTTP

Protocol [Info](#) TCP

Port range [Info](#) 80

Source type [Info](#) Anywhere

Source [Info](#) Add CIDR, prefix list or security group 0.0.0.0/0 X

Description - optional [Info](#) e.g. SSH for admin desktop

Security group rule 4 (TCP, 3306, 0.0.0.0/0) Remove

Type [Info](#) MYSQL/Aurora

Protocol [Info](#) TCP

Port range [Info](#) 3306

Source type [Info](#) Anywhere

Source [Info](#) Add CIDR, prefix list or security group 0.0.0.0/0 X

Description - optional [Info](#) e.g. SSH for admin desktop

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only. X

Add security group rule

Advanced network configuration

Summary

Number of instances [Info](#) 1

Software Image (AMI) Canonical, Ubuntu, 24.04, amd6...[read more](#) ami-0b6c6ebd2801a5cb

Virtual server type (instance type) t3.micro

Firewall (security group) New security group

Storage (volumes) 1 volume(s) - 8 GiB

Cancel Launch instance Preview code

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Launch AWS AcademyLaunch an Instance | EC2Document 18.docxvpcs | VPC | us-east-1Launch an instance | EC2EC2 Instance Connect

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

Account ID: 0744-0496-4370voclabs/user3763806=akshaydevaraboina410@gm...

EC2>Instances>Launch an instance

Success

Successfully initiated launch of instance (i-0f5d27010725b557b)

Launch log

Next Steps

What would you like to do next with this instance, for example "create alarm" or "create backup"

Create billing usage alerts

To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.

Create billing alerts

Connect to your instance

Once your instance is running, log into it from your local computer.

Connect to instance

Learn more

Connect an RDS database

Configure the connection between an EC2 instance and a database to allow traffic flow between them.

Connect an RDS database

Create a new RDS database

Learn more

Create EBS snapshot policy

Create a policy that automates the creation, retention, and deletion of EBS snapshots

Create EBS snapshot policy

Manage detailed monitoring

Enable or disable detailed monitoring for the instance. If you enable detailed monitoring,

Create Load Balancer

Create a application, network gateway or classic Elastic Load Balancer

Create AWS budget

AWS Budgets allows you to create budgets, forecast spend, and take action on your costs

Manage CloudWatch alarms

Create or update Amazon CloudWatch alarms for the instance.

https://us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#CreateIf...

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences