/*node count,min element of a link list*/

```
#include<stdio.h>
#include<stdlib.h>
struct node
{
	int data;
	struct node *next;
};
struct node*header;
void beginsert();
void display();
void node_count();
void min_element();
int main()
{
	int ch=0;
	while(ch!=5)
	{
	printf("**MAIN MENU**\n");
	printf("1.insert nodes\n2.display\n3.count the no. of nodes in a single link list\n4.minimum element from the link list\n5.exit\n");
	printf("enter your choice\n");
	scanf("%d",&ch);
	switch(ch)
	{
		case 1:beginsert();
		break;
		case 2:display();
		break;
		case 3:node_count();
		break;
```

```
                case 4:min_element();
                break;
                case 5:exit(0);
                default:
                        printf("invalid choice\n");
        }
 }
}
void beginsert()
{
        struct node*ptr;
        int item;
        ptr=(struct node*)malloc(sizeof(struct node*));
        if(ptr==NULL)
        {
                printf("OVERFLOW\n");
        }
        else
        {
                printf("enter value\n");
                scanf("%d",&item);
                ptr->data=item;
                ptr->next=header;
                header=ptr;
                printf("node inserted\n");
        }
}
void display() //traversal
{
        struct node*ptr;
        ptr=header;
```

```
        if(ptr==NULL)
        {
                printf("nothing to print\n");
        }
        else
        {
                printf("printing values...\n");
                while(ptr!=NULL)
                {
                        printf("%d\n",ptr->data);
                        ptr=ptr->next;
                }
        }
}
void node_count()
{
        int count=1;
        struct node*ptr;
        ptr=header->next;
        while(ptr!=NULL)
        {
                ++count;
                ptr=ptr->next;
        }
        printf("the no. of nodes is:%d\n",count);

}
void min_element()
{
        int min;
        struct node*ptr;
```

```
        ptr=header->next;
        min=ptr->data;
        ptr=ptr->next;
        while(ptr!=NULL)
        {
                if(ptr->data<min)
                {
                        min=ptr->data;
                }
                ptr=ptr->next;
        }
        printf("the min element of that list is:%d\n",min);
}
```


C:\Users\HP\OneDrive\Desktop\collage work 3rd sem\node count,min element of a sl.exe
MAIN MENU
1.insert nodes
2.display
3.count the no. of nodes in a single link list
4.minimum element from the link list
5.exit
enter your choice
1
enter value
10
node inserted
MAIN MENU
1.insert nodes
2.display
3.count the no. of nodes in a single link list
4.minimum element from the link list
5.exit
enter your choice
1
enter value
20
node inserted
MAIN MENU
1.insert nodes
2.display
3.count the no. of nodes in a single link list
4.minimum element from the link list
5.exit
enter your choice
1
enter value
30
node inserted
MAIN MENU
1.insert nodes
2.display
3.count the no. of nodes in a single link list
4.minimum element from the link list
5.exit
enter your choice
1
enter value
40
node inserted
MAIN MENU
1.insert nodes
2.display
3.count the no. of nodes in a single link list
4.minimum element from the link list
ENG
IN
20:43
11-09-2022


C:\Users\HP\OneDrive\Desktop\collage work 3rd sem\node count,min element of a sl.exe
enter your choice
1
enter value
40
node inserted
MAIN MENU
1.insert nodes
2.display
3.count the no. of nodes in a single link list
4.minimum element from the link list
5.exit
enter your choice
2
printing values...
40
30
20
10
MAIN MENU
1.insert nodes
2.display
3.count the no. of nodes in a single link list
4.minimum element from the link list
5.exit
enter your choice
3
the no. of nodes is:4
MAIN MENU
1.insert nodes
2.display
3.count the no. of nodes in a single link list
4.minimum element from the link list
5.exit
enter your choice
4
the min element of that list is:10
MAIN MENU
1.insert nodes
2.display
3.count the no. of nodes in a single link list
4.minimum element from the link list
5.exit
enter your choice
ENG
IN
20:43
11-09-2022