

AADK2 - TASK 1

Student Name: Rajat Prakash Dhal

Course/Unit: Android Development with Kotlin

Android Studio Installed: 16 February 2026 – 3:36 PM

Project Created & Run: 18 February 2026

Project Name: FirstCompose_Rajat

✓ Checklist (Corrected)

- Android Studio Version: Android Studio Panda (2021.2.1)
- Operating System: Windows 11 (64-bit)
- SDK Version Used: Android 14 (API Level 34)
- Build Tools: API 34
- Emulator Used: Pixel 8 (Android 14 System Image)
- Language: Kotlin
- Project Template: Empty Compose Activity

◆ 16 February 2026 – 3:36 PM

Installed **Android Studio Panda (2021.2.1)** on Windows 11. Completed setup wizard and downloaded required SDK components including Android 14 (API 34), Build-Tools, Platform-Tools, and Emulator packages.

◆ 18 February 2026

4:05 PM – Opened Android Studio and clicked **New Project**.

4:06 PM – Selected **Empty Compose Activity** template.

4:07 PM – Entered project name *FirstCompose_Rajat*. Kept default package name and Kotlin settings.

4:08 PM – Clicked *Finish*. Gradle sync started automatically.

4:12 PM – Gradle sync completed successfully without errors.

4:13 PM – Opened **Device Manager (AVD Manager)** and launched the **Pixel 8 emulator (Android 14 – API Level 34)**.

4:15 PM – Clicked the **Run** button. Build process started.

Issue Faced: Emulator boot was slow during first launch.
Action Taken: Waited for full system boot and ensured virtualization was enabled for better performance.

4:18 PM – Application launched successfully on the Pixel 8 emulator displaying the default Jetpack Compose “Hello Android” screen.

@project_creation

New Project

Empty Activity

Create a new empty activity with Jetpack Compose

Name

FirstCompose_RajatPrakashDhal

Package name

com.example.firstcompose_rajatprakashdhal

Save location

C:\Users\lynyu\AndroidStudioProjects\FirstCompose_RajatPrakashDhal2

Minimum SDK

API 24 ("Nougat"; Android 7.0)

Your app will run on approximately 99.2% of devices.
[Help me choose](#)

Build configuration language ?

Kotlin DSL (build.gradle.kts) [Recommended]


Previous

Next


Cancel

Finish


@directories



@preview



@emulator



Important Concepts:

setContent {}

The setContent {} block inside MainActivity.kt defines the UI of the app using Jetpack Compose. It replaces XML layout files and allows UI components to be written directly in Kotlin code.

@Composable

@Composable is an annotation used for functions that create UI elements. These functions describe how the interface should appear, and Compose automatically updates the UI when data changes.

Lessons Learned

- Initial Gradle sync may take time due to dependency downloads.
- Emulator performance depends on system virtualization settings.
- Jetpack Compose simplifies UI development by eliminating XML layouts.