Practical No. 3

Name : Rajat Rokade UID : 25110004

Aim: Develop a Personal Portfolio Website with Modern CSS An online shopping website needs an attractive product display with responsive cards and banners.

- **CODE :**

INDEX.HTML



```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Rajat — Backend & Full-Stack Developer</title>
  <meta name="description" content="Portfolio of Rajat — backend & full-stack developer building APIs, mobile apps, and AI-powered tools." />

  <!-- Google Fonts -->
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Space+Grotesk:wght@400;500;600;700&family=Inter:wght@400;500;600&family=JetBrains+Mono:wght@400;500;600&display=swap" rel="stylesheet">

  <!-- Stylesheet -->
  <link rel="stylesheet" href="styles.css">

  <!-- GSAP (GreenSock Animation Platform) -->
  <script src="https://cdnjs.cloudflare.com/ajax/libs/gsap/3.12.5/gsap.min.js"></script>
</head>
<body>

<!-- ====================== NAVIGATION ====================== -->
<nav class="nav">
  <div class="nav-inner">
    <a href="#top" class="logo"><span>Rajat</span></a>
    <ul class="nav-links">
      <li><a href="#about">About</a></li>
      <li><a href="#experience">Experience</a></li>
      <li><a href="#projects">Projects</a></li>
      <li><a href="#skills">Skills</a></li>
      <li><a href="#contact">Contact</a></li>
    </ul>
    <a href="#contact" class="nav-cta">Get in touch</a>
  </div>
</nav>

<main id="top">

  <!-- ====================== HERO SECTION ====================== -->
  <section class="hero">
    <div class="wrap hero-inner">
      <div>
        <div class="hero-kicker">Backend &amp; Full-Stack Developer</div>
        <h1>Building systems that <em>hold up</em> under real traffic.</h1>
        <p class="hero-desc">
          I'm Rajat — a final-stretch IT student who builds REST APIs, mobile apps,
          and AI-powered tools end to end. I care about the parts users never see:
          auth that doesn't leak, schemas that don't rot, and services that stay up.
        </p>
        <div class="hero-actions">
          <a href="#projects" class="btn btn-primary">View projects</a>
          <a href="#contact" class="btn btn-ghost">Contact me</a>
        </div>
      </div>
```

```
    <!-- Terminal-style JSON card (animated with GSAP) -->
    <div class="term-card">
      <div class="term-bar">
        <div class="term-dots"><span></span><span></span><span></span></div>
        <span class="term-title">GET /api/v1/profile</span>
      </div>
      <div class="term-body">
        <div class="term-line">{</div>
        <div class="term-line">  <span class="key">"name"</span>: <span class="str">"Rajat"</span>,</div>
        <div class="term-line">  <span class="key">"role"</span>: <span class="str">"Backend &amp; Full-Stack Developer"</span>,</div>
        <div class="term-line">  <span class="key">"based_in"</span>: <span class="str">"Nagpur, India"</span>,</div>
        <div class="term-line">  <span class="key">"stack"</span>: [<span class="str">"FastAPI"</span>, <span class="str">"Node.js"</span>, <span class="str">"React"</span>, <span class="str">"Flutter"</span>],</div>
        <div class="term-line">  <span class="key">"currently"</span>: <span class="str">"B.Tech IT, final stretch"</span>,</div>
        <div class="term-line">  <span class="key">"open_to_work"</span>: <span class="bool">true</span>,</div>
        <div class="term-line">  <span class="key">"status"</span>: <span class="num">200</span> <span class="comment">// OK</span></div>
        <div class="term-line">}<span class="cursor"></span></div>
      </div>
    </div>
  </div>
</section>
```

```
  <!-- ======================== ABOUT SECTION ======================== -->
  <section class="section" id="about">
    <div class="wrap about-grid">
      <div>
        <div class="eyebrow">About</div>
        <h2 class="section-title">Backend-first, full-stack in practice.</h2>
      </div>
      <div class="about-text">
        <p>
          I'm a third-year Information Technology student at St. Vincent Pallotti
          College of Engineering &amp;amp; Technology, RTMNU Nagpur, graduating in
          2027–2028. Most of my work sits on the backend — REST APIs, auth systems,
          and database design — but I ship the frontend and mobile layers too,
          across React and Flutter.
        </p>
        <p>
          Lately I've been building AI-powered tools: retrieval-augmented systems,
          phishing and scam detectors, and integrations with the Claude and Gemini
          APIs. I like building the underlying logic by hand before reaching for a
          framework, so I actually understand what the framework is doing for me.
        </p>
        <div class="stat-list">
          <div class="stat">
            <div class="stat-num">2</div>
            <div class="stat-label">Internships — Flutter &amp;amp; backend development</div>
          </div>
          <div class="stat">
            <div class="stat-num">6+</div>
            <div class="stat-label">Shipped projects, from hackathons to client work</div>
          </div>
          <div class="stat">
            <div class="stat-num">2027</div>
            <div class="stat-label">Expected graduation, B.Tech IT</div>
          </div>
        </div>
      </div>
    </div>
  </section>
```

```
<!-- ======================== EXPERIENCE SECTION ======================== -->
<section class="section" id="experience">
  <div class="wrap">
    <div class="eyebrow">Experience</div>
    <h2 class="section-title">Where I've worked.</h2>
    <div class="timeline">
      <div class="tl-item">
        <div class="tl-role">Flutter &amp;amp; Backend Developer</div>
        <div class="tl-org">Linkific</div>
        <div class="tl-meta">Internship</div>
        <p class="tl-desc">
          Built Orbit, a scalable company management backend: RBAC with
          SuperAdmin/Admin tiers, JWT auth with token blacklisting, REST APIs
          for tasks, meetings, projects and departments, plus graph-theory-based
          analytics.
        </p>
      </div>
      <div class="tl-item">
        <div class="tl-role">Python / Backend Developer</div>
        <div class="tl-org">SSIT Pvt. Ltd.</div>
        <div class="tl-meta">Internship</div>
        <p class="tl-desc">
          Worked on backend development in Python, contributing to internal
          tooling and services.
        </p>
      </div>
    </div>
  </div>
</section>
```

```
<!-- ======================== PROJECTS SECTION ======================== -->
<section class="section" id="projects">
  <div class="wrap">
    <div class="eyebrow">Selected work</div>
    <h2 class="section-title">Projects</h2>
    <div class="project-grid">

      <div class="card">
        <div class="card-index">01</div>
        <h3>Orbit</h3>
        <p>Scalable company management backend built during my Linkific internship, with role-based access control and graph-based analytics.</p>
        <div class="tag-row">
          <span class="tag">REST API</span>
          <span class="tag">JWT Auth</span>
          <span class="tag">RBAC</span>
          <span class="tag">Graph Analytics</span>
        </div>
      </div>

      <div class="card">
        <div class="card-index">02</div>
        <h3>Scam Shield</h3>
        <p>Regional-language scam &amp;amp; phishing detector for UPI, SMS and WhatsApp scams — built for the "Build with Gemma 4" hackathon under team ByteGuard.</p>
        <div class="tag-row">
          <span class="tag">React</span>
          <span class="tag">Tailwind</span>
          <span class="tag">FastAPI</span>
          <span class="tag">Gemma API</span>
          <span class="tag">SQLite</span>
        </div>
      </div>

      <div class="card">
        <div class="card-index">03</div>
        <h3>Resume Builder SaaS</h3>
        <p>A resume-builder platform I'm building out phase by phase, following a thin-router / fat-service architecture with UUID primary keys and refresh token blacklisting.</p>
        <div class="tag-row">
          <span class="tag">FastAPI</span>
          <span class="tag">PostgreSQL</span>
          <span class="tag">Redis</span>
          <span class="tag">Alembic</span>
        </div>
      </div>


      <div class="card">
        <div class="card-index">04</div>
        <h3>URL Shortener with Analytics</h3>
        <p>A fully debugged link-shortening service with click analytics, rate limiting, and API docs — built on Express with Redis-backed caching.</p>
        <div class="tag-row">
          <span class="tag">Node.js</span>
          <span class="tag">Express</span>
```


```
    <!-- ======================== SKILLS SECTION ======================== -->
    <section class="section" id="skills">
      <div class="wrap">
        <div class="eyebrow">Toolbox</div>
        <h2 class="section-title">Skills &amp;amp; stack</h2>
        <div class="skills-grid">
          <div class="skill-group">
            <h4>Backend</h4>
            <div class="pill-row">
              <span class="pill">FastAPI</span>
              <span class="pill">Node.js</span>
              <span class="pill">Express</span>
              <span class="pill">PostgreSQL</span>
              <span class="pill">Redis</span>
              <span class="pill">JWT Auth</span>
            </div>
          </div>
          <div class="skill-group">
            <h4>Frontend &amp;amp; Mobile</h4>
            <div class="pill-row">
              <span class="pill">React</span>
              <span class="pill">Flutter</span>
              <span class="pill">Tailwind CSS</span>
            </div>
          </div>
          <div class="skill-group">
            <h4>AI / ML</h4>
            <div class="pill-row">
              <span class="pill">RAG Systems</span>
              <span class="pill">FAISS</span>
              <span class="pill">Sentence-Transformers</span>
              <span class="pill">Claude API</span>
              <span class="pill">Gemini API</span>
            </div>
          </div>
          <div class="skill-group">
            <h4>Foundations</h4>
            <div class="pill-row">
              <span class="pill">C++ / OOP</span>
              <span class="pill">Operating Systems</span>
              <span class="pill">Data Structures</span>
              <span class="pill">System Design</span>
            </div>
          </div>
        </div>
      </div>
    </section>
```


```
274
275   <!-- ======================== CONTACT SECTION ======================== -->
276   <section class="section" id="contact" style="border-bottom: none;">
277     <div class="wrap contact-grid">
278       <div>
279         <div class="eyebrow">Contact</div>
280         <h2 class="section-title">Let's build something.</h2>
281         <p class="contact-desc">
282           Open to backend, full-stack and freelance roles. The fastest way to
283           reach me is email — I'll usually reply within a day.
284         </p>
285         <div class="contact-links">
286           <a href="mailto:your-email@example.com">Email <span class="mono email-hint">your-email@example.com</span></a>
287           <a href="https://github.com/your-username" target="_blank" rel="noopener">GitHub</a>
288           <a href="https://linkedin.com/in/your-profile" target="_blank" rel="noopener">LinkedIn</a>
289           <a href="#" target="_blank" rel="noopener">Blog — DevWithRajat</a>
290         </div>
291       </div>
292
293       <!-- Contact Form -->
294       <form onsubmit="event.preventDefault(); this.reset(); document.getElementById('form-msg').style.opacity=1;">
295         <div class="field">
296           <label for="f-name">Name</label>
297           <input id="f-name" type="text" placeholder="Your name" required />
298         </div>
299         <div class="field">
300           <label for="f-email">Email</label>
301           <input id="f-email" type="email" placeholder="you@company.com" required />
302         </div>
303         <div class="field">
304           <label for="f-msg">Message</label>
305           <textarea id="f-msg" placeholder="What are you working on?" required></textarea>
306         </div>
307         <button type="submit" class="btn btn-primary">Send message</button>
308         <p id="form-msg" class="form-feedback">
309           This is a static demo — wire this form up to your backend or a form service to receive messages.
310         </p>
311       </form>
312     </div>
313   </section>
314
315 </main>
```


```
22
23  <!-- ======================== GSAP ANIMATION ======================== -->
24  <script>
25    // GSAP Timeline for the terminal card animation
26    // A timeline lets us sequence multiple animations one after another
27
28    const tl = gsap.timeline({ delay: 0.5 });
29
30    // 1. Animate the terminal card sliding in from the right and fading in
31    tl.from(".term-card", {
32      duration: 0.8,
33      opacity: 0,
34      x: 60,
35      ease: "power2.out"
36    });
37
38    // 2. Animate each JSON line appearing one by one (stagger effect)
39    //    stagger: 0.15 means each line appears 0.15s after the previous one
40    tl.from(".term-line", {
41      duration: 0.4,
42      opacity: 0,
43      x: -20,
44      stagger: 0.15,
45      ease: "power2.out"
46    }, "-=0.3");  // "-=0.3" starts this 0.3s before the previous animation ends (overlap)
47
48    // 3. Animate the blinking cursor appearing at the end
49    tl.from(".cursor", {
50      duration: 0.3,
51      opacity: 0,
52      scale: 0,
53      ease: "back.out(2)"
54    });
55  </script>
56
57  </body>
58  </html>
```


SCREENSHOTS :-







Rajat
About
Experience
Projects
Skills
Contact
Get in touch
EXPERIENCE
Where I've worked.
Flutter & Backend Developer
Linkific
Internship
Built Orbit, a scalable company management backend: RBAC with SuperAdmin/Admin tiers, JWT auth with token blacklisting, REST APIs for tasks, meetings, projects and departments, plus graph-theory-based analytics.
Python / Backend Developer
SSIT Pvt. Ltd.
Internship
Worked on backend development in Python, contributing to internal tooling and services.


Rajat
About
Experience
Projects
Skills
Contact
Get in touch
SELECTED WORK
Projects
01
Orbit
Scalable company management backend built during my Linkific internship, with role-based access control and graph-based analytics.
REST API
JWT Auth
RBAC
Graph Analytics
02
Scam Shield
Regional-language scam & phishing detector for UPI, SMS and WhatsApp scams — built for the "Build with Gemma 4" hackathon under team ByteGuard.
React
Tailwind
FastAPI
Gemma API
SQLite
03
Resume Builder SaaS
A resume-builder platform I'm building out phase by phase, following a thin-router / fat-service architecture with UUID primary keys and refresh token blacklisting.
FastAPI
PostgreSQL
Redis
Alembic
04
URL Shortener with Analytics
A fully debugged link-shortening service with click analytics, rate limiting, and API docs — built on Express with Redis-backed caching.
Node.js
Express
PostgreSQL
Redis
Swagger
05
PhishGuard
A Flutter-based mobile app that uses machine learning to detect phishing attempts in real time.
Flutter
Machine Learning
06
LexiRead
A reading platform that surfaces word definitions on hover, built to make dense text easier to read without breaking flow.
JavaScript
UI/UX


TOOLBOX
Skills & stack
BACKEND
FastAPI
Node.js
Express
PostgreSQL
Redis
JWT Auth
FRONTEND & MOBILE
React
Flutter
Tailwind CSS
AI / ML
RAG Systems
FAISS
Sentence-Transformers
Claude API
Gemini API
FOUNDATIONS
C++ / OOP
Operating Systems
Data Structures
System Design


Rajat
About
Experience
Projects
Skills
Contact
Get in touch
CONTACT
Let’s build something.
Open to backend, full-stack and freelance roles. The fastest way to reach me is email — I’ll usually reply within a day.
Email
your-email@example.com
GitHub
LinkedIn
Blog — DevWithRajat
NAME
Your name
EMAIL
you@company.com
MESSAGE
What are you working on?
Send message
mailto:your-email@example.com
© 2025 Rajat. Built with plain HTML & CSS.
Nagpur, India