



LABORATORY REPORT



Name : RAJAT JAIN	Sex/Age : Male / 22 Years	Case ID : 41220400866
Ref. By : Dr. SEEMA BHATWADEKAR	Dis. At :	Pt. ID : 3626969
Bill. Loc. :		Pt. Loc. :
Reg Date and Time : 24-Dec-2024 20:34	Sample Type : Plasma Citrate	Mobile No. : 7359523561
Sample Date and Time : 24-Dec-2024 20:34	Sample Coll. By :	Ref Id1 :
Report Date and Time : 24-Dec-2024 22:44	Acc. Remarks	Ref Id2 :

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
HAEMATOLOGY INVESTIGATIONS				
Prothrombin Time				
PT Test <i>Clot based assay</i>	H 17.1	seconds	9.6 - 13.2	Please correlate clinically &/or repeat with fresh sample.
Control (MNPT)	11.4	seconds		
INR	H 1.52		0.85 - 1.15	

Interpretation :

The prothrombin time (PT) and international normalized ratio (INR) are measures of the extrinsic pathway of coagulation.

The INR is used only for patients on stable oral anticoagulant therapy. It makes no significant contribution to the diagnosis or treatment of patients whose PT is prolonged for other reasons. Suggested INR range=2.0 - 3.0 for standard doses therapy for treatment or prophylaxis of venous thrombosis or pulmonary or systemic embolus. Suggested INR range = 2.5 - 3.5 for high-risk patients with mechanical heart valves

Increased PT times may be due to:

Factor deficiencies(X , II , V , I), Coumadin (warfarin) therapy, Liver Diseases (Bile duct obstruction, Cirrhosis , Hepatitis), Hemorrhagic Disease of the newborn, DIC, Malabsorption, Fibrinolysis, Vitamin K deficiency.

Interference in PT/INR

Alcohol, antibiotics, aspirin, cimetidine, thrombin Inhibitors (Increase PT) Barbiturates, oral contraceptives, hormone-replacement therapy (HRT), and vitamin K (Decrease PT)

----- End Of Report -----

Note: (LL-VeryLow, L-Low, H-High, HH-VeryHigh , A-Abnormal)

Page 1 of 1

Dr. Bijal Shah

Consultant Pathologist
M.B.B.S., DCP (Path)
GMC No. G-11309

Dr. Deven Desai

Consultant Pathologist
M.B.B.S., DCP (Path)
GMC No. G-12429

Printed On : 24-Dec-2024 22:45



MC-6958

Labcore Speciality Laboratory

Add. : Windward Business Park, New India Mills Compound, Jetapur Road, Vadodara - 390020. Phone : 0265 - 2963364, 2963365

Email : labcorelab@gmail.com For Home Visit : 7624011254 / 9081660099 Mon. to Sat. 8-00 am to 8-00 pm