## Web Technology Assignment - lab 6 Name- Rajat Kumar Roll no.- 22IT3034

## Simple Prototype

```
Q1. <!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
<title>Simple Shopping List</title>
</head>
<body>
 <h1>Shopping List</h1>
 <input type="text" id="itemInput" placeholder="Enter item">
 <button onclick="addItem()">Add</button>
 ul id="itemList">
 <script>
  function addItem() {
   var input = document.getElementById("itemInput");
   var item = input.value;
   if (item === ") return;
   var itemList = document.getElementById("itemList");
   var li = document.createElement("li");
```



## By using MVC Prototype

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Shopping List</title>
<style>
 body {
  font-family: Arial, sans-serif;
 h1 {
  text-align: center;
 input[type="text"] {
  padding: 8px;
  width: 60%;
  margin: 10px auto;
  display: block;
  border: 1px solid #ccc;
  border-radius: 5px;
 button {
  padding: 8px 16px;
  background-color: #007bff;
  color: #fff;
  border: none;
  border-radius: 5px;
  cursor: pointer;
 button:hover {
  background-color: #0056b3;
 ul {
  list-style-type: none;
  padding: 0;
  margin: 20px auto;
  width: 60%;
```

```
background-color: #fff;
   border-radius: 5px;
   box-shadow: 0 2px 5px rgba(0,0,0,0.1);
  li {
   padding: 10px;
   border-bottom: 1px solid #ccc;
 </style>
</head>
<body>
 <h1>Shopping List</h1>
 <input type="text" id="itemInput" placeholder="Enter item">
 <button onclick="controller.addItem()">Add</button>
 ul id="itemList">
 <script>
  var model = {
   items: [],
   addItem: function(item) {
    this.items.push(item);
    view.render();
   },
   getItems: function() {
     return this.items;
  };
  var view = {
   render: function() {
```

```
var itemList = document.getElementById("itemList");
     itemList.innerHTML = ";
     var items = model.getItems();
     items.forEach(function(item) {
      var li = document.createElement("li");
      li.textContent = item;
      itemList.appendChild(li);
     });
  };
  var controller = {
   addItem: function() {
     var input = document.getElementById("itemInput");
     var item = input.value.trim();
     if (item === ") return;
     model.addltem(item);
     input.value = ";
  };
  window.onload = function() {
   view.render();
 </script>
</body>
</html>
```



