


Class diagram::ServiceClass::ClassDiagram1


ShippingService

- +estimateShippingCost(sourcezip: String, destinationzip: String): Money
- +executeShippingOrder(sourcezip: String, destinationzip: String, mode: TransitMode)
- +findNearestStation(zipcode: String)
- +getShippingOrderStatus(shippingID: String)
- +getTrackingSummary(shippingID: String)
- +recordHandlingEvent(event: EventType)
- +printShippingLabel(shippingID: String)
- +initiatePackageReturn(shippingID: String)
- +buyInsurance(shippingID: String)
- +claimInsurance(shippingID: String)


ShippingManagementService

- $\underline{\text{+addTransitStation(name: String, stationCode: String)}}$
- +editTransitStation(stationCode: String)
- +deleteTransitStation(stationCode: String)
- +addTransitSchedule(schedule: TransitSchedule)
- +deleteTransitSchedule(schedule: TransitSchedule)
- +editTransitSchedule(schedule: TransitSchedule)
- +getTrackingSummary(shippingID: String)
- +addDetailedStatus(shippingID: String, status: String)
- +getShippingOrderStatus(shippingID: String)





Time::Time




Address::Address

Address

-addressLine1: String -addressLine2: String

-city: String -province: String -country: String
-postalCode: String



Money::Money

