Rajbeer Rajak

(STU62fbbb7b50b891660664699)

Githubs link: https://github.com/RajbeerRajak/IBM-Full-Stack-Project-JOB-PORTAL-FOR-INFORMAL-JOB-SECTOR-

Code:

File Name: style.css

```
h4, h5, h6,
h1, h2, h3 {margin-top: 0;}
ul, ol {margin: 0;}
p {margin: 0;}
html, body{
    font-family: 'Roboto', sans-serif;
    font-size: 100%;
    background:#fff;
body a{
    transition: 0.5s all;
    -webkit-transition:0.5s all;
    -moz-transition:0.5s all;
    -o-transition:0.5s all;
    -ms-transition:0.5s all;
.navbar-default {
    background-color: #f15f43 !important;
    border-color: #f15f43;
    border-radius: 0px;
.navbar-default .navbar-nav > li > a {
    color: #fff;
    font-weight: 300;
.navbar {
   min-height:100%;
   margin-bottom:0;
navbar-nav {
```

```
margin: 18px 0 0 0;
  float:right;
.navbar-default .navbar-nav > .open > a, .navbar-default
.navbar-nav > .open > a:hover, .navbar-default .navbar-nav >
.open > a:focus {
   color: #fff;
    background-color:#2185C5;
.navbar-brand {
  height:100%;
  padding:10px 15px;
.navbar-nav > li > a {
  padding:10px 15px;
.dropdown-menu.columns-2 {
   min-width: 400px;
.dropdown-menu.columns-3 {
    min-width:550px;
.multi-column-dropdown {
   list-style: none;
   padding: 0;
   margin: 0;
.multi-column-dropdown li a {
   display: block;
   clear: both;
   line-height: 1.428571429;
   color: #333;
   white-space: normal;
.multi-column-dropdown li a:hover {
   text-decoration: none;
    color: #262626;
    background-color: #f5f5f5;
```

```
.dropdown-menu li a {
    padding: 5px 15px;
    font-weight: 300;
.banner{
    background:url(../images/banner.jpg)no-repeat center
top;
    background-size:cover;
    -webkit-background-size:cover;
    -moz-background-size:cover;
    -o-background-size:cover;
    min-height:630px;
.banner 1{
    background:url(../images/banner_1.jpg)no-repeat center
top;
    background-size:cover;
    -webkit-background-size:cover;
    -moz-background-size:cover;
    -o-background-size:cover;
    min-height:200px;
#search wrapper1{
    margin-top:3em;
#search_wrapper {
    margin-top:8em;
#search_form h1 {
    color: #222f50;
    font-size: 2em;
    margin-bottom: 10px;
    font-weight:400;
#search_wrapper p {
    margin: 20px 0;
```

```
#search_form input[type="text"]{
    padding: 8px;
    font-size: 0.85em;
    margin: 10px 0;
    border: 1px solid #999;
    color: #999;
    background: none;
    outline: none;
    font-weight: 300;
.search_form1 input[type="text"]{
    padding: 8px;
    font-size: 0.85em;
    border: 1px solid #ccc;
    color: #999;
    background: none;
    outline: none;
    font-weight: 300;
    width:50%;
    margin-bottom:20px;
#search_form label {
    position: relative;
    z-index: 1;
.contact-form label {
    position: relative;
    z-index: 1;
.btn2{
    cursor: pointer;
    padding: 8px 10px;
    display: inline-block;
    text-transform: uppercase;
    outline: none;
    position: relative;
    -webkit-transition: all 0.3s;
    -moz-transition: all 0.3s;
```

```
transition: all 0.3s;
   font-size: 0.85em;
    border-radius: 2px;
    -webkit-border-radius: 2px;
    -moz-border-radius: 2px;
    -o-border-radius: 2px;
   font-weight: 300;
   margin: 0px;
   vertical-align: baseline;
.btn-2{
    background: #2185C5;
    color: #fff;
.btn2-1b:after {
   width: 100%;
   height: 0;
   top: 0;
   left: 0;
   background: #f15f43;
   color:#fff;
    border-radius: 2px;
    -webkit-border-radius: 2px;
    -moz-border-radius: 2px;
    -o-border-radius: 2px;
.btn2:after {
   content: '';
   position: absolute;
   z-index: -1;
    -webkit-transition: all 0.3s;
    -moz-transition: all 0.3s;
   transition: all 0.3s;
.btn2-1b:hover:after, .btn2-1b:active:after {
    height: 100%;
    color:#fff;
```

```
#search_form input[type="submit"] {
    -webkit-appearance: none;
    cursor: pointer;
    border: none;
    outline: none;
    background: none;
    text-transform: uppercase;
    font-weight: 400;
h2.title {
    font-size: 1.5em;
    border-bottom: none;
    color: #ff821c !important;
    margin: 0;
    margin-bottom: 8px;
    margin-top: 4px;
    padding-bottom: 0;
    font-weight:400;
    text-transform: capitalize;
.cb_style input_{
    border-radius: 3px 3px 3px 3px !important;
    font-size: 15px;
    height: 21px !important;
    width: 195px;
#city_1 {
    height: 106px;
   width: 516px;
    display: block;
#city 1 ul {
   float: left;
   font-size: 12px;
    color: #010101;
    list-style: none;
    padding:5px 0 0 0;
    margin-right: 10%;
```

```
#city_1 ul li {
    margin-bottom: 5px;
    padding-left: 10px;
#city 1 ul.orange li {
    background: url(../images/orange-bullet1.gif) no-repeat
0 5px;
#city_1 ul.blue li {
    background: url(../images/blue-bullet1.gif) no-repeat 0
5px;
.search_form1 input[type="submit"]{
    padding: 8px 12px;
    background-color:#f15f43;
    color: #fff;
    font-size: 16px;
    cursor: pointer;
    text-align: center;
    border: none;
    outline: none;
    font-weight: 300;
    margin: 1em 0 0 0;
.search_form1 input[type="submit"]:hover{
    background-color:#2185C5;
 '*-- content-- */
.grid_1{
    padding:7em 0 2em;
.grid_1 h3{
    color:#000;
    text-align:center;
    font-size:2em;
    font-weight:400;
    margin-bottom: 1.5em;
```

```
.nbs-flexisel-container {
    position: relative;
    max-width: 100%;
.nbs-flexisel-ul {
    position: relative;
   width: 9999px;
   margin: 0px;
    padding: 0px;
    list-style-type: none;
   text-align: center;
.nbs-flexisel-inner {
    overflow: hidden;
    margin: 0 auto;
   width: 81%;
.nbs-flexisel-item {
   float: left;
    padding: 0px;
    cursor: pointer;
    position: relative;
    line-height: 0px;
    margin-left: 30px;
   width: 160px !important;
    height: 60px !important;
.nbs-flexisel-item:first-child{
    margin-left:0;
.nbs-flexisel-item > img {
    cursor: pointer;
    position: relative;
.nbs-flexisel-nav-left, .nbs-flexisel-nav-right {
   width:40px;
```

```
height:80px;
    position: absolute;
    cursor: pointer;
    z-index: 100;
    margin-top:0px;
.nbs-flexisel-nav-left {
    left: 0px;
    background: url(../images/arrows.png) no-repeat 0px 0px;
.nbs-flexisel-nav-right {
    right: 0px;
    background: url(../images/arrows.png) no-repeat -41px
0px;
.row 1 h4{
    color: #000;
    font-size: 1.3em;
    font-weight: 400;
.row 1 h4 a:hover{
    text-decoration:none;
    color:#f15f43;
.row 1 h6{
    color: #c5c5c5;
    font-size: 0.75em;
    font-weight: 300;
    line-height: 1.8em;
.row_1 p, .single_right p{
    color: #555;
    font-size:0.85em;
    font-weight:300;
    line-height:1.8em;
    margin-bottom: 10px;
a.btn 1 i{
```

```
font-size:18px;
    padding: 0 5px 0 0;
    vertical-align: middle;
    margin-right: 0 !important;
a.btn_1:hover {
    text-decoration: none;
i.fb{
    color: #3b5998;
i.tw{
    color:#00aced;
i.google{
    color:#F43222;
span.share1{
    color: #00aced;
    font-weight: 500;
    margin-right:5%;
    margin-top: 5px;
    display: inline-block;
    transition: 0.3s;
    -webkit-transition: 0.3s;
    -moz-transition: 0.3s;
    -o-transition: 0.3s;
    font-size:13px;
span.google{
    color:#F43222;
span.fb{
    color:#3b5998;
.btn_1:hover span.share1{
    text-indent: 5px;
```

```
.col_1{
    margin-bottom:3em;
ul.list_1, ul.list_2{
    padding:0;
    margin:0;
    list-style:none;
ul.list_1 li{
   font-size:0.85em;
   font-weight:300;
    line-height:1.8em;
    margin-bottom: 1em;
ul.list 2 li{
   font-size:0.85em;
    font-weight:300;
    line-height:2em;
ul.list_1 li a, ul.list_2 li a{
    color:#555;
.col 3 h3, .widget h3{
    background: #f15f43;
    font-size: 1.2em;
    color: #fff;
    padding: 10px;
    margin-bottom: 1em;
.col_3 {
    margin-bottom: 3em;
.grid_2 {
    margin-bottom: 7em;
.widget {
    margin: 3em 0;
```

```
.seeking-answer-group {
    display: block;
    padding: 5px 0;
.seeking-answer-input {
   display: block;
   float: left;
    width: 25px;
.seeking-answer label {
   font: 300 15px "Roboto", sans-serif;
    color: #555;
   margin: 0;
   padding: 0;
    line-height: 24px;
.seeking vote{
    margin:2em 0 0 0;
.seeking-vote-button{
    background: none;
    color: #2185C5;
    border-width: 1px;
    border-style: solid;
    border-color: #2185C5;
    border-radius: 0:
    text-shadow: none;
    padding: 14px 25px;
   width: 100%;
   margin: 10px 0 0;
    font-size: 15px;
   font-weight: 300;
    cursor: pointer;
    text-decoration: none;
a.seeking-vote-button:hover{
    background-color: #f15f43;
    color:#fff;
```

```
text-decoration:none;
    border-color: #f15f43;
/*-- footer --*/
.footer{
    padding:2em 0;
    background: #444;
.footer_bottom{
    padding:2em 0;
    background: #333;
.footer_text p{
    color: #fff;
    font-size: 0.85em;
    line-height: 1.8em;
    font-weight: 300;
ul.f_list{
    padding:0;
    margin:0;
    list-style:none;
    float:left;
ul.f_list2{
    padding:0;
    margin:0;
    list-style:none;
ul.f_list1{
    margin-right:30%;
ul.f_list li, ul.f_list2 li{
    font-size:0.85em;
    font-weight:300;
    line-height:2em;
ul.f list li a, ul.f list2 li a{
```

```
color:#fff;
.grid_3 h4{
    color:#fff;
   font-size:1.3em;
    font-weight:400;
    margin-bottom:1em;
.footer-list ul{
    padding:0;
    margin:0;
    list-style:none;
.footer-list li {
    padding-bottom: 20px;
.footer-list li p {
    overflow: hidden;
    padding: 0;
    color:#fff;
    font-size:0.85em;
    line-height:1.5em;
    font-weight:300;
i.tw1{
    color:#999;
   float: left;
    margin: 2% 5% 0 0;
span.yellow a {
    color:#f15f43;
.grid_3 .form-control {
    display: block;
    width: 100%;
    padding: 0px 20px;
    font-size: 13px;
    color:#969696;
```

```
background-color: #666;
    border: 0;
    margin: 20px 0;
    border-radius: 30px;
    -webkit-border-radius: 30px;
    -moz-border-radius: 30px;
    -o-border-radius: 30px;
    outline:none:
.form-control:focus {
   border-color:#444 !important;
    outline: 0;
    box-shadow:none !important;
   text-shadow:none !important;
.grid_3 p{
    color:#fff;
   font-size:0.85em;
   line-height:1.8em;
   font-weight:300;
.grid_3 .red{
    background: #f15f43;
   color: #fff;
   outline: none:
    border-radius: 30px;
    -webkit-border-radius: 30px;
    -moz-border-radius: 30px;
    -o-border-radius: 30px;
.grid_3 .red:hover{
    background: #2185C5;
.copy{
   text-align:center;
   margin:2em 0 0 0;
copy p{
```

```
color:#fff;
   font-size:0.85em;
   font-weight:300;
.copy p a{
   color:#fff;
.single{
   padding:5em 0;
.single_img{
   padding-left:0;
.single_right h3{
   color:#000;
   font-size:1.5em;
   font-weight:400;
   margin-bottom:1em;
.media-body{
   font-size: 0.85em;
   color: #555;
   font-weight: 300;
   line-height: 1.8em;
.comments{
   margin:3em 0;
.comments h6{
   color:#000;
   font-size:1.5em;
   margin-bottom:1em;
.media-left {
   float: left;
   margin-right: 2%;
```

```
.media-left a {
    width: 65px;
    height: 65px;
    display: block;
    background: #E2E2E2;
    border-radius: 50%;
    -webkit-border-radius: 50%;
    -moz-border-radius: 50%;
    -ms-border-radius: 50%;
    -o-border-radius: 50%;
a.reply{
   float: right;
    color: #000;
    font-size: 0.85em;
a.author {
    font-size: 0.85em;
    color: #000;
a.author:hover, a.reply:hover{
    text-decoration:none;
    color: #f15f43;
.media-heading {
    margin-bottom: 10px;
/*-- location --*/
.post meta i {
    margin-right: 0;
    padding-right: 5px;
    color: #f2503b;
    line-height: 17px;
    font-size: 14px;
    vertical-align: top;
.post meta div[class^="post_"] {
    display: inline-block;
```

```
line-height: 20px;
    padding: 2px 5px;
ul.links bottom {
    padding:0;
    margin:0;
    list-style: none;
ul.links_bottom li {
    display: inline-block;
    margin-right:5%;
ul.links_bottom li.last{
    margin-right:0;
i.blog_icon5 {
    width: 25px;
    height: 25px;
    background: url(../images/img-sprite.png)-260px -186px;
    float: left;
    margin-right: 5px;
span.icon text {
    vertical-align: middle;
   font-size: 13px;
    color: #555;
    float: left;
i.icon_1:hover, span.icon_text:hover{
    color:#f15f43;
.tab grid {
    margin: 3em 0;
.col-md-3.loc_1 {
    padding-left: 0;
.location box1 h6{
```

```
font-weight:400;
    font-size: 1.1em;
.location box1 h6 a{
    color:#f15f43;
    text-transform: capitalize;
span.m_1 {
    font-size: 13px;
i.icon 1 {
    font-size: 13px;
    color: #555;
   margin-right: 5%;
    float: left;
span.m_2{
    font-weight:500;
.nav-tabs>li.active>a, .nav-tabs>li.active>a:focus, .nav-
tabs>li.active>a:hover {
    color: #fff;
    background-color:#2185C5;
    border:1px solid #2185C5;
.nav-tabs {
    border-bottom: 1px solid #f15f43;
.nav>li>a:focus, .nav>li>a:hover {
    background-color:#f15f43;
    color:#fff;
/*-- login --*/
.login-check {
    float: left;
.login-para {
    float: right;
```

```
.login-para p a {
   font-size: 14px;
   font-weight: 400;
    color: rgb(219, 0, 0);
.login-btn input[type="submit"]{
    background: #2185C5;
    color: #FFF;
    font-size: 15px;
    font-weight: 400;
    padding: 8px 30px;
    cursor: pointer;
    outline: none;
    margin: 2em 0;
    border: none;
    border-radius: 2px;
    -webkit-border-radius: 2px;
    -moz-border-radius: 2px;
    -o-border-radius: 2px;
.login-btn input[type="submit"]:hover{
    background: #f15f43;
.login-bottom h3 {
   font-size: 20px;
   font-weight: 700;
    color: #000;
    padding: 25px 0px 0px 0px;
.login-bottom p {
   font-size: 1.2em;
   font-weight: 400;
   color: #000;
   margin: 0 0 0.5em;
.button {
    padding:0 0 2em 0;
```

```
border-bottom: 1px solid #ccc;
.button a {
    font-size: 14px;
    font-weight: 600;
    color: #fff;
    margin: 0px 1.5% 0px 0px;
    border-radius: 4px;
    -webkit-border-radius: 4px;
    -moz-border-radius: 4px;
    -o-border-radius: 4px;
    float: left;
    width: 32.33%;
    padding: 5px 20px;
    font-family: 'Roboto', sans-serif;
.button a.tw {
    background: #1DAEE3;
    float: left;
.button a span {
    line-height: 2.2em;
    display: block;
.button a.fa {
    background: #3B5998;
    float: left;
.button a.go {
    background: #D34836;
    margin: 0;
   float: left;
.textbox-wrap {
    margin-bottom: 1em;
input.form-control {
    box-shadow: none;
```

```
background-color:#fff;
   padding:0 20px;
   border-radius:0px;
.input-group-addon {
   padding: 6px 12px;
   font-size: 14px;
   font-weight: normal;
   line-height: 1;
   text-align: center;
   background-color:rgba(255, 255, 255, 0);
   border: 1px solid #cccccc;
   border-radius: 0;
.checkbox1 {
   margin-bottom: 4px;
   padding-left: 27px;
   font-size: 1.1em;
   line-height: 27px;
   cursor: pointer;
.checkbox1 {
   position: relative;
   font-size: 0.85em;
   color: #000;
   font-weight: 400;
   margin:0;
.checkbox1 i {
   position: absolute;
   bottom: 5px;
   left: 0;
   display: block;
   width:20px;
   height:20px;
   outline: none;
   border: 2px solid #D2CF99;
```

```
.checkbox1 input + i:after {
   content: '';
    background: url("../images/tick1.png") no-repeat 1px
2px;
   top: -1px;
   left: -1px;
   width: 15px;
    height: 15px;
   font: normal 12px/16px FontAwesome;
    text-align: center;
.checkbox1 input + i:after {
    position: absolute;
    opacity: 0;
   transition: opacity 0.1s;
    -o-transition: opacity 0.1s;
    -ms-transition: opacity 0.1s;
    -moz-transition: opacity 0.1s;
    -webkit-transition: opacity 0.1s;
.checkbox1 input {
    position: absolute;
   left: -9999px;
.checkbox1 input:checked + i:after {
    opacity: 1;
.news-letter:hover {
    color:#00BFF0;
i.tw2{
    color: #fff;
   float: left;
   font-size: 15px;
   line-height: 2em;
    margin-right: 10px;
.login-bottom h4 {
```

```
font-size: 16px;
    font-weight: 400;
    color: #000;
    margin: 20px 0px 0px 0px;
/*-- recruiters --*/
.recruit_box{
    margin-bottom:3em;
.recruit h4{
   font-size:1em;
    margin:1em 0 0 0;
.recruit a h4{
    color:#000;
    text-decoration:none;
.recruit:hover a{
    text-decoration:none;
.recruit:hover a h4{
    color:#f15f43;
.single h2, .content bottom h3, .about bottom h3{
    color:#000;
    font-size:2em;
    margin-bottom:1.5em;
    font-weight: 400;
    text-align:center;
/* -- following --*/
.single h2::after, .content bottom h3:after, .grid 1
h3:after, .about_bottom h3:after{
    background: #f15f43;
    content: "";
    display: block;
    height: 5px;
    width: 60px;
```

```
margin: 0 auto;
.follow jobs {
    border-top: 1px solid #e7e7e7;
   margin-bottom: 25px;
.follow_jobs a {
   border-bottom: 1px solid #e7e7e7;
   color: #888;
   display: block;
   float: left;
   padding: 15px;
   position: relative;
   overflow: hidden;
   width: 100%;
.follow jobs a .featured {
   background: #f15f43;
   display: block;
   height: 30px;
   left: -15px;
   position: absolute;
   top: -15px;
   width: 30px;
   -webkit-transform: rotate(45deg);
    -moz-transform: rotate(45deg);
    -o-transform: rotate(45deg);
    -ms-transform: rotate(45deg);
   transform: rotate(45deg);
.follow_jobs img, .follow_jobs .title, .featured-job img,
.featured-job .title {
   float: left;
.img-circle {
    border-radius: 50%;
.follow jobs .title, .featured-job .title {
```

```
padding: 11px 0 0 20px;
.follow_jobs img, .jobs .title, .featured-job img,
.featured-job .title {
   float: left;
.follow_jobs .data {
   float: right;
.follow_jobs span {
   display: inline-block;
   padding:20px 0 0;
   font-size: 0.85em;
    color: #999;
.follow_jobs .city {
    width: 130px;
.follow_jobs .type {
   width: 130px;
.follow_jobs .sallary {
    width: 80px;
.follow_jobs i, .featured-job i {
    margin-right: 10px;
.follow jobs a:nth-child(2n) {
    background: #f8f8f8;
.follow jobs a:hover {
    background: #f2f2f2;
.follow_jobs .city i, .featured-job .city i {
    color:#2185C5;
.follow_jobs .part-time i, .featured-job .part-time i {
    color: #ff6c00;
```

```
.follow_jobs .sallary i, .featured-job .sallary i, .jobs
.experience i, .featured-job .experience i {
    color:#f15f43;
.follow_jobs .full-time i, .featured-job .full-time i {
    color: #6ecf26;
.follow jobs .freelance i, .featured-job .freelance i {
    color: #72d2ff;
.follow left h3{
    margin-bottom:1em;
    color:#000;
    font-size:1.5em;
    font-weight:400;
.table>tbody>tr>td, .table>tbody>tr>th, .table>tfoot>tr>td,
.table>tfoot>tr>th, .table>thead>tr>td, .table>thead>tr>th {
    border-top: none;
    padding: 3px 0;
.table > thead > tr > th, .table > tbody > tr > th, .table >
tfoot > tr > th, .table > thead > tr > td, .table > tbody >
tr > td, .table > tfoot > tr > td {
    font-size: 0.85em;
    color: #999;
.radio, .checkbox {
    display: block;
    min-height: 0;
    margin-top: 0;
    margin-bottom: 0;
    padding-left: 0;
h4.m 1{
    margin-bottom: 1em;
    color: #000;
```

```
font-size: 1.5em;
    font-weight: 400;
.pagination{
    margin:4em 0 0 0;
.pagination > .active > a, .pagination > .active > span,
.pagination > .active > a:hover, .pagination > .active >
span:hover, .pagination > .active > a:focus, .pagination >
.active > span:focus {
    background-color:#f15f43 !important;
    border-color:#f15f43 !important;
.pagination>li {
    display: inline-block;
.pagination>li span{
    padding:0;
.pagination>li>a, .pagination>li>span {
    border: none;
.follow jobs p{
    font-size:0.85em;
/*-- follow single --*/
.jobs_follow {
    background: #ffffff;
    margin-bottom: 3em;
    position: relative;
.jobs follow .thumb {
   float: left;
    margin-right: 3%;
    width:25%;
.thumb right {
    overflow: hidden;
```

```
h6.title{
    font-size: 1em;
    margin-bottom: 5px;
    font-weight: 500;
    text-transform: capitalize;
h6.title a{
    color:#000;
.jobs_follow.with-thumb .thumb, .jobs-single-item .thumb {
    display: block;
.jobs_follow .date, .jobs_right .date{
    display: inline-block;
    background: #f15f43;
    padding: 2px;
    line-height: 16px;
    font-size: 14px;
    text-align: center;
    font-weight: bold;
    color: #ffffff;
    float: left;
    margin-right: 10px;
.jobs_follow .date > span {
    display: block;
    background: #ffffff;
    color: #303C42;
    -webkit-border-radius: 2px;
    border-radius: 2px;
    padding: 0 3px;
.jobs_follow .meta {
    display: inline-block;
    color: #999;
    margin-bottom: 10px;
    font-size: 0.85em;
```

```
.jobs_follow .top-btns {
    list-style: none;
    margin: 0;
    padding: 0;
    position: absolute;
    top: 20px;
    right: 20px;
.jobs_follow .top-btns li {
    float: left;
    margin-left: 5px;
.jobs_follow .top-btns li .btn {
    padding-left: 0;
    padding-right: 0;
    width: 30px;
.jobs_follow .social-icons {
    position: relative;
    list-style: none;
    margin: 0;
    padding: 0;
.jobs_follow .social-icons.pull-right > li {
    float: left;
    margin-right: 0;
    margin-left:10px;
.jobs_follow .social-icons.pull-right > li a:hover{
    text-decoration:none;
    color:#f15f43;
.jobs follow .social-icons > li > span {
    display: inline-block;
    margin-right:10px;
a.btn 1.fa.fa-star-o.icon 2 {
```

```
color:#f15f43;
a.btn_1.fa.fa-star-o.icon_2:hover{
    color:#2185C5;
.thumb_right p{
    font-size: 1em;
    color: #999;
    border: none;
    padding: 0;
    margin: 0;
.btn-default, .widget-content input[type="button"] {
    padding-bottom: 3px;
    border-bottom: 2px solid #2185C5;
    background: #2185C5;
    color: #ffffff;
    border-color:#2185C5;
.btn-default:hover{
    background-color:#f15f43;
    border-color:#f15f43;
    color:#fff;
.modal-body {
    font-size: 0.85em;
    color: #555;
.modal-body p{
    margin:1em 0 0 0;
/*-- services --<u></u>*/
.service box1 h5{
    color:#f15f43;
    font-size:0.85em;
    line-height:1.8em;
.service box1 p{
```

```
color:#555;
    font-size:0.85em;
    line-height:1.8em;
    margin-bottom:2em;
.box_1{
    margin-bottom:5em;
.btn_3{
    padding: 0;
    margin: 0;
    color: #31353d;
    background: none;
    text-transform: uppercase;
    border: none;
    -webkit-transition: all 0.25s;
    -o-transition: all 0.25s;
    transition: all 0.25s;
.btn 3:after {
    font-family: FontAwesome;
    content: '\f105';
    font-size: 14px;
    margin-left: 4px;
    color: #31353d;
    vertical-align: top;
a.btn_3:hover{
    text-decoration:none;
    color:#f15f43;
.box_2 h3, .box_1 h3, .box_3 h3{
    color:#000;
    font-size:2em;
    margin-bottom:1em;
    font-weight: 400;
.icon-service{
```

```
margin-bottom:3em;
.icon-service .icon {
    float: left;
    width: 72px;
    height: 72px;
    line-height: 72px;
    margin-right: 30px;
   font-size: 28px;
    text-align: center;
    background: #fff;
    color:#2185C5;
    position: relative;
    border-radius: 50%;
    -webkit-box-shadow: inset 0 0 0 5px rgba(255, 50, 0,
0.3);
    box-shadow: inset 0 0 0 5px rgba(255, 50, 0, 0.3);
    -webkit-transition: 0.3s;
    transition: 0.3s;
.icon-service .icon:before {
    content: "";
    display: block;
    position: absolute;
    width: 100%;
    height: 100%;
    z-index: 2;
    border-radius: 50%;
    top: 0;
    left: 0;
    padding: 0;
    -webkit-box-shadow: 0 0 0 5px rgba(255, 50, 0, 0.1);
    box-shadow: 0 0 0 5px rgba(255, 50, 0, 0.1);
    -webkit-transition: 0.3s;
    transition: 0.3s;
.icon-service .icon i {
    position: relative;
```

```
z-index: 2;
   margin: -2px 0 0 2px;
.icon-service .icon:after {
   content: "";
   display: block;
   position: absolute;
   width: 100%;
   height: 100%;
   z-index: 2;
   border-radius: 50%;
   top: 0;
   left: 0;
   padding: 0;
   -webkit-box-shadow: 0 0 0 10px rgba(255, 50, 0, 0.05);
   box-shadow: 0 0 0 10px rgba(255, 50, 0, 0.05);
    -webkit-transition: 0.3s;
   transition: 0.3s;
.icon-service .icon:hover {
    -webkit-box-shadow: inset 0 0 0 2px #f15f43;
   box-shadow: inset 0 0 0 2px #f15f43;
.icon-service .icon-box-body {
   overflow: hidden;
   position: relative;
   z-index: 2;
.icon-box-body h4 {
    padding-top: 6px;
   margin-bottom: .5em;
   color:#000;
   font-weight: 400;
.icon-box-body p{
  color: #555;
  font-size:0.85em;
  line-height:1.5em;
```

```
.box_2{
   margin-bottom:3em;
.testimonial blockquote {
   background: #fff;
   border: 1px solid #dfdfdf;
   margin: 0;
   padding-left: 26px;
   -webkit-box-shadow: none;
   box-shadow: none;
   font-size: 0.85em;
   color: #555;
   line-height: 1.8em;
.testimonial .author {
   padding: 20px 0 14px 20px;
   font-size: 12px;
   position: relative;
.testimonial .author:before {
   content: "";
   display: block;
   position: absolute;
   top: -1px;
   left: 44px;
   width: 0;
   height: 0;
   border-left: 10px solid transparent;
   border-right: 10px solid transparent;
   border-top: 10px solid #fff;
   z-index: 2;
.testimonial .author .author-img {
   float: left;
   margin: 0 16px 0 0;
```

```
.testimonial .author h6 {
   font-size: 14px;
   letter-spacing: .05em;
   color: #3b363a;
   margin-bottom: 0;
   padding-top: 18px;
   text-transform: uppercase;
.testimonial .author .author-info {
   font-size: 12px;
.testimonial .author:after {
   content: "";
   display: block;
   position: absolute;
   top: -1px;
   left: 42px;
   width: 0;
   height: 0;
   border-left: 12px solid transparent;
   border-right: 12px solid transparent;
   border-top: 12px solid #dfdfdf;
   z-index: 1;
.testimonial .author h6 {
   font-size: 14px;
   letter-spacing: .05em;
   color: #3b363a;
   margin-bottom: 0;
   padding-top: 18px;
   text-transform: uppercase;
.testimonial .author .author-info {
   font-size: 12px;
.testimonial .author .author-img > img {
   border-radius: 50%;
   border: 3px solid #efefef;
```

```
/*-- jobs --*/
.jobs-item {
    position: relative;
.jobs-item .thumb {
   padding: 3px;
   float: left;
   border: 1px solid #E7E7E7;
   margin-right: 20px;
.jobs-item .thumb img {
   width:120px;
    height: auto;
.jobs-item .date > span {
    display: block;
    background: #ffffff;
    color: #303C42;
    -webkit-border-radius: 2px;
    border-radius: 2px;
    -moz-border-radius: 2px;
    -o-border-radius: 2px;
    padding: 0 3px;
.jobs-item .top-btns {
   list-style: none;
   margin: 0;
   padding: 0;
    position: absolute;
    top: 0px;
    right: 0;
.jobs-item .top-btns li {
   float: left;
   margin-left:10px;
.jobs-item .top-btns li a{
```

```
color:#2185C5;
.jobs-item .top-btns li a:hover{
    text-decoration:none;
    color:#f15f43;
.jobs_right {
    overflow: hidden;
.date_desc{
    overflow:hidden;
span.meta {
    font-size: 0.85em;
    color: #555;
p.description {
    margin: 1em 0 0 0;
p.description a{
    color:#f15f43;
.widget search {
    margin-bottom: 3em;
.widget_search.widget-title {
    margin: 0 0 20px 0;
    padding-bottom: 15px;
    border-bottom: 1px solid #e6e6e6;
h5.widget-title {
    font-size: 1.8em;
    color: #000;
   font-weight: 400;
    margin-bottom:1em;
.widget-content span{
    color:#555;
```

```
font-size:0.85em;
    margin-bottom:10px;
select.form-control.jb_1 {
    margin: 1em 0;
select.form-control.jb_1 {
    margin: 1em 0;
    border-radius:0px;
    box-shadow: none;
    color: #999;
input.form-control.jb_2 {
    padding: 6px 12px;
    margin: 1em 0;
.jobs_pagination{
    margin:0;
/*-- shortcodes --*/
.short codes{
    padding:5em 0;
.headings h1, h2,h3,h4,h5,h6{
    font-weight:400;
.headings p{
    color:#999;
    font-size:0.85em;
    line-height:1.8em;
.list 1{
    margin:3em 0;
.list 1 h3{
    color:#000;
    font-size:1.5em;
    margin:1em 0;
```

```
.progress {
    height:15px;
   margin-bottom: 16px;
    background: #ebebeb;
    -webkit-box-shadow: none;
    box-shadow: none;
.progress-bar {
   line-height:15px;
    height:15px;
   overflow: hidden;
   position: relative;
   text-align: right;
    padding: 0 20px;
   background: #00adef;
    border-radius: 4px 0 0 4px;
    -webkit-box-shadow: none;
    box-shadow: none;
.progress-bar-success {
    background: #a6ce39;
.progress-bar-info {
   background: #73c9e3;
.progress-bar-warning {
   background: #fcbe5c;
.progress-bar-danger {
   background: #d9534f;
.progress-label {
   font-size: 14px;
   color: #fff;
   float: left;
.jb-accordion-title {
```

```
position: relative;
   background: #f15f43;
   color: #FFFFFF;
   padding: 10px 20px 10px;
   font-size: 16px;
.jb-accordion-title button {
   background: #fff;
   position: absolute;
   right: 15px;
   border: none;
   color: #000;
   font-size: 17px;
   padding: 0px 7px;
   outline:none;
.jb-accordion-content {
   padding: 20px;
.jb-accordion-content p{
   font-size:0.85em;
   line-height:1.8em;
   color:#999;
.jb-accordion-wrapper {
   background: #FFFFFF;
   border: 1px solid #dbdbdb;
   margin-bottom: 25px;
   border-radius: 6px;
   -webkit-border-radius: 6px;
   -moz-border-radius: 6px;
.column_grid p{
   color:#999;
   font-size:0.85em;
   line-height:1.8em;
*-- register --*/
```

```
label.col-md-3.control-lable {
    font-size: 0.85em;
    font-weight: 400;
    color:#000;
.radio label, .checkbox label, label {
    font-size: 0.85em;
    font-weight: 300;
    vertical-align: middle;
.radios label:first-child {
    margin-left: 0;
.radios input[type="radio"] {
    margin: 4px 0 0 0;
    vertical-align: top;
    cursor: pointer;
    color: #fff;
.radios label {
    margin-left: 15px;
select#country {
    padding:0 20px;
    box-shadow: none;
    border-radius: 0;
.sm 1 textarea {
    width: 100%;
    padding: 1em;
    margin: 1em 0;
    background: #fff;
    outline: none;
    border: 1px solid #ccc;
    -webkit-appearance: none;
    font-size:12px;
    color:#555;
    resize:none;
```

```
.sm_1 textarea:focus {
    border-color: #444 !important;
    outline: 0;
input.btn.btn-primary.btn-sm {
    padding: 10px 45px;
   font-size: 1em;
    outline: none;
    background:#f15f43;
    border-color:#f15f43;
.form-actions.floatRight {
    text-align: center;
input.btn.btn-primary.btn-sm:hover{
    background: #2185C5;
    border-color:#2185C5;
.media 1{
    margin-bottom:2em;
.to input[type="text"]{
    padding: 10px;
    width:35%;
    font-size: 0.85em;
    margin: 10px 0;
    color: #999;
    background: #fff;
    float: left;
    outline: none;
    border: 1px solid #ccc;
.text textarea {
    width:90%;
    font-size: 0.85em;
    margin: 10px 0;
    border: 1px solid #ccc;
```

```
color: #999;
    outline: none;
    background: #fff;
    height: 120px;
    padding: 10px;
    resize: none;
.form-submit1 input[type="submit"] {
    color: #FFF;
   font-size:0.85em;
   font-weight: normal;
   padding: 10px 20px;
   text-transform: uppercase;
   background: #2185C5;
   display: inline-block;
    -webkit-transition: all 0.3s ease-out;
    -moz-transition: all 0.3s ease-out;
    -ms-transition: all 0.3s ease-out;
    -o-transition: all 0.3s ease-out;
   transition: all 0.3s ease-out;
    border: none;
   cursor: pointer;
    outline: none;
.form-submit1 input[type="submit"]:hover{
   background: #f15f43;
/*-- contact --*/
.addr p:first-child {
   font-size: 16px;
    line-height: 20px;
.secondary3 {
   color: #4e9cd4;
   margin-bottom: 1em;
.addr dl{
   margin-bottom:5px;
```

```
.addr dl dt, .addr dl dd {
    display: inline-block;
   font-size: 0.85em;
   font-weight: 400;
    color:#555;
.addr dl dt {
   min-width: 200px;
.contact_box1 input[type="text"] {
   padding: 10px;
   width: 31.3333%;
   font-size: 0.85em;
   margin: 10px 0;
    color: #999;
    background: #fff;
   float: left;
    outline: none;
    border: 1px solid #ccc;
.text_1 textarea {
   width:100%;
   font-size: 0.85em;
   margin: 10px 0;
    border: 1px solid #ccc;
    color: #999;
    outline: none;
    background: #fff;
    height: 150px;
    padding: 10px;
    resize: none;
.form but1{
    text-align:center;
.content_bottom {
    margin: 3em 0 0 0;
```

```
.map iframe{
    border:none;
    min-height:300px;
    width:100%;
/*-- features--*/
.single_right h5{
    color: #000;
    font-size: 1.3em;
    font-weight: 400;
    margin:2em 0 1em;
.feature_list li{
    color:#555;
    font-size:0.85em;
    line-height:1.8em;
    font-weight:300;
.feature_list li a{
    color:#555;
.feature list li a:hover{
    text-decoration:none;
    color: #f15f43;
ul.feature_list1{
    margin-bottom:2em;
/*-- about --*/
.list.custom-list ul {
    margin: 0;
    padding: 0;
    list-style: none;
.list.custom-list ul li:first-child {
    margin: 0;
```

```
.list.custom-list ul li {
    width: 100%;
    overflow: hidden;
    margin: 30px 0 0 0;
    padding: 0;
    list-style: none;
.dropcap {
    display: block;
   float: left;
    color:#f15f43;
    font-size: 50px;
    margin-right: 0.5em;
.item content {
    overflow: hidden;
.list.custom-list ul li h5 {
    font-size: 1em;
   text-transform: uppercase;
   font-weight: 300;
    margin-top: 1em;
.list.custom-list ul li h5 a {
    color: #000;
.list.custom-list ul li p {
    display: block;
   font-style: normal;
    font-size: 13px;
    line-height: 1.8em;
    color: #888;
   font-weight: 300;
p.m_1 {
    margin: 1em 0 0 0;
.about middle{
```

```
background:url(../images/test.jpg)no-repeat center top;
    background-size:cover;
    -webkit-background-size:cover;
    -moz-background-size:cover;
    -o-background-size:cover;
    min-height:330px;
/**** Slider ****/
.wmuSlider.example1 {
    height: 300px !important;
.about middle{
    padding:5em 0 0;
.wmuSlider {
    position: relative;
    overflow: hidden;
.wmuSlider .wmuSliderWrapper article img {
    /*--max-width: 100%;
    width: auto;
    height: auto;
    display:block;--*/
/* Default Skin */
.wmuSliderPagination {
    z-index: 2;
    position: absolute;
    right:50%;
    bottom: 20px;
ul.wmuSliderPagination {
    padding:0;
.wmuSliderPagination li {
    float: left;
    margin: 0 8px 0 0;
    list-style-type: none;
```

```
.wmuSliderPagination a {
    display: block;
    text-indent: -9999px;
    width: 10px;
    height: 10px;
    background: #2185C5;
    border-radius:10px;
    -webkit-border-radius:10px;
    -moz-border-radius:10px;
    -o-border-radius:10px;
.wmuSliderPagination a.wmuActive {
    background: #f15f43;
.about_middle h3{
    color: #fff;
    font-size: 2em;
    margin-bottom: 1.5em;
    font-weight: 400;
    text-align: center;
.about middle h3:after {
    background: #f15f43;
    content: "";
    display: block;
    height: 5px;
    width: 60px;
    margin: 0 auto;
/* Default Skin */
.wmuGallery .wmuGalleryImage {
    margin-bottom: 10px;
ul.grid-1{
    padding:0;
    margin:0;
```

```
list-style:none;
ul.grid-1 li.grid-1_left{
    float: left;
    width: 10%;
    margin-right: 4%;
ul.grid-1 li.grid-1_left img{
    border-radius:100px;
    -webkit-border-radius:100px;
    -moz-border-radius:100px;
    -o-border-radius:100px;
ul.grid-1 li.grid-1_right{
    float:left;
    width:86%;
ul.grid-1 li.grid-1 right p{
    color: #fff;
    font-size: 1em;
    font-weight: 500;
    font-style: italic;
ul.grid-1 li.grid-1 right h4, ul.grid-1 li.grid-1 left h4{
    color:#fff;
    font-size:1em;
    font-weight:500;
    margin-top:3em;
ul.grid-1 li.grid-1_right h4 a, ul.grid-1 li.grid-1_left h4
a{
    color:#f15f43;
    font-size:0.85em;
    text-transform: capitalize;
.about bottom{
   background: #f8f8f8;
   padding:5em 0;
```

```
.team-member {
    background: #fff;
    padding: 30px;
.team-member h5 {
    margin-top: 2em;
    font-size: 1em;
    color: #000;
    font-weight: 600;
    margin-bottom: 0;
    text-transform: capitalize;
i.fa1{
    background: #2185C5;
    width: 26px;
    height: 26px;
    color: #fff;
    line-height: 26px;
    border-radius: 20px;
    -webkit-border-radius: 20px;
    -moz-border-radius: 20px;
    -o-border-radius: 20px;
i.fa1:hover{
    background-color: #f15f43;
.team-member h6 {
    margin: 0.5em 0 1em;
    font-size: 0.85em;
    color: #000;
    font-weight: 600;
.img-circle1 {
    border-radius:100px;
    -webkit-border-radius:100px;
    -moz-border-radius:100px;
    -o-border-radius:100px;
```

```
width: 140px;
    margin: 0 auto;
.team-member p{
    color:#888;
    font-size:0.8125em;
    line-height:1.5em;
    font-weight: 300;
    margin-bottom: 2em;
/*-- jobs_single --*/
dl.experience {
    margin: 2em 0 0 0;
.experience period {
    line-height: 15px;
    text-align: right;
    float: left;
    position: relative;
    top: -5px;
    width: 65px;
.experience period small {
    color: #999999;
    font-size: 11px;
.experience_period span {
    color: #333333;
    font-size: 20px;
    display: block;
.experience 1{
    padding: 14px 20px;
    background-color:none;
    margin-left: 98px;
    margin-top: 5px;
    border:1px solid #f15f43;
```

```
.experience_1 h6{
    color:#000;
    font-size:1.1em;
.experience_content1{
    margin-bottom:10px;
.map 1 iframe{
    border:5px solid #fff;
   width:100%;
   min-height:250px;
    margin:2em 0;
    box-shadow: 0px 1px 3px 0px rgba(0,0,0,.1);
    -webkit-box-shadow: 0px 1px 3px 0px rgba(0,0,0,.1);
    -moz-box-shadow: 0px 1px 3px 0px rgba(0,0,0,.1);
    -o-box-shadow: 0px 1px 3px 0px rgba(0,0,0,.1);
table.condidate detail h4{
    color:#000;
   font-size:1.5em;
    font-weight:500;
table.condidate detail > tbody > tr > td:first-child {
   font-weight:600;
    padding-right: 15px;
    color:#000:
    font-size:0.85em;
table.condidate detail > tbody > tr > td {
    padding: 5px 0;
    border-bottom: 0;
    color:#888;
   font-weight:300;
    font-size:0.85em;
table.condidate_detail > tbody > tr > td a{
    color:#888;
```

```
.candidates-item{
    margin:3em 0 0 0;
.candidates-item h5{
    font-size:1.5em;
    color:#000;
.candidates-item .thumb {
    padding: 3px;
   float: left;
    border: 1px solid #E7E7E7;
    margin-right: 20px;
    width:15%;
.candidate but{
    position:relative;
.candidates-item .top-btns {
    list-style: none;
   margin: 0;
    padding: 0;
    position: absolute;
    top: -35px;
    right: 20px;
ul.top-btns li{
    display:inline-block;
.thumb desc{
    float:left;
    width:81.9%;
ul.top-btns li{
    margin-right:5px;
a.btn_5{
    color:#2185C5;
```

```
a.btn 5:hover{
    text-decoration:none;
    color: #f15f43;
p.sm_1{
    margin-bottom:0;
   line-height:1.5em;
    margin: 1em 0 0 0;
    color:#888;
.candidate_1{
    margin-bottom:2em;
/*-- responsive design --*/
@media only screen and (max-width:1440px) {
@media only screen and (max-width:1024px) {
#search wrapper {
    margin-top:5em;
.banner {
    min-height: 500px;
.addr dl dt {
    min-width: 120px;
.single h2, .content_bottom h3, .about_bottom h3 {
  font-size: 1.8em;
.dropdown-menu.columns-3 {
    min-width: 530px;
@media only screen and (max-width:930px) {
.navbar-brand {
   padding: 10px 0;
.navbar-nav > li > a {
```

```
padding: 10px 10px;
#search_form h1 {
    font-size: 1.8em;
#city_1 ul {
    margin-right: 5%;
.col-md-3.grid_3 {
    margin-bottom: 2em;
.row 2{
    padding-left:0;
.col-sm-3.loc 1 {
    padding-left: 0;
.col-md-9.single right {
    margin-bottom: 3em;
.col-md-3.recruit {
   width: 50%;
   float: left;
    margin-bottom: 2em;
.recruit box {
    margin-bottom: 0;
.list 1 {
    margin: 0;
.table > thead > tr > th, .table > tbody > tr > th, .table >
tfoot > tr > th, .table > thead > tr > td, .table > tbody >
tr > td, .table > tfoot > tr > td {
   font-size:12px;
```

```
.table > thead > tr > th, .table > tbody > tr > th, .table >
tfoot > tr > th, .table > thead > tr > td, .table > tbody >
tr > td, .table > tfoot > tr > td {
    font-size: 0.8125em;
.follow_jobs .city{
    width: 110px;
.follow_jobs .type{
    width:90px;
h4.m 1 {
   font-size: 17px;
.col 3 {
    margin-bottom: 0;
i.tw1 {
   margin: 3px 20px 0 0;
.col-md-3.team-member.text-center {
    width: 48%;
   float: left;
    margin: 0 10px 10px 0;
.addr dl dt {
    min-width: 80px;
@media only screen and (max-width:768px) {
.navbar>.container .navbar-brand, .navbar>.container-fluid
.navbar-brand {
    margin-left:0;
a.navbar-brand img {
    width:150px;
#search wrapper {
```

```
margin-top: 4em;
.banner {
    min-height: 470px;
.grid_1 {
    padding: 4em 0 0em;
.grid_1 h3 {
   font-size: 1.5em;
.single {
    padding: 3em 0;
.widget {
    margin: 1em 0 3em;
.widget-content span {
  margin-bottom: 0px;
.seeking-vote-button {
  padding: 10px 20px;
.col_1 {
    margin-bottom: 2em;
.footer-list li {
    padding-bottom: 10px;
.grid_3 h4 {
    margin-bottom: 0.6em;
.grid_3 .form-control {
    margin: 10px 0;
.footer {
    padding: 2em 0 0;
```

```
.tab_grid {
    margin: 2em 0;
#search form h1 {
    font-size: 1.6em;
#search_wrapper1 {
    margin-top: 2em;
.banner_1 {
   min-height: 160px;
.dropdown-menu.columns-3 {
    min-width: 445px;
.about_bottom {
    padding: 3em 0;
.about_middle {
    padding: 3em 0 0;
ul.grid-1 li.grid-1_right h4, ul.grid-1 li.grid-1_left h4 {
    margin-top: 2em;
.single h2, .content_bottom h3, .about_bottom h3 {
    font-size: 1.5em;
@media (max-width:736px){
.navbar-nav {
    float:left;
.navbar-brand {
    padding: 5px;
.navbar-default .navbar-toggle {
    border-color: #2185C5;
    background-color: #2185C5;
```

```
border-radius:2px;
.navbar-default .navbar-toggle .icon-bar {
    background-color:#fff;
.navbar-default .navbar-toggle:hover, .navbar-default
.navbar-toggle:focus {
    background-color: #2185C5;
.navbar-default .navbar-collapse, .navbar-default .navbar-
form {
    border-color:#f15f43;
.navbar-toggle {
    margin-right: 10px;
    margin-top: 13px;
.navbar-nav .open .dropdown-menu {
    position: static;
   float: none;
   width: auto;
   margin-top: 0;
    background-color: transparent;
    border:1px solid #FF8A73;
    box-shadow: none;
    background-color:none;
.navbar-default .navbar-nav .open .dropdown-menu>li>a {
    color: #fff;
.multi-column-dropdown li a {
    color:#fff;
.dropdown-menu .divider {
    margin: 5px 0;
    background-color: #FF8A73;
.navbar-nav {
```

```
margin: 0;
#search_wrapper {
    margin-top: 3em;
#search_form input[type="text"] {
    margin: 0px 0;
h2.title {
   font-size: 1.3em;
.banner {
    min-height: 410px;
.col-sm-4.row 2 {
    text-align: center;
.col-sm-4.row 2 img{
    display:inline-block;
.col-sm-8.row_1 {
    margin: 1em 0 0 0;
.footer_text p {
   margin: 1em 0 0 0;
.about_bottom h3 {
    margin-bottom: 1em;
.col-sm-3.loc_1 {
    padding-left: 15px;
    margin-bottom: 1em;
.thumb_desc {
    width: 80.9%;
.box_2 h3, .box_1 h3, .box_3 h3 {
    font-size: 1.6em;
```

```
.box_1 {
    margin-bottom: 2em;
.service_box1 p {
    margin-bottom: 1em;
.box_2 {
    margin-bottom: 1em;
.hidden-xs {
    display: inline-block!important;
.pagination {
    margin: 2em 0 1em;
hr {
   margin-top: 10px;
   margin-bottom: 10px;
.single-para {
    padding: 0;
   margin: 1em 0 0 0;
#city_1 {
    height: 100%;
   width: 100%;
@media (max-width:480px){
a.navbar-brand img {
    width: 130px;
.navbar-toggle {
    margin-right: 10px;
    margin-top: 9px;
.dropdown-menu.columns-3 {
```

```
min-width:350px;
#search_form input[type="text"] {
    padding: 6px;
   font-size: 0.8125em;
    width: 30%;
.btn2 {
    padding: 6px 10px;
    font-size: 0.8125em;
#search_form h1 {
    font-size: 1.4em;
#search wrapper {
    margin-top: 2em;
.banner {
    min-height: 365px;
ul.list 1 li {
    margin-bottom: 0.5em;
.grid 1 {
    padding: 3em 0 0em;
.col_3 h3, .widget h3 {
   font-size: 1em;
    padding: 8px;
h2.title {
   font-size: 1.1em;
.single_right h3, .single_right h5{
    font-size: 1.2em;
.comments {
   margin: 2em 0;
```

```
.banner_1 {
    min-height: 140px;
.nav>li>a {
    padding: 6px 10px;
    font-size: 0.8125em;
.tab_grid {
    margin: 1em 0;
.col-sm-3.loc_1 {
    padding: 0;
.col-sm-9 {
    padding: 0;
ul.links bottom li {
   margin-right: 3%;
.thumb desc {
    width: 76.9%;
.candidates-item .thumb {
    margin-right: 10px;
    width: 20%;
.single h2, .content_bottom h3, .about_bottom h3 {
    margin-bottom:1em;
.about_middle h3 {
    font-size:1.5em;
    margin-bottom: 1em;
ul.grid-1 li.grid-1_left {
    width: 20%;
ul.grid-1 li.grid-1_right {
```

```
width: 76%;
ul.grid-1 li.grid-1_right p {
    font-size: 0.85em;
.wmuSlider.example1 {
    height: 270px !important;
.about_middle {
    min-height: 300px;
.col-md-3.team-member.text-center {
    width: 47%;
    padding: 20px 10px;
ul.grid-1 li.grid-1_right h4, ul.grid-1 li.grid-1_left h4 {
    margin-top: 1em;
.wmuSlider.example1 {
    height: 250px !important;
.wmuSliderPagination {
    right: 46%;
    bottom: 7px;
.img-circle1 {
    width: 100px;
.team-member p {
    margin-bottom: 1em;
.content bottom {
    margin: 1.5em 0 0 0;
.map iframe {
    min-height: 200px;
```

```
@media (max-width:414px){
.row_2, .row_1{
    padding:0;
.about_middle {
    padding: 2em 0 0;
.wmuSliderPagination {
    right: 41%;
    bottom: 0px;
.experience_period {
   width: 50px;
.experience 1 {
    padding: 10px 10px;
    margin-left: 70px;
.experience_period span {
    font-size: 16px;
.experience_1 h6 {
    font-size: 1em;
.col-md-3.recruit {
    padding: 0 5px;
.jobs_follow .top-btns {
   top: 0px;
    right: 0;
.btn-default:hover {
    padding: 3px 5px;
    font-size: 12px;
.button a {
   font-size: 14px;
    padding: 3px 10px;
```

```
.login-btn input[type="submit"] {
    font-size: 15px;
    padding:6px 20px;
    margin: 1em 0;
input.btn.btn-primary.btn-sm {
    padding: 8px 25px;
.short_codes {
    padding: 3em 0;
article.headings h1{
    font-size:30px;
article.headings h2{
    font-size:25px;
article.headings h3{
    font-size:22px;
@media (max-width:384px){
a.navbar-brand img {
    width: 110px;
.btn2 {
    padding: 6px 4px;
    font-size: 0.8125em;
#city_1 ul li{
    font-size:11px;
#search_form h1 {
    font-size: 1.2em;
#city_1 ul {
    margin-right: 0;
```

```
.banner {
    min-height: 330px;
.grid_1 {
    padding: 2em 0 0em;
.grid_1 h3 {
    font-size: 1.3em;
.col-md-4, .col-md-8, .col-md-3, .col-sm-2, .col-sm-6, .col-
md-9, .col-md-5, .col-md-7, .col-md-6, .col-sm-10, .col-sm-
4, .col-sm-8, .col-sm-3{
    padding:0;
.single {
    padding: 2em 0;
.nbs-flexisel-nav-left {
    left: -15px;
    background: url(../images/arrows.png) no-repeat 0px 0px;
.nbs-flexisel-nav-right {
    right: -15px;
    background: url(../images/arrows.png) no-repeat -41px
0px;
.seeking vote {
    margin: 1.5em 0 0 0;
.seeking-answer-group {
    padding: 0;
.seeking-vote-button {
    padding: 6px 15px;
.row_1 h4, .grid_3 h4 {
    font-size: 1.1em;
```

```
.banner_1 {
   min-height: 120px;
.widget {
   margin: 1em 0 2em;
.single_right h5 {
   margin: 1em 0 1em;
.comments h6 {
  font-size: 1.3em;
.comments {
   margin: 1em 0;
.to input[type="text"] {
   padding: 6px;
   width: 35%;
   font-size: 0.8125em;
   margin: 0px 0;
.text textarea {
   width: 90%;
   font-size: 0.8125em;
   height: 100px;
   padding: 6px;
.thumb_desc {
   width: 70.9%;
.candidates-item .thumb {
   width: 25%;
.candidates-item .top-btns {
   top: -45px;
   right: 0px;
```

```
.candidates-item {
    margin: 2em 0 0 0;
.dropdown-menu.columns-3 {
    min-width:230px;
.box_2 h3, .box_1 h3, .box_3 h3 {
    font-size: 1.3em;
.icon-service {
    margin-bottom: 1em;
.btn_3 {
    font-size: 14px;
.icon-service .icon {
    width: 60px;
    height: 60px;
    line-height: 60px;
    margin-right: 20px;
    font-size: 20px;
.icon-box-body h4 {
    font-size: 1.1em;
    margin-top:0;
.testimonial blockquote {
    padding-left: 15px;
.testimonial {
    margin-bottom:1em;
i.tw2 {
   font-size: 14px;
    margin-right: 5px;
.button a {
    font-size: 13px;
```

```
padding: 0px 5px;
.login-bottom h4 {
   font-size: 14px;
   margin: 10px 0px 0px 0px;
.button {
    padding: 0 0 1em 0;
.login-bottom p {
    font-size: 1.1em;
.single h2, .content_bottom h3, .about_bottom h3 {
   font-size: 1.3em;
.recruit h4 {
   font-size: 15px;
.follow left h3 {
  font-size: 1.3em;
.follow jobs a {
    padding: 10px;
.follow_jobs .title, .featured-job .title {
    padding: 5px 0 0 10px;
.follow jobs span {
    padding: 10px 0 0;
   font-size: 0.8125em;
.follow jobs i, .featured-job i {
    margin-right: 5px;
.follow_jobs .city {
   width: 95px;
.follow jobs .sallary {
```

```
width: 55px;
.thumb_right p {
    font-size: 0.8125em;
.btn-default{
    padding: 3px 5px;
    font-size: 12px;
.jobs_follow .social-icons > li > span {
    margin-right: 0;
    font-size:0.8125em;
.jobs_follow .social-icons.pull-right > li {
   margin-left: 3px;
article.headings h1{
    font-size:25px;
article.headings h2{
    font-size:22px;
article.headings h3{
    font-size:18px;
.jb-accordion-content {
    padding: 10px;
.jb-accordion-wrapper {
    margin-bottom: 5px;
.row {
    margin-left: 0;
    margin-right: 0;
.list_1 h3 {
    font-size: 1.2em;
    margin: 1em 0 0.5em;
```

```
.jobs-item .thumb {
    float: none;
    margin-right: 0;
.jobs-item .thumb img {
    width: 100%;
.jobs_right {
    margin: 1em 0 0 0;
.jobs-item .top-btns {
    top: 225px;
.jobs-item .top-btns li {
    margin-left: 2px;
.col-md-9.single right {
    margin-bottom: 1em;
.pagination {
    margin: 1em 0 1em;
h5.widget-title {
    font-size: 1.5em;
    margin-bottom: 0.5em;
.widget_search {
    margin-bottom: 2em;
.form-submit1 input[type="submit"] {
    padding: 8px 15px;
input[type="file"] {
    width: 100%;
.dropcap {
    font-size: 35px;
```

```
margin-right: 10px;
ul.grid-1 li.grid-1_right p {
    font-size: 13px;
ul.grid-1 li.grid-1_right h4, ul.grid-1 li.grid-1_left h4 {
    font-size: 0.85em;
.col-md-3.team-member.text-center {
    width: 100%;
    padding: 20px 10px;
    float: none;
.about bottom {
    padding: 2em 0;
.contact box1 input[type="text"] {
    padding: 8px;
    width: 100%;
    font-size: 0.8125em;
    margin:5px 0;
    color: #999;
   float:none;
    margin-left:0 !important;
.nbs-flexisel-nav-left, .nbs-flexisel-nav-right {
    width: 20px;
    height: 40px;
    margin-top:0px;
.nbs-flexisel-nav-left {
    left: -7px;
    background: url(../images/arrows.png) no-repeat 0px 0px;
    background-size: 184%;
.nbs-flexisel-nav-right {
    right: -5px;
```

```
background: url(../images/arrows.png) no-repeat -18px

0px;
   background-size: 184%;
}

.myborder{

  border:1px solid black;
  border-radius: 2px 2px 2px;
  margin: 0px 1px 1px 0px;
}
```

File Name: index.php

```
<!DOCTYPE html>
<html Lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
    <title>Home Page</title>
</head>
<body>
<?php include('header.php') ?>
<?php include('connect.php') ?>
<div class="container">
    <h1>Lastest Jobs</h1>
    <h1>Welcome to
        <?php
    ?></h1>
    <div class="row">
```

```
<?php
$sql = "SELECT jobs.jobid,jobs.name,categories.name as
'catname',jobs.desciption,jobs.date,jobs.salary,jobs.skill,j
obs.timing, jobs.location
from jobs
INNER JOIN categories on categories.catid = jobs.catid
ORDER by jobs.jobid DESC LIMIT 3
$rs = mysqli_query($con,$sql);
while($jobdata = mysqli_fetch_array($rs)) {
    ?>
        <div class="col-sm-12 myborder">
                <h4><?= $jobdata['name']?> </h4>
                <small> Category: ( <?=</pre>
$jobdata['catname']?> ) </small>
                Desc: <?=$jobdata['desciption']?>
                <small>Skill: ( <?= $jobdata['skill']?> )
</small>
                Timing: <?=$jobdata['timing']?>
                Location: <?=$jobdata['location']?>
    </div>
    <?php } ?>
    <a href="viewjobs.php" class="btn btn-primary">View All
Jobs</a>
</div>
</div>
<?php include('footer.php') ?>
</body>
</html>
```

File Name: header.php

```
<script type="application/x-javascript">
addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1);
} </script>
<link href="css/bootstrap-3.1.1.min.css" rel='stylesheet'</pre>
type='text/css' />
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<!-- Custom Theme files -->
<link href="css/style.css" rel='stylesheet' type='text/css'</pre>
link
href='//fonts.googleapis.com/css?family=Roboto:100,200,300,4
00,500,600,700,800,900' rel='stylesheet' type='text/css'>
<link href="css/font-awesome.css" rel="stylesheet">
<nav class="navbar navbar-default" role="navigation">
    <div class="container">
        <div class="navbar-header">
            <button type="button" class="navbar-toggle</pre>
collapsed" data-toggle="collapse" data-target="#bs-example-
navbar-collapse-1">
                <span class="sr-only">Toggle
navigation
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
            </button>
            <a class="navbar-brand" href="index.html"><img</pre>
src="images/JobLogo.png" alt=""></a>
```

```
</div>
       <!--/.navbar-header-->
       <div class="navbar-collapse collapse" id="bs-</pre>
example-navbar-collapse-1" style="height: 1px;">
          <?php
             session_start();
             if(isset($_SESSION['type'])) {
              if($_SESSION['type'] == 1) {
              <a href="jobs.php">Add Job</a>
              <a
href="categories.php">Categories</a>
              <a href="viewsubmittedapp.php">View</a>
Application</a>
              <a href="viewusers.php">View
user</a>
              <a href="logout.php">logout</a>
             else if($ SESSION['type'] == 2) {
              echo '
              <a href="index.php">Home Page</a>
              <a href="viewjobs.php">View
Jobs</a>
              <a href="viewapplication.php">View
Application</a>
              <a href="logout.php">logout</a>
             else {
              echo '
              <a href="index.php">Home Page</a>
              <a href="viewjobs.php">View</a>
Jobs</a>
```

File Name: footer.php

```
<div class="footer bottom">
 <div class="container">
   <div class="col-sm-2">
      <a href="viewjobs.php">Domestic work
Jobs</a>
         <a href="viewjobs.php">Driver Jobs</a>
         <a href="viewjobs.php">Waiter Jobs</a>
         <a href="viewjobs.php">Const. laborers
Jobs</a>
      </div>
   <div class="col-sm-2">
      <a href="viewjobs.php">Sweeper Jobs</a>
         <a href="viewjobs.php">Carpenter
Jobs</a>
         <a href="viewjobs.php">Blacksmith
Jobs</a>
         <a href="viewjobs.php">Tailor Jobs</a>
      </div>
```

```
<div class="col-sm-2">
       <a href="viewjobs.php">Barber Jobs</a>
           <a href="viewjobs.php">Factory laborer
Jobs</a>
           <a href="viewjobs.php">Laundry worker
Jobs</a>
           <a href="viewjobs.php">Garage Jobs</a>
       </div>
   <div class="col-sm-6 footer text">
      "EVERYJOBS is dedicated to the informal job sector"
and shall enable the job seekers of this category to become
independent, in terms of employment generation and income
management. Our goal is to not only bridge the extensive gap
between employers and blue or grey collar job workers but to
organize the unorganized sector as well."
   </div>
 <div class="clearfix"> </div>
   <div class="copy">
       Design by <a</p>
href="https://github.com/RajbeerRajak"
target=" blank">Rajbeer Rajak</a> 
   </div>
 </div>
</div>
```

File name: login.php

```
</head>
<body>
    <?php include('header.php') ?>
    <?php include('connect.php') ?>
        <div class="container">
    <div class="row">
       <div class="col-lg-4">
        <div class="login-content">
                     <form action="login.php" method="post">
                         <div class="section-title">
                             <h3>Login</h3>
                         </div>
                         <div class="textbox-wrap">
                             <div class="input-group">
                                  <span class="input-group-</pre>
addon "><i class="fa fa-user"></i></span>
                                  <input type="email"</pre>
required="required" value="" name="email" class="form-
control" placeholder="email">
                                  <input type="password"</pre>
required="required" value="" name="password" class="form-
control" placeholder="password">
                             </div>
                         </div>
                       <div class="login-btn">
                        <input type="submit" name="login"</pre>
value="Login">
                     </div>
                      </form>
                 </div>
       </div>
       </div>
       </div>
       <?php include('footer.php') ?>
       </body>
</html>
```

```
<?php
if(isset($ POST['login'])){
    $email = $ POST['email'];
    $password = $_POST['password'];
    $sql = "select * from user where email ='$email' and
password= '$password'";
    $rs = mysqli query($con,$sql);
    if(mysqli num rows($rs)>0){
        $data = mysqli_fetch_array($rs);
         print r($data);
  $roletype = $data['roletype'];
  $userid = $data['userid'];
  $username = $data['name'];
 $_SESSION['type'] = $roletype;
  $ SESSION['userid'] =$userid;
   $ SESSION['name'] =$username;
  if($roletype == 1){
echo "<script>alert('admin successfully login')</script>";
 echo "<script> window.location.href='index.php' </script>";
 }else if($roletype == 2) {
    echo "<script>alert('user successfully
login')</script>";
    echo "<script> window.location.href='index.php'
</script>";
    }else{
         echo "<script>alert('invalid username or password
')</script>";
```

```
}
?>
```

File Name: logout.php

```
<?php

session_start();
session_unset();
session_destroy();

echo "<script> window.location.href='index.php' </script>";
?>
```

File Name: connect.php

```
<?php
$con = mysqli_connect("localhost","root","",
"onlinejob","4306");
if(!$con){
    die('database cannot established');
}</pre>
```

File Name: apply.php

```
<body>
    <?php include('header.php') ?>
    <?php include('connect.php') ?>
         <div class="container">
    <div class="row">
       <div class="col-lg-4">
        <div class="login-content">
                      <form action="apply.php" method="post"</pre>
enctype="multipart/form-data">
                          <div class="section-title">
                               \langle h3\rangle Apply\langle /h3\rangle
                          </div>
                          <div class="textbox-wrap">
                               <div class="input-group">
                                   <span class="input-group-</pre>
addon "><i class="fa fa-user"></i></span>
                                   <input type="file"</pre>
required="required" value="" name="file" class="form-
control" placeholder="upload file">
                               </div>
                          </div>
                        <div class="login-btn">
                         <input type="submit" name="apply"</pre>
value="Apply">
                      </div>
                       </form>
                 </div>
       </div>
       </div>
       </div>
       <?php include('footer.php') ?>
       </body>
</html>
<?php
```

```
if(isset($_POST['apply'])){
$jobid = $_SESSION['jobid'];
$userid = $ SESSION['userid'];
$file = $_FILES['file']['name'];
$tmp = $ FILES['file']['tmp name'];
move_uploaded_file($tmp,"uploads/$file");
$date = date('d/m/y');
if(mysqli_query($con,"INSERT INTO `application`(`userid`,
`jobid`, `cv`, `date`) VALUES
('$userid','$jobid','$file','$date')")) {
echo "<script>alert('Application Submitted
successfully!!')</script>";
 echo "<script> window.location.href='index.php' </script>";
}else {
echo "<script>alert('Application Not Submitted
successfully!!')</script>";
```

File Name: categories.php

```
<?php include('header.php') ?>
    <?php include('connect.php') ?>
    <?php
    if(!isset( $_SESSION['type'])) {
      header('Location: login.php');
    ?>
<?php
error_reporting(0);
$catid = $ GET['catid'];
$sql = "SELECT * FROM `categories` where catid = '$catid'";
$rs = mysqli_query($con,$sql);
$catdata = mysqli fetch array($rs);
if($ GET['delid']) {
$delid = $ GET['delid'];
$sql1 = "delete from categories where catid = '$delid'";
mysqli query($con,$sql1);
header('Location: categories.php');
?>
    <div class="container">
    <div class="row">
       <div class="col-lg-4">
        <div class="login-content">
                    <form action="categories.php"</pre>
method="post">
                        <div class="section-title">
                            <h3>Categories</h3>
                        </div>
                        <div class="textbox-wrap">
                            <div class="input-group">
```

```
<span class="input-group-</pre>
addon "><i class="fa fa-user"></i></span>
                               <input type="hidden"</pre>
name="cid" value="<?=$catdata['catid']?>">
                               <input type="text"</pre>
required="required"
                              value="<?=$catdata['name']?>"
name="Name"
                               class="form-control"
placeholder="Name">
                           </div>
                       </div>
                     <div class="login-btn">
            <input type="submit" name="addcat" value="Add</pre>
category">
                      <input type="submit" name="updatecat"</pre>
value="Update">
          </div>
                    </form>
               </div>
       </div>
      <div class="col-lg-8">
        ID
               Name
               Action
<?php
$sql = "SELECT * FROM `categories`";
$rs = mysqli query($con,$sql);
while($data = mysqli_fetch_array($rs)) {
```

```
<?= $data['catid'] ?>
    <?= $data['name'] ?>
     <a href="categories.php?catid=<?= $data['catid'] ?>"
class="btn btn-primary">Edit</a>
       <a href="categories.php?delid=<?= $data['catid'] ?>"
class="btn btn-danger">Delete</a>
     <?php
?>
</div>
</div>
   </div>
<?php include('footer.php') ?>
</body>
</html>
<?php
if(isset($ POST['addcat'])) {
   $catname = $ POST['Name'];
 // print r($ POST);
 if(mysqli_query($con,"INSERT INTO `categories`(`name`)
VALUES ('$catname')")){
   echo "<script> alert('record inserted')</script>";
 }else{
    echo "<script> alert('record not inserted')</script>";
if(isset($ POST['updatecat'])) {
   $cid = $_POST['cid'];
   $catname = $ POST['Name'];
  // print r($ POST);
```

```
if(mysqli_query($con,"UPDATE `categories` SET
`name`='$catname' WHERE catid = '$cid'")){
    echo "<script> alert('record updated')</script>";
    }else{
       echo "<script> alert('record not updated')</script>";
    }
}
```

File Name: jobs.php

```
<!DOCTYPE html>
<html Lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
    <title>Jobs</title>
</head>
<body>
    <?php include('header.php') ?>
   <?php include('connect.php') ?>
    <?php
    if(!isset( $_SESSION['type'])) {
     header('Location: login.php');
    ?>
<div class="container">
    <div class="row">
        <div class="col-lg-4">
<div class="login-content">
                    <form action="jobs.php" method="post">
                         <div class="section-title">
                             <h3>Jobs</h3>
                        </div>
```

```
<div class="textbox-wrap">
                              <div class="input-group">
                                  <span class="input-group-</pre>
addon "><i class="fa fa-user"></i></span>
                                  <input type="hidden"</pre>
name="jobid" value="">
                                  <input type="text"</pre>
required="required" value="" name="name" class="form-
control" placeholder="Name">
                              </div>
                              <div class="input-group">
                                  <span class="input-group-</pre>
addon "><i class="fa fa-user"></i></span>
                                  <textarea name="description"
id="" class="form-control"
placeholder="Description"></textarea>
                              </div>
                              <div class="input-group">
                                  <span class="input-group-</pre>
addon "><i class="fa fa-user"></i></span>
                                  <input type="text"</pre>
required="required"
                                 value="" name="skill"
                                  class="form-control"
placeholder="skill">
                              </div>
                              <div class="input-group">
                                  <span class="input-group-</pre>
addon "><i class="fa fa-user"></i></span>
                                  <input type="text"</pre>
required="required"
                                 value="" name="timing"
                                  class="form-control"
placeholder="timing">
```

```
</div>
                          <!-- <div class="input-group">
                                  <span class="input-group-</pre>
addon "><i class="fa fa-user"></i></span>
                                  <input type="date"</pre>
required="required"
                                 value="" name="date"
                                  class="form-control" >
                              </div> -->
                              <div class="input-group">
                                  <span class="input-group-</pre>
addon "><i class="fa fa-user"></i></span>
                                  <input type="text"</pre>
required="required"
                                 value="" name="salary"
                                  class="form-control"
placeholder="salary">
                              </div>
                              <div class="input-group">
                                  <span class="input-group-</pre>
addon "><i class="fa fa-user"></i></span>
                                  <textarea name="location"
id="" class="form-control"
placeholder="Location"></textarea>
                              </div>
                              <div class="input-group">
                                  <span class="input-group-</pre>
addon "><i class="fa fa-user"></i></span>
                                  <select name="catid" id=""</pre>
class="form-control">
                                      <?php
                                      $sql = "SELECT * FROM
categories";
                                      $data =
mysqli query($con,$sql);
```

```
if(mysqli_num_rows($data
) > 0){
                                       while($row=mysqli_fe
tch_array($data)){
                                           ?><option</pre>
value="<?= $row['catid'] ?>" > <?=$row['name']</pre>
?></option><?php</pre>
                                   }
                                   else{
                                       ?><option> Category
Not Added </option><?php
                                   }
                                   ?>
                               </select>
                           </div>
                             </div>
                     <div class="login-btn">
                      <input type="submit" name="addjob"</pre>
value="Add Job">
                      <input type="submit" name="updatecat"</pre>
value="Update">
                   </div>
                    </form>
               </div>
</div>
        </div>
       <div class="col-lg-8">
              ID 
                    Name 
                    Categories 
                    Skill 
                    Desc
```

```
 Salary 
                  Timing 
                  Date 
             <?php
$sql = "SELECT jobs.jobid,jobs.name,categories.name as
'catname',jobs.desciption,jobs.date,jobs.salary,jobs.skill,j
obs.timing, jobs.location
from jobs
INNER JOIN categories on categories.catid = jobs.catid";
$rs = mysqli_query($con,$sql);
while($jobdata = mysqli_fetch_array($rs)) {
   ?>
    <?= $jobdata['jobid'] ?> 
        <?= $jobdata['name'] ?> 
        <?= $jobdata['catname'] ?> 
        <?= $jobdata['skill'] ?> 
        <?= $jobdata['desciption'] ?> 
        <?= $jobdata['salary'] ?> 
       <?= $jobdata['timing'] ?> 
        <?= $jobdata['date'] ?> 
   <?php
?>
          </div>
       </div>
   </div>
   <?php include('footer.php') ?>
   <?php
```

```
if(isset($_POST['addjob'])) {
    $name = $ POST['name'];
    $catid = $ POST['catid'];
    $description = $_POST['description'];
    $skill = $ POST['skill'];
  $date = date('d/m/Y');
    $timing = $_POST['timing'];
    $location = $ POST['location'];
    $salary = $_POST['salary'];
 // print r($ POST);
 if(mysqli_query($con,"INSERT INTO `jobs`( `name`,
 desciption`, `skill`, `timing`, `date`, `salary`,
`location`, `catid`) VALUES
('$name','$description','$skill','$timing','$date','$salary'
,'$location','$catid')")){
    echo "<script> alert('record Added')</script>";
 }else{
     echo "<script> alert('record not added')</script>";
    ?>
</body>
</html>
```

File Name: single.php

```
<body>
<?php include('header.php') ?>
<?php include('connect.php') ?>
<div class="container">
    <div class="row">
<?php
$jobid = $_GET['jobid'];
$sql = "SELECT jobs.jobid,jobs.name,categories.name as
'catname',jobs.desciption,jobs.date,jobs.salary,jobs.skill,j
obs.timing,jobs.location
from jobs
INNER JOIN categories on categories.catid = jobs.catid
where jobs.jobid = '$jobid'
" ;
$rs = mysqli query($con,$sql);
$jobdata = mysqli fetch array($rs);
$_SESSION['jobid'] = $jobid;
    ?>
        <div class="col-sm-12 myborder">
                <h4><?= $jobdata['name']?> </h4>
                <small> Category: ( <?=</pre>
$jobdata['catname']?> ) </small>
                Desc: <?=$jobdata['desciption']?>
                <small>Skill: ( <?= $jobdata['skill']?> )
</small>
                Timing: <?=$jobdata['timing']?>
                Location: <?=$jobdata['location']?>
                Apply On: <?=$jobdata['date']?>
            <div class="col-sm-2">
                <?php
                if(isset($ SESSION['type'])) {
```

```
if ($_SESSION['type'] == 2) {
                        echo '<a href="apply.php" class="btn
btn-primary">Apply Now</a>';
                }else {
                        echo '<a href="login.php" class="btn
btn-primary">Login</a> <br><br>';
                        echo '<a href="register.php"
class="btn btn-primary">Register</a>';
                ?>
            </div>
    </div>
</div>
</div>
<?php include('footer.php') ?>
</body>
</html>
```

File Name: viewapplication.php

```
<?php include('connect.php') ?>
<div class="container">
   <div class="row">
      <div class="col-lg-12">
       ID
             Job
             Category
             Date
             CV
          <?php
          $userid = $ SESSION['userid'];
          $sql = "SELECT application.appid, jobs.name,
categories.name as 'catname',
application.date,application.cv
          from application
          INNER JOIN jobs on jobs.jobid =
application.jobid
          INNER JOIN categories on categories.catid =
jobs.catid
          INNER JOIN user on user.userid =
application.userid
          where application.userid = '$userid'";
          $rs = mysqli query($con,$sql);
          while($data = mysqli fetch array($rs)) {
          ?>
          <?=$data['appid']?> 
             < ?=$data['name']?> 
             <?=$data['catname']?> 
              <?=$data['date']?>
```

File Name: viewjobs.php

```
<!DOCTYPE html>
<html Lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
    <title>Home Page</title>
</head>
<body>
<?php include('header.php') ?>
<?php include('connect.php') ?>
<div class="container">
    <div class="row">
      <h3>ALL Jobs</h3>
<?php
```

```
$sql = "SELECT jobs.jobid,jobs.name,categories.name as
'catname',jobs.desciption,jobs.date,jobs.salary,jobs.skill,j
obs.timing, jobs.location
from jobs
INNER JOIN categories on categories.catid = jobs.catid
ORDER by jobs.jobid DESC
$rs = mysqli_query($con,$sql);
while($jobdata = mysqli fetch array($rs)) {
    ?>
        <div class="col-sm-12 myborder">
                <h4><?= $jobdata['name']?> </h4>
                <small> Category: ( <?=</pre>
$jobdata['catname']?> ) </small>
                Desc: <?=$jobdata['desciption']?>
                <small>Skill: ( <?= $jobdata['skill']?> )
</small>
                Timing: <?=$jobdata['timing']?>
                Location: <?=$jobdata['location']?>
            <div class="col-sm-2">
                <a
href="single.php?jobid=<?=$jobdata['jobid']?>" class="btn
btn-primary">More Detail</a>
            </div>
    </div>
    <?php } ?>
</div>
</div>
<?php include('footer.php') ?>
</body>
</html>
```

File Name: viewusers.php

```
<!DOCTYPE html>
<html Lang="en">
<head>
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
   <title>View All Users</title>
</head>
<body>
   <?php include('header.php') ?>
   <?php include('connect.php') ?>
<div class="container">
   <div class="row">
      <div class="col-lg-12">
       ID
              Name
              Email
              Pass
          <?php
          $sql = " select * from user where roletype =2";
          $rs = mysqli_query($con,$sql);
          while($data = mysqli_fetch_array($rs)) {
          ?>
          <?=$data['userid']?> 
              <?=$data['name']?> 
              <?=$data['email']?>
```

File name: viewsubmittedapp.php

```
<!DOCTYPE html>
<html Lang="en">
<head>
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
   <title>View All Applications</title>
</head>
<body>
   <?php include('header.php') ?>
   <?php include('connect.php') ?>
<div class="container">
   <div class="row">
      <div class="col-lg-12">
       ID
              Job
```

```
Category
             Users
              Date
             CV
          <?php
          $sql = "SELECT application.appid,jobs.name,
user.name as 'username', categories.name as 'catname',
application.date,application.cv
          from application
          INNER JOIN jobs on jobs.jobid =
application.jobid
          INNER JOIN categories on categories.catid =
jobs.catid
          INNER JOIN user on user.userid =
application.userid
          $rs = mysqli query($con,$sql);
          while($data = mysqli_fetch_array($rs)) {
          ?>
          <?=$data['appid']?> 
              <?=$data['name']?> 
              <?=$data['catname']?> 
             <?=$data['username']?> 
             <?=$data['date']?> 
             <a href="uploads/<?=$data['cv']?>"
class="btn btn-warning" target=" blank">view cv</a> 
          <?php
          ?>
```

File name: register.php

```
<!DOCTYPE html>
<html Lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
    <title>Categories</title>
</head>
<body>
    <?php include('header.php') ?>
    <?php include('connect.php') ?>
        <div class="container">
    <div class="row">
       <div class="col-lg-4">
        <div class="login-content">
                     <form action="register.php"</pre>
method="post">
                         <div class="section-title">
                             <h3>Register</h3>
                         </div>
                         <div class="textbox-wrap">
                             <div class="input-group">
```

```
<input type="text"</pre>
required="required" value="" name="name" class="form-
control" placeholder="name">
                                 <input type="email"</pre>
required="required" value="" name="email" class="form-
control" placeholder="email">
                                 <input type="password"</pre>
required="required" value="" name="password" class="form-
control" placeholder="password">
                             </div>
                         </div>
                       <div class="login-btn">
                        <input type="submit" name="register"</pre>
value="Register">
                     </div>
                      </form>
                 </div>
       </div>
       </div>
       </div>
       <?php include('footer.php') ?>
       </body>
</html>
<?php
if(isset($ POST['register'])){
    $name = $ POST['name'];
    $email = $ POST['email'];
    $password = $ POST['password'];
  // print r($ POST);
   if(mysqli_query($con,"INSERT INTO `user`( `name`,
email`, `password`, `roletype`) VALUES
('$name','$email','$password','2')")) {
    echo "<script>alert('register
successfully!!')</script>";
```

```
}else {
   echo "<script>alert('Not register ')</script>";
  }
}
```