Cucumber Report

| Start : Jul 27, 4:27:08.559 PM	End : Jul 27, 4:27:24.731 PM	Duration : 16.172 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 8 FAILED - 2 SKIPPED - 2

Features

1

0 %

Scenarios

3

33 %

Steps

12

66 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validation of PUT request for updating UserRoleProgramBatch in User Mudule	*16.172 s*	*3*	*1*	*2*	*0*	*12*	*8*	*2*	*2*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@test-A1-Positive-Valid-URL	1	1	0	0	1	0	1	0
@test-A2-Negative-Invalid-URL	1	0	1	0	1	0	1	0
@test-A3-Negative-valid-URL-Missing-Payload	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Validation of PUT request for updating UserRoleProgramBatch in User Mudule	3	1	2	0	16.172 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validation of PUT request for updating UserRoleProgramBatch in User Mudule	Verify PUT request for updating UserRoleProgramBatch in User module with valid endpoint and mandatory fields	4	4	0	0	13.014 s
2	Validation of PUT request for updating UserRoleProgramBatch in User Mudule	Verify PUT request for updating UpdateUserRoleStatus in Usermodule with Invalid endpoint and mandatory fields	4	2	1	1	1.866 s
3	Validation of PUT request for updating UserRoleProgramBatch in User Mudule	Verify put request for updating UserRoleProgramBatch in User module with valid endpoint and missing mandatory *	4	2	1	1	0.734 s

The feature name and/or scenario name has been cropped to fit in the available space.

## Validation of PUT request for updating UserRoleProgramBatch in User Mudule

FAILED	DURATION - 16.172 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0	3	Steps Total - 12 Pass - 8 Fail - 2 Skip - 2	12
/ 4:27:08.559 PM // 4:27:24.731 PM /					

Verify PUT request for updating UserRoleProgramBatch in User module with valid endpoint and mandatory fields

PASSED	DURATION - 13.014 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 4:27:08.568 PM // 4:27:21.582 PM /				
Validation of PUT request for updating UserRoleProgramBatch in User Mudule				
@test-A1-Positive-Valid-URL				

#	Step / Hook Details	Status	Duration
1	Given User sets Authorization to No Auth	PASSED	2.642 s
2	Given User sets request for updating UserRoleProgramBatch in User module with valid endpoint and mandatory fields	PASSED	0.101 s
3	When User send PUT request with data for UserRoleProgramBatch in User module from "UpdateUserRoleProgramBatch" and 0	PASSED	10.103 s
4	Then User successful updated UserRoleProgramBatch in User module with status code 200	PASSED	0.001 s

Verify PUT request for updating UpdateUserRoleStatus in Usermodule with Invalid endpoint and mandatory fields

FAILED	DURATION - 1.866 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	4
/ 4:27:21.928 PM // 4:27:23.794 PM /				
Validation of PUT request for updating UserRoleProgramBatch in User Mudule				
@test-A2-Negative-Invalid-URL				

#	Step / Hook Details	Status	Duration
1	Given User sets Authorization to No Auth	PASSED	0.002 s
2	Given User sets request for updting UserRoleProgramBatch in User module with invalid endpoint	PASSED	0.015 s
3	When User send PUT request with data for updating UserRoleProgramBatch in User module from "UpdateUserRoleProgramBatch" and 0	FAILED	1.813 s

	java.net.MalformedURLException: no protocol: "https://lms-api-hackathon-june2023-930a8b0f895d.herokuapp.com/lms/users/users/roleProgramBatchStatus//U9505a
	  at java.base/java.net.URL.<init>(URL.java:674)
	  at java.base/java.net.URL.<init>(URL.java:569)
	  at java.base/java.net.URL.<init>(URL.java:516)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	  at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	  at io.restassured.internal.RequestSpecificationImpl.getTargetURI(RequestSpecificationImpl.groovy:1588)
	  at io.restassured.internal.RequestSpecificationImpl.this2getTargetURI(RequestSpecificationImpl.groovy)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)
	  at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)
	  at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348)
	  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103)
	  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009)
	  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792)
	  at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)
	  at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)
	  at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	  at io.restassured.internal.RequestSpecificationImpl.partiallyApplyPathParams(RequestSpecificationImpl.groovy:1732)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)
	  at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		

#	Step / Hook Details	Status	Duration
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.newFilterContext(RequestSpecificationImpl.groovy:1089)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1702)		
	at io.restassured.internal.RequestSpecificationImpl.this2applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710)		
	at io.restassured.internal.RequestSpecificationImpl.this2applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at com.api.automation.stepDefinitions.SD_UpdateUserRoleProgramBatchByUserID. createPutRequest(SD_UpdateUserRoleProgramBatchByUserID.java:60) at com.api.automation.stepDefinitions.SD_UpdateUserRoleProgramBatchByUserID. user_send_put_request_with_missing_data_for_updating_user_role_program_batch_in_user_module_from_and(SD_UpdateUserRoleProgram BatchByUserID.java:97) at ?.User send PUT request with data for updating UserRoleProgramBatch in User module from "UpdateUserRoleProgramBatch" and 0(file:///C:/Users/HP/git/API.Phase2.RestAssuredCucumber/./src/test/resources/Features/UpdateUserRoleProgramBatchByUserID.feature:21) * Not displayable characters are replaced by '?'.		
4	Then User is not successfull updating UserRoleProgramBatch in User module with status code 404	SKIPPED	0.002 s

Verify put request for updating UserRoleProgramBatch in User module with valid endpoint and missing mandatory fields

FAILED	DURATION - 0.734 s		
/ 4:27:23.996 PM // 4:27:24.730 PM /			Steps
Validation of PUT request for updating UserRoleProgramBatch in User Mudule			Total - 4 Pass - 2 Fail - 1 Skip - 1
@test-A3-Negative-valid-URL-Missing-Payload			

#	Step / Hook Details	Status	Duration
1	Given User sets Authorization to No Auth	PASSED	0.003 s
2	Given User sets request for updating UserRoleProgramBatch in User module with valid endpoint	PASSED	0.003 s
3	When User send PUT request with data for updating UserRoleStatus in User module from "UpdateUserRoleProgramBatch" and 1	FAILED	0.719 s

	java.lang.NullPointerException: Cannot invoke "io.restassured.specification.RequestSpecification.body(String)" because "this. UserRoleStatus_request" is null
	   at com.api.automation.stepDefinitions.SD_UpdateUserRoleStatusbyUserID.createPutRequest(SD_UpdateUserRoleStatusbyUserID.java:43)
	   at com.api.automation.stepDefinitions.SD_UpdateUserRoleStatusbyUserID. user_send_put_request_with_data_for_updating_user_role_status_in_user_module_from_and(SD_UpdateUserRoleStatusbyUserID.java:78)
	   at ?.User send PUT request with data for updating UserRoleStatus in User module from "UpdateUserRoleProgramBatch" and 1(file:///C:/Users/HP/git/API.Phase2.RestAssuredCucumber/./src/test/resources/Features/UpdateUserRoleProgramBatchByUserID.feature:32)
	* Not displayable characters are replaced by '?'.		

4	Then User is not successfull updating UserRoleProgramBatch in User module with status code 400	SKIPPED	0.001 s