


Regular question - Kya a

Hame 4 rg banana h
Hame 4 RG banana hai input a




Hame 4 rg banana hai lis
Hame 4 rg banana hai map


ap apni mehnat pr fida hai?

hai with hardcoded values
as a string variable in same location

panana hai




rraform



st as a input, location same rhega
o as a input, location different rhega

Jab jab code me duplicacy hogi



```
resource "azurerm_resource_group" "rg-dhondhu" {
  name     = "rg-dhondhu"
  location = "westus"
}
```

```
resource "azurerm_resource_group" "rg-dhondhu" {
  name     = "rg-dhondhu"
  location = "westus"
}
```

Resource Block

Resource Block

The `for_each` meta-argument

list - Duplicates ho sakte hai

```
rg_name = ["rg-dhondhu", "rg-dhondhu", "rg-dhondhu", "rg-dhondhu", "rg-dhondhu"]
```

set - Duplicates nahi hai


```
rg_name = ["rg-dhondhu", "rg-dhondhu", "rg-dhondhu", "rg-dhondhu", "rg-dhondhu"]
```

Set of Strings

```
rg_name = ["rg-dhondhu", "rg-dhondhu", "rg-dhondhu", "rg-dhondhu", "rg-dhondhu"]
```


gi, tab tab code ko optimization ki need hogi..

Looping
Multiple Items



Looping
dhondhu", "rg-tondu", "rg-rondu"]
ist ke har element pr jana is looping

```
rg1" { resource "azurerm_resource_group" "rg1" {  
  name      = "rg-tondu"  
  location = "westus"  
}  
  
m_resource_group" "rg1" {  
  rg-tondu"  
  westus"
```



ment accepts a map or a set of strings

ai
ndu", "rg-tondu", "rg-rondu",
du]

, "rg-tondu", "rg-rondu"]
trings
s, 87, 59, 32]

```
resource "azurerm_resource_group" {
  for_each = toset(["rg-dhondhu", "rg-rundu"])
  name     = each.value
  location = "westus"
}
```

1. rg-dhondhu

each.value = rg-dhondhu

```
resource "azurerm_resource_group" {
  name     = "rg-dhondhu"
  location = "westus"
}
```

2. rg-rundu

each.value = rg-rundu

```
resource "azurerm_resource_group" {
  name     = "rg-rundu"
  location = "westus"
}
```

Abhi sare rg ek hi re
ForEach + list isi

Isko solve karne ke l
jae



HR

Introduction 70 baar bo
ha
Naukri.com ko har din
karna hai.. bhale hi bs e
kard
HR ke samne bindaas fr
nahi aata... Jo bologe

Jo bhi choti company jinka naam nahi sune ho t
dena hai..

umbers

```
group" "rg" {  
ndhu", "rg-tondu", "rg-rondu"]})
```

2. rg-tondu

each.value = rg-tondu

```
group" "rg" {  
resource "azurerm_resource_group" "rg" {  
  name      = "rg-tondu"  
  location  = "westus"  
}
```

```
group" "rg" {
```

gion me bana rahe
me fail ho jaega

lie foreach + map aa
ga.

ol bol ke record karna hi
ii...

n me do baar update
ek dot laga ke remove
to..

iekna hai... HR ko kuch
e vo maan legi/lega..

un sab me interview